

ML-7334

ML-7335

Shielded Grid Triodes
High Duty
150 kw Pulse Power

MACHLETT

ELECTRON TUBE SPECIALIST

DESCRIPTION

The ML-7334 and ML-7335 are shielded-grid triodes designed primarily to operate as switch tubes in hard-tube pulse modulators, for radar and similar applications.

The ML-7334 is designed specifically for high-duty-factor, long-pulse operation where it is capable of 150 kilowatts pulse output power. Either type may be used in this service, or in low-duty, short-pulse applications where it is capable of switching 750 kW.

Each of these types has sturdy electrodes arranged to form a cylindrical array of electron-optical systems, featuring a shield electrode connected internally to the cathode

by direct, low-impedance paths. This design permits operation with low grid current and it results in favorably low grid-plate capacitance. The presence of the ground-potential shield adjacent to the anode, furthermore, protects the cathode and grid from damage by transient arcs.

The cathode of each type is unipotential oxide-coated. The anode of the ML-7334 is designed for cooling by a forced flow of water, oil, or other suitable liquid. The cooling jacket is clamped onto the anode so that tubes may be installed and removed without breaking into the cooling system.† The ML-7335 anode is forced-air cooled and is capable of dissipating 3 kW with an air flow of 280 cfm.

Note: Data contained herein are based on initial design and test criteria. Before using these data in final equipment designs, consult Machlett for possible revisions.

GENERAL CHARACTERISTICS

Electrical

| | | |
|--|--------|----------|
| Heater Voltage | 6.0±5% | Volts |
| Heater Current | 60 | Amps |
| Heater Starting Current, maximum | 300 | Amps |
| Cathode Warmup Time | 10 | Minutes* |
| Amplification Factor | 125 | |
| Interelectrode Capacitances | | |
| Grid-Plate | 5 | μf |
| Grid-Cathode | 250 | μf |
| Plate-Cathode | 50 | μf |

Mechanical

| | | |
|--|---------------------|--|
| Mounting Position (support tube by anode or anode radiator only) | Any | |
| Type of Cooling—ML-7334 | Forced-liquid† | |
| Type of Cooling—ML-7335 | Forced-air‡ | |
| Air flow on anode, minimum for 3 kW dissipation | 280 cfm at 3" water | |
| Air flow on grid | 50 cfm | |
| Maximum incoming air temperature | 65 °C | |
| Maximum Ceramic Temperature | 225 °C‡ | |
| Net Weight, approximate | | |
| ML-7334 | 9 lbs. | |
| ML-7335 | 12 lbs. | |

†For details on cooling requirements for ML-7334, consult the Machlett Engineering Department.

*For accelerated cathode warmup, the filament may be energized at 7.0 volts for 5 minutes and then reduced to 6.0 volts for high-voltage operation. If a filament standby voltage of 5.0 volts is used, the minimum cathode warmup time is 1 minute at 6.0 volts.

‡Sufficient coolant flow must be provided to maintain envelope temperatures at less than 225°C under all conditions of operation.

MAXIMUM RATINGS AND TYPICAL OPERATING CONDITIONS

VALUES APPLY TO BOTH TYPES

Pulse Modulator or Pulse Amplifier


Maximum Ratings, Absolute Values

| | | |
|----------------------------|-------|--------------|
| D-C Plate Voltage | 16 | kV |
| Peak Plate Voltage | 20 | kV |
| D-C Grid Voltage | -300 | volts |
| Peak Positive Grid Voltage | 1000 | volts |
| Peak Negative Grid Voltage | -1000 | volts |
| Pulse Cathode Current | 15 | 75 amp |
| D-C Plate Current | 3500 | 200 mA |
| Grid Dissipation | 75 | 75 watts |
| Plate Dissipation | | |
| ML-7334 | 5 | 5 kW |
| ML-7335 | 3 | 3 kW |
| Pulse Duration | 500 | 25 μ sec |
| Duty Factor | 0.35 | 0.003 |


Typical Operation


| | | | |
|-----------------------------|------|------|-----------|
| D-C Plate Voltage | 8 | 16 | kV |
| D-C Grid Voltage | -100 | -200 | volts |
| Pulse Positive Grid Voltage | 250 | 1000 | volts |
| Pulse Plate Current | 10 | 55 | amp |
| Pulse Grid Current | 0.8 | 5 | amp |
| Pulse Driving Power | 0.3 | 6 | kw |
| Pulse Power Output | 70 | 770 | kw |
| Plate Output Voltage | 7 | 14 | kV |
| Pulse Duration* | 500 | 25 | μ sec |
| Duty Factor* | 0.3 | .003 | |

*For applications requiring longer pulse duration or higher duty factors, consult the Machlett Engineering Department.




CUT-OFF CHARACTERISTICS






ML-7335



ALL DIMENSIONS IN INCHES
TOLERANCES TO BE DETERMINED

DIMENSIONS—ML-7334



ALL DIMENSIONS IN INCHES
TOLERANCES TO BE DETERMINED

DIMENSIONS—ML-7335

THE MACHLETT LABORATORIES, INC.

An Affiliate of Raytheon Company