

MANUFACTURERS

GAS X X XD-44A/CNT-X15D-4 15.3 Db

DENVILLE, NEW JERSEY

References and notations contained herein are taken from Military Specifications for Electron tubes MIL-E-1D 31 March '58,

Description: Gaseous Discharge Diode, X Band (Note 11)

Ratings:

	lf	łЬ	TA	T Bull
Absolute	mΑ	mAdc	°C	°C
Maximum:			+85	+125
Minimum:			55	
Test Conditions:	0	200		

Cathode: Filamentary Type.

Dimensions: Per Outline Drawing (Fig. 1)

Base: Per Outline Drawing (Fig. 1)

Mounting Position: Any

Ref. Para.	Test	Conditions	Min.	Max.
	Qualification:	Required.		
4.5	Holding Period:	168 hours		
4.9.18.1.10	Carton Drop:	• • •		
4.9.20.3	*Vibration:	No Voltages, Note 9.		
4.10.5.1	Filament Voltage:	I _f =170mAdc	Ef	10Vdc
4.13.2	Tube Voltage Drop:	Note 1,2	E _{td} 65	75Vdc
• • •	Excess Noise Ratio:	F = 8500 Mc. Notes 3,4,5,10.	N _r -1 15.05	15.45Db
•••	Match (1):	F = 8500 Mc. Notes 4,6. I _b = 200 mAdc	VSWR	1.07:1
	*Match (2):	F = 8500 Mc. I _b = 0 mAdc Notes 4,6.	VSWR	1.07:1
•••	Intermittent Life Test	Notes 1,3,8,9. (One min. on, two min. off) Preheat time = 2 to 3 sec.	2500	Cycles
4.11.4	Intermittent Life Test End Points Excess Noise Ratio: Note 11.		N _r -1 15.0	15.5Db

- Note 1. The tube shall be tested in the circuit of Fig. 3.
- Note 2. In the test circuit of Fig. 3, with a filament current of 170 mAdc, the tube shall operate within three tries.
- Note 3. The tube shall be tested in total darkness.
- Note 4. The tube shall be tested in a tube mount as specified in Figure 2, or equivalent, terminated by a matched RG-51/U termination having a VSWR no greater than 1.01:1.

 Excessive Noise Ratio Measurement tests shall be made using the circuit of block diagram Fig. 4, or equivalent.
- Note 5. The frequency specified is that of the Local Oscillator.

- Note 6. The frequency specified is that of the Signal Generator.
- Note 7. Excess noise ratio should be measured by comparison with an approved standard.
- Note 8. The tube shall be tested at an ambient temperature of +85°C.
- Note 9. Intermittent Life Test end points shall apply.
- Note 10. The Excess Noise Ratio (N_r -1) is defined in Db as N_r -1 = $10 \log \left(\frac{T_e}{290} 1\right)$ where T_e is the effective electron temperature.
- Note 11. The noise frequencies generated by this tube cover a broad band of frequencies. This bandwidth is limited only by the type of mount used. This tube is normally used with a mount in RG-51./U wave guide, at a 10 degree angle in the E plane. Other wave guide sizes may be used with properly adapted mounts.





FIG.




Gentral ELECTRONIC

MANUFACTURERS

DENVILLE. NEW JERSEY




F1G. 2



D. C. TEST CIRCUIT

FIG. 3



TEST CIRCUIT FOR EXCESS NOISE MEASUREMENTS FIG. 4

