

eclipse), at which point the cooling curve appears to drop off sharply (which is expected behavior for lambda-type transitions) and then resumes with "normal" heat-loss characteristics. Thus, even if the thermal arrests are not as prolonged as observed (1, 4) or due entirely to magnetic ordering, detailed temperature-time curves are likely to yield new information on mineralogical and compositional variations of the lunar surface.

The temperatures of the heat capacity maxima related to magnetic transitions in lunar materials can be expected to vary widely because of the known variations in the bulk compositions of minerals (6) and from the effect of particle size on the ordering temperatures of very finely divided substances (7). It is not reasonable at this time, therefore, to attempt a correlation of Allen and Ney's (1) data with a specific mineral or mineral assemblage, inasmuch as detailed low-temperature heat capacity data are not yet available for basalt, ferrosilite ($\text{Fe}_2\text{Si}_2\text{O}_6$) or for any Fe-Mg-Mn-silicate solutions. Some theoretical consideration has been given to the effects of simple variations in C_p with temperature (8), but the present lack of empirical data on the above substances and on samples of lunar surface material precludes further theoretical analysis.

Large discontinuities in thermal expansion are also associated with some ordering transitions, as for example, in magnetite (9) and quartz. If such is the case for magnetic ordering in lunar materials, repeated cycling through one or more phase transition of this type would be an effective mechanism for fracture and erosion of the lunar surface.

D. R. WALDBAUM

Department of Geological Sciences,
Harvard University,
Cambridge, Massachusetts 02138

References and Notes

1. D. A. Allen and E. P. Ney, *Science* **164**, 419 (1969).
2. K. K. Kelley, *J. Amer. Chem. Soc.* **63**, 2750 (1941); S. S. Todd and K. R. Bonnickson, *ibid.* **73**, 3894 (1951). In wustite, for example, C_p increases from 11 to 14 cal/deg-mole when cooled from 200° to 189°K.
3. D. E. Gault, J. B. Adams, R. J. Collins, J. Green, G. P. Kuiper, H. Mazursky, J. A. O'Keefe, R. A. Phinney, E. M. Shoemaker, *Science* **158**, 641 (1967); J. B. Adams, *ibid.* **159**, 1453 (1968); T. Gold, *ibid.* **160**, 904

- (1968); H. C. Urey and K. Marti, *ibid.* **161**, 1030 (1968); L. D. Jaffe, *ibid.* **164**, 774 (1969); J. N. de Wits, *J. Geophys. Res.* **73**, 6915 (1968); E. D. Jackson and H. G. Wilshire, *ibid.*, p. 7621.
4. R. W. Shorthill and J. M. Saari, *Science* **150**, 210 (1965); *The Nature of the Lunar Surface*, W. N. Hess, D. H. Menzel, J. A. O'Keefe, Eds. (Johns Hopkins Press, Baltimore, 1966), part III.
5. A. J. Wesselink, *Bull. Astron. Inst. Netherlands* **10**, 359 (1948). Possible evidence in Fig. 4 at approximately 5:30 and 5:54 hours G.M.T.
6. W. A. Deer, R. A. Howie, J. Zussman, *Rock-Forming Minerals*, (Longmans, Green, London, 1963), vols. 1, 2, and 3; G. S. Hopper, thesis, Texas Christian University (1968). Compare data on the variation of Curie temperature with composition in Fe, Mn, Cr, Al, Pd, Cu, and Ni alloys and spinels [in M. Hansen and K. Anderko, *Constitution of Binary Alloys* (McGraw-Hill, New York, ed. 2, 1958); P. K. Baltzer, M. Robbins, P. J. Wojtowicz, *J. Appl. Phys.* **38**, 953 (1967)]. The ordering temperatures in these systems also vary with the population of atomic species in different structural sites [M. A. Krivoglaz and A. Smirnov, *The Theory of Order-Disorder in Alloys*, (1958), (English transl., Macdonald and Co., London, 1964), p. 86]. This additional factor can also be expected to affect magnetic ordering in

- spinels and pyroxenes [E. F. Westrum, Jr., and D. M. Grimes, *Phys. Chem. Solids* **6**, 280 (1958); G. K. Shenoy, G. M. Kalvius, S. S. Hafner, *J. Appl. Phys.* **40**, 1314 (1969)].
7. N. Yamamoto, *Bull. Inst. Chem. Res., Kyoto* **46**, 283 (1968).
8. V. S. Troitsky, A. B. Burov, T. N. Alyoshina, *Icarus* **8**, 423 (1968). In the foregoing paper the conclusion on the effect of temperature variations in C_p on the cooling curves is somewhat misleading, especially in the use of an average silicate heat capacity curve. The thermal parameter, γ_0 , is directly proportional to C_p , hence a factor of 2 in C_p (which is the difference in specific heat capacities of iron and wustite at 150°K, for example) can itself account for a range of γ_0 from 600 to 1200—other things being equal.
9. G. R. Rigby, G. H. B. Lovell, A. T. Green, *Trans. Brit. Ceram. Soc.* **45**, 137 (1946); S. S. Sharma, *Proc. Indian Acad. Sci.* **31A**, 261 (1951).
10. K. K. Kelley and E. G. King, *U.S. Bur. Mines Bull.* **592** (1961); R. A. Robie and D. R. Waldbaum, *U.S. Geol. Surv. Bull.* **1259** (1968).
11. F. Grønvald and E. F. Westrum, Jr., *J. Amer. Chem. Soc.* **81**, 1780 (1958).
12. Supported by NSF grant GA-1171. I thank T. J. Shankland and R. A. Phinney for discussions and comments on the manuscript.

7 July 1969

Age of Bed V, Olduvai Gorge, Tanzania

It is becoming increasingly clear that the various deposits which have up until now been bracketed together as bed V are not all of the same age or origin. The date obtained from the fossil bone in bed V at the fifth fault is not in question, but it cannot be regarded as indicative of the age of all that has been called bed V. For example, a date of 30,000 B.P. has been recorded (1) for a caliche overlying bed V in one part of the gorge. The

age of the so-called bed V overlying the Capsian site at the second fault cannot be inferred from the fifth fault evidence at present.

L. S. B. LEAKEY

Centre for Prehistory and
Palaeontology, Nairobi, Kenya

Reference

1. R. L. Hay, in *Background to Evolution in Africa*, W. W. Bishop and J. D. Clarke, Eds. (Univ. of Chicago Press, Chicago, 1967).

14 April 1969

Lead Poisoning in Children:

Detection by Ion-Selective Electrode

In an account (1) dealing with lead poisoning in children caused by the ingestion of lead-based paints, attention was called to the need for more rapid and sensitive detection methods suitable for the diagnostic screening of large numbers of children.

A new analytical device which might be of some help in this connection (2) is a solid-state ion-selective membrane electrode selective for lead ions in solution. This electrode seems to have the appropriate characteristics of sensitivity (to as low as $10^{-7}M$ Pb^{2+}) and selectivity (normal ionic constituents of body

fluids should not interfere) to warrant further exploration of its use as a diagnostic tool. Similar electrodes, selective for Cl^- , are being used for the detection of cystic fibrosis in children (3).

GARRY A. RECHNITZ

Department of Chemistry, State
University of New York, Buffalo

References

1. M. W. Oberle, *Science* **165**, 991 (1969).
2. G. A. Rechnitz, *Anal. Chem.* **41**(12), 109A (1969).
3. L. Hansen, M. Buechele, J. Koroschec, W. J. Warwick, *Amer. J. Clin. Pathol.* **49**(6), 834 (1968).

15 September 1969