

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

**DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
SPEECH AMPLIFIERS BC-614-E, BC-614-H,
AND BC-614-I
FSN 5820-164-7288**

**Headquarters, Department of the Army, Washington, D.C.
8 March 1974**

Current as of July 1973

	Paragraph	Page
Section I. INTRODUCTION		
scope	1-1	2
General	1-2	2
Explanation of columns	1-3	2
Special information	1-4	4
Location of repair parts	1-5	4
Abbreviations (Not applicable)	1-6	5
Reporting of equipment publication improvements	1-7	5
II. REPAIR PARTS LIST		6
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER.....		14

This manual supersedes TM 11-5820-430-35P, 15 May 1962, including all changes.

TM11-5820-430-34P

S E C T I O N I I N T R O D U C T I O N

1 - 1 . S c o p e

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the BC-614-E, BC-614-H, and BC-614-I. The PCCN for the equipment is GCRAFS for all models.

1 - 2 . G e n e r a l

This repair parts and special tools list is divided into the following sections:

a. Repair Parts List - Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. Special Tools, Test and Support Equipment - Section III. Not applicable.

c. Index-Federal Stock Number and Reference Number Cross-Reference to and Item Number Section IV. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are -

Code Explanation

PA- Item procured and stocked for anticipated or known usage.

PB- Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

PC- Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

<i>Code</i>	<i>Explanation</i>
PD-	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE-	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
A list	A list
PF-	Support equipment which will not be stocked but which will be centrally procured on demand.
PG-	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
Equipment Figure	Figure
KD-	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF-	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB-	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO-	Item to be manufactured or fabricated at organizational level.
MF-	Item to be manufactured or fabricated at direct support maintenance level.
MH-	Item to be manufactured or fabricated at general support maintenance level.
MD-	Item to be manufactured or fabricated at depot maintenance level.
AO-	Item to be assembled at organizational level.
AF-	Item to be assembled at direct support maintenance level.

Code	Explanation
AH-	Item to be assembled at general support maintenance level.
AD-	Item to be assembled at depot maintenance level.
XA-	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB-	Item is not procured or stocked. If not available through salvage, requisition.
XC-	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XB-	Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700~42.

(2) **Maintenance code.** Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows:

(a) **Use (third position).** The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

Code	Application/Explanation
O -	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" **may be** used in this position to denote crew or operator maintenance performed within organizational maintenance.

F - **Support** item is removed, replaced, **used** at the direct support maintenance level.

Code	Application/Explanation
H -	Support item is removed, replaced, used at the general support maintenance.
D -	Support items that are removed, replaced, used at depot only.

(b) **Repair (fourth position).** The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multiservice equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code:

Code	Application/Explanation
O -	The lowest maintenance level capable of complete repair of the support item is the organizational level
F -	The lowest maintenance level capable of complete repair of the support item is direct support.
H -	The lowest maintenance level capable of complete repair of the support item is general support.
D -	The lowest maintenance level capable of complete repair of the support item is the depot level.
L	Repair restricted to designated Specialized Repair Activity.
Z -	Nonrepairable. No repair is authorized.
B -	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) **Recoverability code.** Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows:

Code	Explanation
Z -	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O -	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.

Code	EXPLANATION
F -	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H -	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D -	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L -	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A -	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. 1--Year Allowances Per 100 Equipment/Contingency Planning Purposes.

Column intentionally left blank.

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration. This column is divided as follows:

(1) **Figure number.** Indicates the figure number of the illustration on which the item is shown in TM 11-5054.

(2) **Item number.** Indicates the item number or reference designation used to reference the item in the illustration.

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are -

<i>Code</i>	<i>Used On</i>
A4A	BC-614-E
A4B	BC-614-H
A4C	BC-614-I

b. The following publications pertain to the equipment and its components:
TM 11-5054 Speech Amplifier
 BC-614-E, -F, -H,
 and -I.

TM 11-5820-430-20P Organizational Maintenance Repair Parts and Special Tools Lists: Speech Amplifiers BC-614-E, BC-614-H, and BC-**614-I**.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federalstock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numer

ical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock **numbers**.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize

columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1 - 6 . Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Im-

provements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CR, Fort Monmouth, N.J., **07703**.

SECTION II

T M 1 1 - 5 8 2 0 - 4 3 0 - 3 4 P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS.	(5) QTY IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
PAFH0	6625-668-9278	AMMETER M101..... MR26W3000LHAR (81349)	EA	1	*	*	*	*	*	*	3	3	M101	
PAFH0	6625-668-6716	AMMETER M101..... MR36W3000DCHA (81349)	EA	1	*	*	*	*	*	*	3	27	M101	
PAFZZ	5910-543-9788	CAPACITOR, FIXED, ELECTROLYTIC C108 10.. MF M40PCTP65PCT 450 VDCW CE42F100R (81350)	EA	6	*	*	*	*	*	*	3	3	C108	
PAFZZ	5910-543-9788	CAPACITOR, FIXED, ELECTROLYTIC C109 10.. MF M40PCTP65PCT 450 VDCW CE42F100R (81350)	EA	REF	*	*	*	*	*	*	3	3	C109	
PAFZZ	5910-543-9788	CAPACITOR, FIXED, ELECTROLYTIC C111 10.. MF M40PCTP65PCT 450 VDCW CE42F100R (81350)	EA	REF	*	*	*	*	*	*	3	3	C111	
PAFZZ	5910-543-9788	CAPACITOR, FIXED, ELECTROLYTIC C112 10.. MF M40PCTP65PCT 450 VDCW CE42F100R (81350)	EA	REF	*	*	*	*	*	*	3	3	C112	
PAFZZ	5910-543-9788	CAPACITOR, FIXED, ELECTROLYTIC C113 10.. MF M40PCTP65PCT 450 VDCW CE42F100R (81350)	EA	REF	*	*	*	*	*	*	3	3	C113	
PAFZZ	5910-543-9788	CAPACITOR, FIXED, ELECTROLYTIC C115 10.. MF M40PCTP65PCT 450 VDCW CE42F100R (81350)	EA	REF	*	*	*	*	*	*	3	3	C115	
PAFZZ	5910-128-3054	CAPACITOR, FIXED, ELECTROLYTIC C104 4... SECT 10-10-30-30 MF M32PCTP85PCT 150 VDCW 1899 (74861)	EA	4	*	*	*	*	*	*	3	27	C104	
PAFZZ	5910-128-3054	CAPACITOR, FIXED, ELECTROLYTIC C107 4... SECT 10-10-30-30 MF M32PCTP85PCT 150 VDCW 1899 (74861)	EA	REF	*	*	*	*	*	*	3	27	C107	
PAFZZ	5910-128-3054	CAPACITOR, FIXED, ELECTROLYTIC C110 4... SECT 10-10-30-30 MF M32PCTP85PCT 150 VDCW 1899 (74861)	EA	REF	*	*	*	*	*	*	3	27	C110	
PAFZZ	5910-128-3054	CAPACITOR, FIXED, ELECTROLYTIC C120 4... SECT 10-10-30-30 MF M32PCTP85PCT 150 VDCW 1899 (74861)	EA	REF	*	*	*	*	*	*	3	27	C120	
PAFZZ	5910-112-7839	CAPACITOR, FIXED, ELECTROLYTIC C106 10.. MF M40PCTP65PCT 300 VDCW CE63C100N (81349)	EA	2	*	*	*	*	*	*	3	3	C106	
PAFZZ	5910-112-7839	CAPACITOR, FIXED, ELECTROLYTIC C107 10.. MF M40PCTP65PCT 300 VDCW CE63C100N (81349)	EA	REF	*	*	*	*	*	*	3	3	C107	
PAFZZ	5910-543-9267	CAPACITOR, FIXED, ELECTROLYTIC C110 50.. MF M40PCTP65PCT 50 VDCW CE63C500G (81350)	EA	2	*	*	*	*	*	*	3	3	C110	
PAFZZ	5910-543-9267	CAPACITOR, FIXED, ELECTROLYTIC C120 50.. MF M40PCTP65PCT 50 VDCW CE63C500G (81350)	EA	REF	*	*	*	*	*	*	3	3	C120	
PAFZZ	5910-668-0597	CAPACITOR, FIXED, PAPER DIELECTRIC C117.. 2000 MMF PORM20PCT 800 VDCW CN30AZZ02H (81349)	EA	5	*	*	*	*	*	*	3	18	C117	

S E C T I O N I I

T M 1 1 - 5 8 2 0 - 4 3 0 - 3 4 P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	5910-668-0597	CAPACITOR, FIXED, PAPER DIELECTRIC C118.. 2000 MMF PDRM20PCT 800 VDCW CN30AZ202M (81349)	EA	REF	*	*	*	*	*	*	3	18	C118	
PAFZZ	5910-668-0597	CAPACITOR, FIXED, PAPER DIELECTRIC C122.. 2000 MMF PDRM20PCT 800 VDCW CN30AZ202M (81349)	EA	REF	*	*	*	*	*	*	3	18	C122	
PAFZZ	5910-668-0597	CAPACITOR, FIXED, PAPER DIELECTRIC C123.. 2000 MMF PDRM20PCT 800 VDCW CN30AZ202M (81349)	EA	REF	*	*	*	*	*	*	3	18	C123	
PAFZZ	5910-668-0597	CAPACITOR, FIXED, PAPER DIELECTRIC C128.. 2000 MMF PDRM20PCT 800 VDCW CN30AZ202M (81349)	EA	REF	*	*	*	*	*	*	3	18	C128	
PAFZZ	5910-101-3847	CAPACITOR, FIXED, MICA DIELECTRIC C127... 4700 MMF PDRM10PCT 500 VDCW CM358472K (81349)	EA	3	*	*	*	*	*	*	3	27	C127	
PAFZZ	5910-101-3847	CAPACITOR, FIXED, MICA DIELECTRIC C129... 4700 MMF PDRM10PCT 500 VDCW CM358472K (81349)	EA	REF	*	*	*	*	*	*	3	27	C129	
PAFZZ	5910-101-3847	CAPACITOR, FIXED, MICA DIELECTRIC C130... 4700 MMF PDRM10PCT 500 VDCW CM358472K (81349)	EA	REF	*	*	*	*	*	*	3	27	C130	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C101.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	10	*	*	*	*	*	*	3	27	C101	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C102.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C102	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C103.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C103	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C105.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C105	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C106.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C106	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C114.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C114	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C119.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C119	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C121.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C121	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C125.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C125	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C126.. 10,000 MMF PDRM20PCT 600 VDCW CN35AF103M (81349)	EA	REF	*	*	*	*	*	*	3	27	C126	
PAFZZ	5910-187-2745	CAPACITOR, FIXED, PAPER DIELECTRIC C116.. CONTINUED	EA	2	*	*	*	*	*	*	3	3	C116	

S E C T I O N I I

T M 1 1 - 5 8 2 0 - 4 3 0 - 3 4 P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
					1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED 350,000 MWF PORM10PCT 600 VDCW CYR86035J (14655)													
PAFZZ	5910-187-2745	CAPACITOR, FIXED, PAPER DIELECTRIC C124.. 350,000 MWF PORM10PCT 600 VDCW CYR86035J (14655)	EA	REF	*	*	*	*	*	*			3	3	C124
PAFZZ	5935-257-9341	CONNECTOR, RECEPTACLE, ELECTRICAL S0101.. 3 RD FEMALE CONT 45/64 IN LG X 1-1/8 IN DIA 91PC3F (02660)	EA	1	*	*	*	*	*	*			3	27	
PAFZZ	5935-258-4657	CONNECTOR, RECEPTACLE, ELECTRICAL S0102.. 8 RD FEMALE CONT 1 IN LG X 1-3/4 IN DIA 79P08F (02660)	EA	1	*	*	*	*	*	*			3	18	
PAFZZ	5935-644-6700	CONNECTOR, RECEPTACLE, ELECTRICAL S0103.. 8 RD MALE CONT 1 IN LG X 1-3/4 IN DIA O/A 79P08H (02660)	EA	1	*	*	*	*	*	*			3	18	
PAFZZ	5355-162-3098	DIAL, CONTROL NO-REF-DESIG DISC TYPE ... WITH SETSCREEN 29/32 IN H X 1-1/2 IN DIA A38180 (26926)	EA	1	*	*	*	*	*	*			2		
PAOZZ	5960-228-3765	ELECTRON TUBE V102..... 615WGT (81349)	EA	2	*	*	*	*	*	*			100	5	V102
PAOZZ	5960-228-3765	ELECTRON TUBE V108..... 65N5GT (81349)	EA	REF	*	*	*	*	*	*			100	5	V108
PAOZZ	5960-188-3577	ELECTRON TUBE V103..... 65N7WGT (81349)	EA	3	*	*	*	*	*	*			100	5	V103
PAOZZ	5960-188-3577	ELECTRON TUBE V104..... 65N7WGT (81349)	EA	REF	*	*	*	*	*	*			100	5	V104
PAOZZ	5960-188-3577	ELECTRON TUBE V106..... 65N7WGT (81349)	EA	REF	*	*	*	*	*	*			100	5	V106
PAOZZ	5960-100-5273	ELECTRON TUBE V101..... 65Q7 (81350)	EA	1	*	*	*	*	*	*			100	5	V101
PAOZZ	5960-100-5274	ELECTRON TUBE V105..... 65R7 (81350)	EA	1	*	*	*	*	*	*			100	5	V105
PAOZZ	5960-100-7320	ELECTRON TUBE V107..... 80 (81349)	EA	1	*	*	*	*	*	*			100	5	V107
PAFZZ	5935-192-4825	JACK, TELEPHONE JJ-022 J102..... JJ022 (80058)	EA	1	*	*	*	*	*	*			2	27	J102
PAFZZ	5935-234-1594	JACK, TELEPHONE JJ-083 J102..... JJ083 (80058)	EA	1	*	*	*	*	*	*			2	3	J102
PAFZZ	5935-192-4789	JACK, TELEPHONE JJ-089 J101..... JJ089 (80058)	EA	1	*	*	*	*	*	*			2	27	J101
PAOZZ	6240-057-2887	LAMP, INCANDESCENT LM-27 E106..... LM27 (80058)	EA	1	*	*	*	*	*	*			20		E106
PAOZZ	6210-299-29160	LENS, INDICATOR LIGHT NO-REF-DESIG RED.. GLASS 1/2 IN DIA 11/16 IN LG X 5/8 IN DIA O/A 81-431 (72619)	EA	1	*	*	*	*	*	*			5		
PAFZZ		LIGHT, INDICATOR I101 WITHOUT LENS 1-- 3/8 IN LG X 29/32 IN W X 1IN H 8108 (72619)	EA	1	*	*	*	*	*	*			5		I101
PAFZZ		REACTOR CH101 29 HY, 25 MA DC, 525 OHM.. DC RESISTANCE SCC34384 (80063)	EA	1	*	*	*	*	*	*			2	3	
		A4B,A4C													

S E C T I O N I I

T M 1 1 - 5 8 2 0 - 4 3 0 - 3 4 P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) (b)	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			FIGURE NO.	ITEM NO.
PAFZZ	5950-245-9651	RESISTOR CH101 29 NY PORM5PCT, 25 MA DC, 162 OHM DC RESISTANCE 2-7/16 IN LG X 2 IN X 3-9/16 IN H 348014 (81349)	EA	1	*	*	*	*	*	*	2	27		
PAFZZ	5905-279-3517	RESISTOR, FIXED, COMPOSITION R142 51 OHM PORM5PCT 1/2W U/D ORDER 3462-PH-52 ONLY IC206F510J (81349)	EA	1	*	*	*	*	*	*	3	18	R142	
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R104 100... JHM PORM5PCT 1/2W IC206F101J (81349)	EA	3	*	*	*	*	*	*	3	27	R104	
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R147 100... JHM PORM5PCT 1/2W IC206F101J (81349)	EA	REF	*	*	*	*	*	*	3	27	R147	
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R148 100... JHM PORM5PCT 1/2W IC206F101J (81349)	EA	REF	*	*	*	*	*	*	3	27	R148	
PAFZZ	5905-299-2056	RESISTOR, FIXED, COMPOSITION R142 200... JHM PORM5PCT 1W NOT APPLICABLE TO ORDER 3462-PH-52 IC32GF201J (81349)	EA	1	*	*	*	*	*	*	3	18	R142	
PAFZZ	5905-279-2645	RESISTOR, FIXED, COMPOSITION R124 330... JHM PORM5PCT 1W IC32GF33AJ (81349)	EA	1	*	*	*	*	*	*	3	18	R124	
PAFZZ	5905-299-2051	RESISTOR, FIXED, COMPOSITION R115 470... JHM PORM5PCT 1W IC32GF471J (81349)	EA	2	*	*	*	*	*	*	3	18	R115	
PAFZZ	5905-299-2051	RESISTOR, FIXED, COMPOSITION R121 470... JHM PORM5PCT 1W IC32GF471J (81349)	EA	REF	*	*	*	*	*	*	3	18	R121	
PAFZZ	5905-279-3511	RESISTOR, FIXED, COMPOSITION R138 510... JHM PORM5PCT 1/2W IC206F511J (81349)	EA	1	*	*	*	*	*	*	3	18	R126	
PAFZZ	5905-195-6006	RESISTOR, FIXED, COMPOSITION R106 1000... JHM PORM5PCT 1/2W IC206F102J (81349)	EA	3	*	*	*	*	*	*	3	27	R106	
PAFZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R112 1000... JHM PORM5PCT 1/2W IC206F102J (81349)	EA	REF	*	*	*	*	*	*	3	27	R112	
PAFZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R131 1000... JHM PORM5PCT 1/2W IC206F102J (81349)	EA	REF	*	*	*	*	*	*	3	27	R131	
PAFZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R112 1000... JHM PORM5PCT 1/2W IC206F102J (81349)	EA	2	*	*	*	*	*	*	3	18	R112	
PAFZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R131 1000... JHM PORM5PCT 1/2W IC206F102J (81349)	EA	REF	*	*	*	*	*	*	3	18	R131	
PAFZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION R122 2200... JHM PORM5PCT 1/2W IC206F102J (81349)	EA	1	*	*	*	*	*	*	3	18	R122	
PAFZZ	5905-279-3504	RESISTOR, FIXED, COMPOSITION R106 4700... JHM PORM5PCT 1/2W IC206F222J (81349)	EA	4	*	*	*	*	*	*	3	22	R106	

SECTION II

TM11-5820-430-34P

SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION			
					(a) 1-20			(b) 21-50			(c) 51-100			(a) 1-20		
					(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)	(c)
PAFZZ	5905-279-3504	RESISTOR, FIXED, COMPOSITION R139 4700.. OHM PORM5PCT 1/2W RC20GF472J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	22	R139
PAFZZ	5905-279-3504	RESISTOR, FIXED, COMPOSITION R140 4700.. OHM PORM5PCT 1/2W RC20GF472J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	22	R140
PAFZZ	5905-279-3504	RESISTOR, FIXED, COMPOSITION R141 4700.. OHM PORM5PCT 1/2W RC20GF472J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	22	R141
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION R139 5100.. OHM PORM5PCT 1/2W RC20GF512J (81349)	EA	3	*	*	*	*	*	*	*	*	*	3	27	R139
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION R140 5100.. OHM PORM5PCT 1/2W RC20GF512J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	27	R140
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION R141 5100.. OHM PORM5PCT 1/2W RC20GF512J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	27	R141
PAFZZ	5905-279-3503	RESISTOR, FIXED, COMPOSITION R146 6800.. OHM PORM5PCT 1/2W RC20GF512J (81349)	EA	1	*	*	*	*	*	*	*	*	*	3	18	R146
PAFZZ	5905-171-2004	RESISTOR, FIXED, COMPOSITION R129 22,000 OHM PORM5PCT 1/2W RC20GF682J (81349)	EA	1	*	*	*	*	*	*	*	*	*	3	18	R129
PAFZZ	5905-279-2527	RESISTOR, FIXED, COMPOSITION R126 22,000 OHM PORM5PCT 2W RC42GF223J (81349)	EA	1	*	*	*	*	*	*	*	*	*	3	18	R126
PAFZZ	5905-279-3499	RESISTOR, FIXED, COMPOSITION R105 27,000 OHM PORM5PCT 1/2W RC20GF273J (81349)	EA	1	*	*	*	*	*	*	*	*	*	3	18	R105
PAFZZ	5905-254-9201	RESISTOR, FIXED, COMPOSITION R130 47,000 OHM PORM5PCT 1/2W RC20GF473J (81349)	EA	2	*	*	*	*	*	*	*	*	*	3	18	R130
PAFZZ	5905-254-9201	RESISTOR, FIXED, COMPOSITION R138 47,000 OHM PORM5PCT 1/2W RC20GF473J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	18	R138
PAFZZ	5905-299-2013	RESISTOR, FIXED, COMPOSITION R127 47,000 OHM PORM5PCT 1W RC32GF473J (81349)	EA	2	*	*	*	*	*	*	*	*	*	3	18	R127
PAFZZ	5905-299-2013	RESISTOR, FIXED, COMPOSITION R128 47,000 OHM PORM5PCT 1W RC32GF473J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	18	R128
PAFZZ	5905-185-6955	RESISTOR, FIXED, COMPOSITION R125 75,000 OHM PORM5PCT 2W RC32GF473J (81349)	EA	1	*	*	*	*	*	*	*	*	*	3	18	R125
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R103 100,.. 000 OHM PORM5PCT 1/2W RC20GF104J (81349)	EA	5	*	*	*	*	*	*	*	*	*	3	27	R103
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R107 100,.. 000 OHM PORM5PCT 1/2W RC20GF104J (81349)	EA	REF	*	*	*	*	*	*	*	*	*	3	27	R107
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R113 100,.. CONTINUED	EA	REF	*	*	*	*	*	*	*	*	*	3	27	R113

S E C T I O N I I

T M 1 1 - 5 8 2 0 - 4 3 0 - 3 4 P

S E C T I O N I I

T M 1 1 - 5 8 2 0 - 4 3 0 - 3 4 P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED												
PAFZZ	5905-542-8050	MEG PORM5PCT 1/2W AC20GF335J (81349)	EA	1	*	*	*	*	*	*		3	18	R137
PAFZZ	5905-557-4811	RESISTOR, VARIABLE, COMPOSITION R137..... 100,000 OHM PORM1OPCT 2W RV4NAYS8104C (81349)	EA	1	*	*	*	*	*	*		3	18	R134
PAFZZ	5905-577-0927	RESISTOR, VARIABLE, COMPOSITION R134..... 500,000 OHM PORM1OPCT 2W RV4AUS0504C (81349)	EA	2	*	*	*	*	*	*		3	18	R111
PAFZZ	5905-577-0927	RESISTOR, VARIABLE, COMPOSITION R123 1.. MEG PORM2OPCT 2W RV4AUSD1050 (81349)	EA	REF	*	*	*	*	*	*		3	18	R123
PAFZZ	5910-682-2543	RESISTOR, VARIABLE, COMPOSITION R111 1.. MEG PORM2OPCT 2W RV4AUSD1050 (81349)	EA	1	*	*	*	*	*	*		2		H102
PAFZZ	5960-223-5970	RETAINER, CAPACITOR H102 1-7/16 IN DIA X 3/4 IN H VR3 (90201) A4A,A4B	EA	1	*	*	*	*	*	*		2		
PCOZZ	5340-473-8107	RETAINER, ELECTRON TUBE H102H 2-9/16 IN. LG X 2-1/8 IN W X 3/4 IN H O/A SM8166142 (80063) A4C	EA	4	*	*	*	*	*	*		3		A101
PCOZZ	5340-473-8107	MOUNT, SHOCK A101 2-3/8 IN X 2-3/8 IN... RUBBER COMPOUND CUSHION WITH 1-1/2 IN DIA CTR SLEEVE 153PH24 (76005) A4B,A4C	EA	REF	*	*	*	*	*	*		3		A102
PCOZZ	5340-473-8107	MOUNT, SHOCK A102 2-3/8 IN X 2-3/8 IN... RUBBER COMPOUND CUSHION WITH 1-1/2 IN DIA CTR SLEEVE 153PH24 (76005) A4B,A4C	EA	REF	*	*	*	*	*	*		3		A103
PCOZZ	5340-473-8107	MOUNT, SHOCK A103 2-3/8 IN X 2-3/8 IN... RUBBER COMPOUND CUSHION WITH 1-1/2 IN DIA CTR SLEEVE 153PH24 (76005) A4B,A4C	EA	REF	*	*	*	*	*	*		3		A104
PAFZZ	5935-129-93-58	SOCKET, ELECTRON TUBE X101..... TS101P02 (81350) A4B,A4C	EA	7	*	*	*	*	*	*		3		X101
PAFZZ	5935-129-9358	SOCKET, ELECTRON TUBE X102..... TS101P02 (81350)	EA	REF	*	*	*	*	*	*		3		X102
PAFZZ	5935-129-9358	SOCKET, ELECTRON TUBE X103..... TS101P02 (81350)	EA	REF	*	*	*	*	*	*		3		X103
PAFZZ	5935-129-9358	SOCKET, ELECTRON TUBE X104..... TS101P02 (81350)	EA	REF	*	*	*	*	*	*		3		X104
PAFZZ	5935-129-9358	SOCKET, ELECTRON TUBE X105..... TS101P02 (81350)	EA	REF	*	*	*	*	*	*		3		X105
PAFZZ	5935-129-9358	SOCKET, ELECTRON TUBE X106..... TS101P02 (81350)	EA	REF	*	*	*	*	*	*		3		X106
PAFZZ	5935-129-9358	SOCKET, ELECTRON TUBE X108..... TS101P02 (81350)	EA	REF	*	*	*	*	*	*		3		X108
PAFZZ	5935-129-3081	SOCKET, ELECTRON TUBE X107 3 PIN CONT ... CONTINUED	EA	1	*	*	*	*	*	*		3	18	X107

SECTION II

TM 11-5820-430-34P

(1) SINR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
CONTINUED														
PAFZZ	5307-638-2056	31/64 IN H X 1-9/32 IN W X 1-7/8 IN EXCL TERM 77MIP4TH (02660)	EA	1	*	*	*	*	*	*	2			
PAFZZ	5940-537-6599	STUD, THREADED H1028 SS 3-1/4 IN LG D/A 32 (97983) A4C	EA	1	*	*	*	*	*	*	3	E103		
PAFZZ	5950-227-8205	TERMINAL BOARD E103 18 TURRET TERM 3-.. 7/16 IN LG X 2-3/8 IN W X 7/16 IN THK D/A NOT APPLICABLE TO ORDER 3462-PH-52 888808 (26926) A4C	EA	1	*	*	*	*	*	*	3	3	T101	
PAFZZ	5950-199-0051	TRANSFORMER, AUDIO FREQUENCY T101 INPUT. TYPE 200 OHMS PRI AND SEC'D 25 MD PRI 2- 1/4 IN H X 2-1/4 IN LG X 1-5/8 IN W SCB34383 (80063) A4B,A4C	EA	1	*	*	*	*	*	*	3	3	T101	
PAFZZ	5950-333-9725	TRANSFORMER, AUDIO FREQUENCY T101 LINE.. TYPE 200 OHM PRI IMPEDANCE 2-7/8 INH X 2-7/16 IN LG X 2 IN W 20131 (88431) A4A	EA	1	*	*	*	*	*	*	3	3	T101	
PAFZZ	5950-250-1817	TRANSFORMER, AUDIO FREQUENCY T104 PRI... 10,000 OHMS SLCD 80,000 OHMS 2-7/16 IN LG X 2 IN W X 2-7/8 IN H 2A109 (88431) A4A	EA	1	*	*	*	*	*	*	3	3	T104	
PAFZZ	5950-244-5911	TRANSFORMER, AUDIO FREQUENCY T104 PLATE. COUPLING TYPE 10,000 OHM PRI IMPEDANCE 40,000 OHM CT SEC'D 2-1/4 IN H X 1-1/2 IN LG X 1-5/8 IN H SCB34382 (80063) A4B,A4C	EA	1	*	*	*	*	*	*	3	3	T102	
PAFZZ	5950-645-5210	TRANSFORMER, AUDIO FREQUENCY T102 LINE.. COUPLING TYPE 18,000 OHM SEC'D IMPEDANCE 2-3/4 IN H X 2-1/4 IN LG X X 2.11 IN W L4570 (80089) A4B,A4C	EA	1	*	*	*	*	*	*	3	3	T102	
PAFZZ	5950-199-2161	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP. T103 PRI WND 115V, 50-60 CPS SINGLE PH 3 SEC'D WND, 500V AT 25 MA CT, 63V AT 55 AMP 5V AT 2 AMP CT L6213 (80089) A4B	EA	1	*	*	*	*	*	*	3	3	T103	
PAFZZ	5950-577-6176	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP. T103 PRI 115V, 50-60 CYC, 1 PH SEC'D 500V CT 0.300 AMP 6.3V CT 3.5 AMP 5V, 2 ANF SCC85239 (80063) A4C	EA	1	*	*	*	*	*	*	3	3	T103	

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5307-638-2056			5910-128-3054	27	C110
5340-473-8107		A101	5910-128-3054	27	C120
5340-473-8107		A102	5910-187-2745	3	C116
5340-473-8107		A103	5910-187-2745	3	C124
5340-473-8107		A104	5910-543-9267	3	C110
5355-162-3098			5910-543-9267	3	C120
5305-171-2003	27	R103	5910-543-9788	3	C108
5905-171-2003	27	R108	5910-543-9788	3	C109
5905-171-2004	18	R129	5910-543-9788	3	C111
5905-185-6955	18	R125	5910-543-9788	3	C112
5905-190-8865	27	R110	5910-543-9788	3	C113
5905-190-8865	27	R114	5910-543-9788	3	C115
5905-190-8865	27	R118	5910-668-0588	27	C101
5905-190-8865	27	R119	5910-668-0588	27	C102
5905-190-8865	27	R120	5910-668-0588	27	C103
5905-190-8865	27	R135	5910-668-0588	27	C105
5905-190-8889	27	R104	5910-668-0588	27	C106
5905-193-8689	27	R147	5910-660-0588	27	C114
5905-190-8889	27	R148	5910-668-0588	27	C149
5905-192-0390	27	R101	5910-668-0588	27	C121
5905-192-0667	18	R145	5910-668-0588	27	C125
5905-192-0667	22	R108	5910-668-0588	27	C126
5905-195-6761	27	R103	5910-668-0597	18	C117
5905-195-6761	27	R107	5910-668-0597	18	C118
5995-195-6761	27	R113	5910-668-0597	18	C122
5905-195-6761	27	R116	5910-668-0597	18	C123
5905-195-6761	27	R117	5910-668-0597	18	C128
5905-195-6806	18	R112	5910-682-2543		H102
5905-195-6806	18	R131	5935-129-3081	18	X107
5905-195-6806	27	R106	5935-129-9350		X101
5905-195-6806	27	R112	5935-129-9358		X102
5905-195-6806	27	R131	5935-129-9358		X103
5905-254-9201		R130	5935-129-9358		X104
5905-254-9201	18	R138	5935-129-9358		X105
5905-279-1876	18	R122	5935-129-9358		X106
5905-279-1883	18	R102	5935-129-9358		X108
5905-279-1883	18	R133	5935-192-4789	27	J101
5905-279-2019	27	R139	5935-192-4825	27	J102
5905-279-2019	27	R140	5935-234-1594	3	J102
5905-279-2019	27	R141	5935-257-9341	27	
5935-279-2514	18	R132	5935-258-4657	18	
5905-279-2514	18	R109	5935-644-6700	18	
5905-279-2527	18	R126	5940-537-6599		E103
5905-279-2645	18	R124	5950-199-0051	3	T101
5905-279-3499	18	R105	5950-199-2161	3	T103
5035-279-3533	18	R146	5950-227-8205	3	T101
5935-279-3504	22	R106	5950-228-1865	3	
5905-279-3504	22	R139	5950-244-5911		T102
5905-279-3504	22	R140	5950-245-9651	27	
5995-279-3504	22	R141	5950-250-1817	3	T104
5935-279-3511	18	R136	5950-333-9725	3	T104
5905-279-3517	18	R142	5950-577-6176	3	T103
5905-299-2013	18	R127	5950-645-5210	3	T102
5905-299-2013	18	R128	5960-100-5273	5	V101
5905-299-2051	18	R115	5960-100-5274	5	V105
5905-299-2051	18	R121	5960-100-7320	5	V107
5905-299-2056	18	R142	5960-188-3577	5	V103
5905-542-8050	18	R137	5960-188-3577	5	V104
5905-557-4811	18	R134	5960-188-3577	5	V106
5905-577-0927	18	R111	5960-223-5970		
5905-577-0927	18	R123	5960-228-3765	5	V102
5910-101-3847	27	C127	5960-228-3765	5	V108
5910-101-3847	27	C129	6210-299-2916		
5910-101-3847	27	C130	6210-299-4099		I101
5910-112-7839	3	C104	6240-057-2887		E106
5910-112-7839	3	C107	6625-668-6716	27	M101
5910-128-3054	27	C104	6625-668-9278	3	M101
5910-128-3054	27	C107			

SECTION IV

TM11-5820-430-34P

REFERENCE NO.		REFERENCE MO.	
CE42F100R	81350 3 C108	RC20GF472J	81349 22 R141
CE42F100R	81350 3 C109	RC200GF473J	81349 R130
CE42F100R	81350 3 C111	RC20GF473J	81349 18 R138
CE42F100R	81350 3 C112	RC20GF510J	81349 18 R142
CE42F100R	81350 3 C113	RC20GF511J	81349 18 R136
CE42F100R	81350 3 C115	RC20GF512J	81349 27 R139
CE63C100N	81349 3 C104	RC206F512J	81349 27 R140
CE63C100N	81349 3 C107	RC20GF512J	81349 27 R141
CE63C500G	81350 3 C110	RC20GF564J	81349 R132
CE63C500G	81350 3 C120	RC20GF564J	81349 18 R109
CM358472K	81349 27 C127	R C 2 0 G F 6 8 2 J	81349 18 R146
CM358472K	81349 27 C129	RC32GF201J	81349 18 R142
CM358472K	81349 27 C130	RC32GF331J	81349 18 R126
CN30AZ202M	81349 18 C117	RC32GF471J	81349 18 R115
CN34AZ202M	81349 18 C118	RC32GF471J	81349 18 R121
CN30AZ202M	81349 18 C122	RC32GF473J	81349 18 R127
CN30AZ202M	81349 18 C123	RC326F473J	81349 18 R128
CN30AZ202M	81349 18 C128	RC4ZGF223J	81349 18 R126
CN35AF103M	81349 27 C101	RC4ZGF753J	81349 18 R125
CN35AF103M	81349 27 C102	RV4AUSD105D	81349 18 R111
CN35AF103M	81349 27 C103	RV4AUSD105D	81349 18 R123
CN35AF103M	81349 27 C105	RV4AUSD504C	81349 18 R134
CN35AF103M	81349 27 C106	RV4NAYS104C	81349 18 R137
CN35AF103M	81349 27 C114	SCB34382	80063 3 T104
CN35AF103M	81349 27 C119	SCB34383	80063 3 T101
CN35AF103M	81349 27 C121	SCC34384	80063 3
CN35AF103M	81349 27 C125	SCC85239	80063 3 T103
CN35A103M	81349 27 C126	S M B 1 6 6 1 4 2	80063
C Y R B 6 0 3 5 J	14655 3 C116	TS101P02	81350 X101
CYRB6035J	14655 3 C126	TS101P02	81350 X102
JJO22	80058 27 J102	TS101P02	81350 X103
JJO83	80056 3 J102	TS101P02	81350 X106
JJO89	80058 27 J101	TS101P02	81350 X105
L M 2 7	80058 E106	TS101P02	81350 X106
MR26W3000CMAR	81349 3 M101	TS101P02	81350 X108
MR36W300DCMA	81349 27 M101	VR3	90201 H102
RC20GF1010	81349 27 R104	1899	74861 27 C104
RC20GF101J	81349 27 R147	1899	74861 27 C107
RC20GF1010	81349 27 R148	1899	74861 27 C110
RC20GF102J	81349 18 R112	1899	74861 27 C120
RC20GF102J	81349 18 R131	14570	80089 3 T102
RC20GF102J	81349 27 R106	153PH24	76005 A101
RC20GF102J	81349 27 R112	153 PH 2 4	76005 A102
RC20GF102J	81349 27 R131	153PH24	76005 A103
RC20GF104J	81349 27 R103	153 PH 2 4	76005 A104
RC20GF104J	81349 27 R107	16213	80089 3 T103
RC20GF104J	81349 27 R113	2A109	88431 3 T104
RC20GF104J	81349 27 R116	2A151	88431 T102
RC20GF104J	81349 27 R117	20131	88431 3 T101
RC20GF105J	81349 27 R101		97983
RC20GF204J	81349 27 R103	56B014	26926 27
RC20GF204J	81349 27 R108	6J5WGT	81349 5 V102
RC20GF222J	81349 18 R122	6J5WGT	81349 5 V108
RC20GF223J	81349 18 R129	6SN7WGT	81349 5 V103
RC20GF224J	81349 18 R145	6SN7WGT	81349 5 V104
RC20GF224J	81349 22 R108	6 S N 7 W G T	81349 5 V106
RG20GF273J	81349 18 R105	6 S O 7	81350 5 V101
RC20GF274J	81349 27 R110	6 S R 7	81350 5 V105
R C 2 0 G F 2 7 4 J	81349 27 R114	77M1P4TM	02660 18 X107
RC20GF274J	81349 27 R118	79PO8F	02660 18
RC20GF274J	81349 27 R119	79PO8M	02660 18
RC20GF274J	81349 27 R120		81349 5 V107
RC20GF274J	81349 27 R135	8 1 - 4 3 1	72619
RC20GF335J	81349 18 R102	8108	72619 I101
RC20GF335J	81349 18 R133	83B180	26926
RC20GF472J	81349 22 R106	888808	26926 E103
RC20GF472J	81349 22 R139	91PC3F	02660 27
RC20GF472J	81349 22 R140		

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Distribution:

To be distributed in accordance with DA Form 12-51 (qty rqr block no. 739) Direct and General Support Maintenance requirements for BC-614.