

DJ-S446

Service Manual

CONTENTS

SPECIFICATIONS

1) GENERAL	2
2) TRANSMITTER	2
3) RECEIVER	2

CIRCUIT DESCRIPTION

1) Receiver System	3
2) Transmitter System	4
3) PLL, VCO Circuit	4
4) M38224M6M	5

SEMICONDUCTOR DATA

1) M64082AGP (XA0543)	7
2) NJM2070MT1 (XA0210)	8
3) NJM2904V (XA0573)	8
4) NJM2902V-TE1 (XA0596)	9
5) TA31136FN (XA0404)	9
6) UPC2771T (XA0545)	10
7) CAT24WC16JITE13 (XA0855)	10
8) S-816A30AMC (XA0848)	10
9) S-80827ALNP (XA0857)	11
10) Transistor, Diode and LED Outline Drawings	12
11) LCD Connection	13

EXPLODED VIEW

1) Front View	14
2) Bottom View	15

PARTS LIST

MAIN Unit	16~19
UP0473 Unit	19
PTT Unit	19
Mechanical Parts	20
Packing	20

ADJUSTMENT	21~22
------------------	-------

PC BOARD VIEW

1) UP0446A (1/2) side A	23
2) UP0446A (1/2) side B	24
3) PTT Unit WIRING	25
4) UP0473 TOP VIEW / WIRING	26

SCHEMATIC DIAGRAM	27
-------------------------	----

BLOCK DIAGRAM	28
---------------------	----

SPECIFICATIONS

1) GENERAL

Frequency coverage	TX/RX 446.00625 ~ 446.09375MHz (DJ-S446E) (CH - 1 ~ CH - 8)
	TX/RX 446.03125 ~ 446.09375MHz (DJ-S446F) (CH - 1 ~ CH - 6)
Mode	F3E (FM)
Channel steps	12.5kHz
Memory channels	99 channels+1 CALL channel
Frequency stability	±5 ppm
Microphone impedance	2kΩ nominal
Power supply	4.5 ~ 16.0V DC (EXT.termonai) 3.6 ~ 16.0V DC (BATT terminal)
Current	500mA (typical) Transmit 150mA (typical) Receive at 280mW 40mA (typical) standby 15mA (typical) Battery save on
Usable temperature range	-10 ~ +60°C (14 ~ 140°F)
Dimensions	56 (W) × 102 (H) × 30 (D) mm (with EDH-31) 2.2"(W) × 4.0"(H) × 1.18"(D) inches (with EDH-31) (Projections not included)
Weight	Approx. 160g (5.6oz) (with EBP-53N) Approx. 95g (3.3oz) (without Battery)
Sub audible Tone(CTCSS) encoder/decoder installed (38tones)	

2) TRANSMITTER

Output power	500mW
Modulation system	Variable reactance frequency modulation
Max. frequency deviation	±2.5kHz

3) RECEIVER

Receive system	Double conversion superheterodyne
Intermediate frequencies	1st 21.7MHz / 2nd 450kHz
Sensitivity(12dB SINAD)	-14.0µdB (0.2uV) or less
Audio output power	280mW or higher(8Ω load) 200mW (8Ω 10% THD)

CIRCUIT DESCRIPTION

1) Receiver System

The receiver system is a double superheterodyne system with a 21.7MHz first IF and a 450kHz second IF.

1. Front End

The signal from the antenna is passed through low-pass filter and input to RF coil L24 and L17(band pass filter).

The signal from L24 and L17 is amplified by Q9,Q10 and led to the band pass filter, and let to the first mixer base of Q11.

2. First Mixer

The amplified signal (f_0) by Q9,Q10 is mixed with the first local oscillator signal(f_0 -21.7MHz) from the PLL circuit by the first stage mixer Q11 and so is converted into the first IF signal.

The unwanted frequency band of the first IF signal is eliminated by the monolithic crystal filter FL3, and led to IF amplifier Q8.

3. IF Circuit

The first IF signal is amplified by Q8, and input to pin 16 of IC3, where it is mixed with the second local oscillator signal(21.25MHz) and so is converted into the second IF signal(450kHz).

The second IF signal is output from pin3 of IC3, and unwanted frequency band of second IF signal is eliminated by a ceramic filter FL2.

The resulting signal is then amplified by the second IF limiting amplifier, and detected by quadrature circuit. the audio signal is output from pin9 of IC3

4.Audio Circuit

The demodulated signal in IF IC3 contains the audio signal and CTCSS signal .

CTCSS signal is passed through the low-pass filter of IC5 and led to TIN port of CPU to be decoded. The audio signal is input to the main volume VR3 passing through de-emphasis circuit and high-pass filter circuit of Q19. The signal of which level is adjusted at the main volume VR3 is input to IC6 of AF amp, then it is amplified to the level that can drive the speaker.

5.Squelch Circuit

The noise in the audio signal from IC3 is passed through the noise-filter and input to pin8 of IC3. IC3 includes filter amplifier,high-pass filter and rectifier.

The rectified voltage level from pin14 of IC3 is delivered to the comparator of the CPU.

The voltage is led to pin1 of CPU and compared with the setting voltage. The squelch will open if the input voltage is lower than the setting voltage.

During open squelch ,pin11(AFS)of CPU becomes "H"level and pin9(AFP)of CPU becomes "L"level, AF control signal is being controlled and sounds is outputted from the speaker.

2)Transmitter System

1.Microphone Amplifier

The input signal from built-in or external microphone is led to the microphone mute circuit Q15,pre-emphasis circuit ,IDC circuit IC4,the signal is input to the maximum deviation adjustment volume VR2.Then mixed at the add VR2 with the CTCSS tone signal which is generated by CPU,Then it is input to VCO as the modulation signal.

2.Power Amplifier

The signal from VCO is amplified by IC1 and then passed through the low-pass filter, the antenna switch circuit and the output low-pass filter.

The unwanted harmonics frequency signal is eliminated by the low-pass filter and input to the antenna.

3)PLL,VCO Circuit

Output frequency of PLL circuit is set by the serial data from microprocessor.

PLL circuit consists of VCO Q2,buffer amplifier Q6.

The pulse wave output of charge pump is converted to DC voltage by PLL loop filter circuit,snd supplied to D2,D15 of varicap diode in VCO unit.

The frequency modulation is executed when audio signal voltage is supplied to the varicap D3.


When PLL is unlocked,pin10 of IC2 goes to “High”.

4) M38224M6M

CPU

Terminal Connection

(TOP VIEW)



Terminal function of CPU


No.	Pin Name	Function	I/O	Logic	Description
1	P67	SQL	I	A/D	Noise level input for squelch
2	P66	KEY	I	A/D	Key input (Δ , ∇ , V/M)
3	P65	VOX	O	Activ high	Power cont.
4	P64	EXTDC	I	A/D	Ext voltage input
5	P63	BP1	I	A/D	Band plan 1
6	P62	TIN	I	A/D	CTCSS tone input
7	P61	SMT	I	A/D	S-meter input
8	P60	BATT	I	A/D	Batt voltage input
9	P57	AFP	O	Activ low	Audio Amp ON/OFF
10	P56	BEEP	I/O	Pulse	Beep sound out
11	P55	AFS	O	Activ high	Audio signal ON/OFF
12	CNTR0	TBST	I/O	Pulse	Art tone output
13	P53	BP3	I		Band plan 3
14	P52	MONI	I	Activ low	Monitor key input
15	P51	PSW	I	Activ low	Power switch input
16	P50	STB	O	Pulse	Strobe for PLL
17	P47	DATA	I/O	Pulse	Data for PLL
18	P46	CLK	O	Pulse	Clock for PLL
19	TxD	CTX	O	Pulse	UART data transmission output
20	RxD	CRX	I	Pulse	UART data reception input
21	P43	SCR	I	Activ high	Alarm signal input
22	INTO	BU	I	Activ low	Back up signal detection input
23	P41	PTTK	I	Activ high	PTT signal input
24	P40	BP4	I	Activ high	Band plan 4
25	RESET	RESET	I	Activ low	Reset input
26	P71	SCL	O	Pulse	Serial clock for EEPROM
27	P70	SDA	I/O	Pulse	Serial data for EEPROM
28	Xin	XIN	I		
29	Xout	XOUT	O		
30	Vss	GND			CPU GND
31	P27	MMUTE	O	Activ high	Microphone mute output
32	P26	H/L	O	Activ high	Power control high-H
33	P25	EXP	O	Activ low	EXP terminal control
34	P24	FUNC	I	Activ low	Func key input
35	P23	PTTC	O	Activ high	Beep sound level control
36	P22	P3C	O	Activ low	Power supply control for VCO output
37	P21	C3C	O	Activ high	Power supply control
38	P20	R3C	O	Activ low	Power supply control for RX
39	P17	T3C	O	Activ low	Power supply control for TX
40	P16	TON4	O	Activ high	Tone output 4

No.	Pin Name	Function	I/O	Logic	Description
41	P115	TON3	O	Activ high	Tone output 3
42	P14	TON2	O	Activ high	Tone output 2
43	P13	TON1	O	Activ high	Tone output 1
44	SEG26	SEG22	O		LCD SEG 22
45	P115	SHIFT	O	Activ high	VCO shift output TX=H
46	P10	LAMPC	O	Activ high	Lamp ON/OFF output
47	SEG23	SEG21	O		LCD SEG 21
48	SEG22	SEG20	O		SEG 20
49	SEG21	SEG19	O		SEG 19
50	SEG20	SEG18	O		SEG 18
51	SEG19	SEG17	O		SEG 17
52	SEG18	SEG16	O		SEG 16
53	P01	CHG	O	Activ high	Battery charge control
54	P00	MICC	O	Activ low	TX mic amp power supply outout
55	SEG15	SEG15	O		SEG 15
56	SEG14	SEG14	O		SEG 14
57	SEG13	SEG13	O		SEG 13
58	SEG12	SEG12	O		SEG 12
59	SEG11	SEG11	O		SEG 11
60	SEG10	SEG10	O		SEG 10
61	SEG9	SEG9	O		SEG 9
62	SEG8	SEG8	O		SEG 8
63	SEG7	SEG7	O		SEG 7
64	SEG6	SEG6	O		SEG 6
65	SEG5	SEG5	O		SEG 5
66	SEG4	SEG4	O		SEG 4
67	SEG3	SEG3	O		SEG 3
68	SEG2	SEG2	O		SEG 2
69	SEG1	SEG1	O		SEG 1
70	SEG0	SEG0	O		SEG 0
71	Vcc	VDD			
72	Vref	VDD			
73	Avss	GND			
74	COM3	COM3	O		LCD COM 3
75	COM2	COM2	O		LCD COM 2
76	COM1	COM1	O		LCD COM 1
77	COM0	COM0	O		LCD COM 0
78	VL3	VL3	I		LCD power supply
79	VL2	VL2	I		LCD power supply
80	VL1	VL1	I		LCD power supply

SEMICONDUCTOR DATA


1) M64082AGP (XA0543)

DUAL PLL FREQUENCY SYNTHESIZER



2) NJM2070MT1 (XA0210)



Low Voltage Power Amplifier
Equivalent Circuit



$V_+=6V$, $T_a=25\pm2^\circ C$



Parameter	Condition		Symbol	Min.	Typ.	Max.	Unit
Supply voltage			V_+	1.8	-	15	V
Idle current	$RL=$		I_Q	-	4	7	mA
Output voltage			V_o	-	2.7	-	V
Input bias current			I_B	-	200	-	nA
Output power	THD=10%, $f=1kHz$	$V_+=6V$, $RL=4$	P_o	0.5	0.6	-	W
		$V_+=4.5V$, $RL=4$		-	0.32	-	W
		$V_+=3V$, $RL=4$		-	120	-	mW
	THD=10%, $f=1kHz$	$V_+=2V$, $RL=4$		-	30	-	mW
		$V_+=6V$, $RL=4$		-	500	-	mW
		$V_+=4.5V$, $RL=4$		-	250	-	mW
Distortion	$P_o=0.4W$, $RL=4$, $f=1kHz$		THD	-	0.25	-	%
Voltage gain	$f=1kHz$		A_v	41	44	47	dB
Input impedance	$f=1kHz$		Z_{IN}	100	-	-	k
Equivalent input noise voltage	$R_s=10k$	A curve	V_{n1}	-	2.5	-	μV
		B=22Hz to 22kHz	V_{n2}	-	3	-	μV
Power supply voltage rejection ratio	$f=100Hz$, $C_x=100\mu F$		SVR	24	30	-	dB
Power gain band width (-3dB)	$RL=8$, $P_o=250mW$		P.B	-	200	-	kHz

3) NJM2904V (XA0573)



4) NJM2902V-TE1 (XA0596)



Quad Single Supply Operational Amplifier



5) TA31136FN (XA0404)

Low Power FM IF


Block Diagram



6) UPC2771T(XA0545)


Terminal Connection

(Top View)





7) CAT24WC16JITE13 (XA0855)

PDIP




Name	Function
A0..A2	User Configurable Chip Selects
Vss	Ground
SDA	Serial Address/Data I/O
SCL	Serial Clock
WP	Write Protect Input
Vcc	+2.5V~6.0V Power Supply

8) S-816A30AMC (XA0848)




9) S-80827ALNP (XA0857)

Pin Assignment





Block Diagram



10) Transistor, Diode and LED Outline Drawings

1SV307(TPH3) XD0326	2SA1036KT146Q XT110	2SA1576A XT0094	2SB766A-TX XT0170	2SC4081 T106R XT0095	2SC4618TLP XT0172	2SC4808-TX AR XT0171
2SC5066-O(TE85L) XT0138	2SD2216R-TX XT0135	2SK3074 XE0044	DA204U XD0130	HSU277TRF XD331	ISV311(TPL3) XD0344	M1FE 40400V1A XD0368
MA2S728-TX XD0315	MA741WA TX XD0251	MA729-TX XD0291	RN1107 TE85L XU0193	RN2107 TE85L XU0192	SML-310MTT86 XL0036	
XP1114 (TX) XU0161	XP1501-TX XU0172	UMC5N TR XU0152				


11) LCD connection




Pin No	COM0	COM1	COM2	COM3
1	COM0	-	-	-
2	-	COM1	-	-
3	-	-	COM2	-
4	-	-	-	COM3
5	D	E	F	C
6	H	I	J	G
7	L	M	N	K
8	P	O	V	W
9	R	S	U	T
10	9c	9b	9a	Y
11	9e	9g	9f	9d
12	8c	8b	8a	X
13	8e	8g	8f	8d
14	7c	7b	7a	Z
15	7e	7g	7f	7d
16	6c	6b	6a	6h
17	6e	6g	6f	6d
18	5c	5b	5a	Q
19	5e	5g	5f	5d
20	4c	4b	4a	4h
21	4e	4g	4f	4d
22	3c	3b	3a	B2
23	3e	3g	3f	3d
24	2c	2b	2a	B1
25	2e	2g	2f	2d
26	1c	1b	1a	A
27	1e	1g	1f	1d

EXPLODED VIEW

1) Front View



2) Bottom View



PARTS LIST

MAIN Unit

Ref. No.	Parts No.	Description	Parts Name	Version		Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F					E	F
	UP0446A	PC Board	DJS40CQ INTEGRATED	1	1	C63	CU3547	Chip C.	GRM36B103K16PT	1	1
C1	CU3531	Chip C.	GRM36B471K50PT	1	1	C64	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C2	CU3547	Chip C.	GRM36B103K16PT	1	1	C65	CS0367	Chip tantalum	TMCMA0J106MTR	1	1
C3	CU3531	Chip C.	GRM36B471K50PT	1	1	C66	CU3531	Chip C.	GRM36B471K50PT	1	1
C4	CU3531	Chip C.	GRM36B471K50PT	1	1	C67	CU3531	Chip C.	GRM36B471K50PT	1	1
C5	CU3547	Chip C.	GRM36B103K16PT	1	1	C68	CU3547	Chip C.	GRM36B103K16PT	1	1
C6	CU3535	Chip C.	GRM36B102K50PT	1	1	C69	CU3527	Chip C.	GRM36CH221J25PT	1	1
C7	CS0408	Chip tantalum	6MCM156MATER	1	1	C70	CU3504	Chip C.	GRM36CJ030C50PT	1	1
C8	CU3511	Chip C.	GRM36CH100D50PT	1	1	C71	CU3504	Chip C.	GRM36CJ030C50PT	1	1
C10	CU3531	Chip C.	GRM36B471K50PT	1	1	C72	CU3504	Chip C.	GRM36CJ030C50PT	1	1
C11	CU3010	Chip C.	C1608CH1H090CT-A	1	1	C73	CU3503	Chip C.	GRM36CK020C50PT	1	1
C12	CU3531	Chip C.	GRM36B471K50PT	1	1	C74	CU3502	Chip C.	GRM36CK010C50PT	1	1
C14	CS0411	Chip tantalum	4MCM226MATER	1	1	C75	CU3503	Chip C.	GRM36CK020C50PT	1	1
C15	CU3531	Chip C.	GRM36B471K50PT	1	1	C76	CU3503	Chip C.	GRM36CK020C50PT	1	1
C16	CU3531	Chip C.	GRM36B471K50PT	1	1	C77	CU3502	Chip C.	GRM36CK010C50PT	1	1
C17	CU3531	Chip C.	GRM36B471K50PT	1	1	C78	CU3547	Chip C.	GRM36B103K16PT	1	1
C18	CU3531	Chip C.	GRM36B471K50PT	1	1	C79	CU3510	Chip C.	GRM36CH090D50PT	1	1
C19	CU3531	Chip C.	GRM36B471K50PT	1	1	C80	CU3503	Chip C.	GRM36CK020C50PT	1	1
C20	CU3531	Chip C.	GRM36B471K50PT	1	1	C81	CU3508	Chip C.	GRM36CH070D50PT	1	1
C21	CU3008	Chip C.	C1608CH1H070CT-A	1	1	C82	CU3527	Chip C.	GRM36CH221J25PT	1	1
C22	CU3531	Chip C.	GRM36B471K50PT	1	1	C83	CU3531	Chip C.	GRM36B471K50PT	1	1
C23	CU3507	Chip C.	GRM36CH060D50PT	1	1	C84	CU3503	Chip C.	GRM36CK020C50PT	1	1
C24	CU3531	Chip C.	GRM36B471K50PT	1	1	C85	CU3515	Chip C.	GRM36CH220J50PT	1	1
C25	CU3531	Chip C.	GRM36B471K50PT	1	1	C86	CU3506	Chip C.	GRM36CH050C50PT	1	1
C26	CU3505	Chip C.	GRM36CH040C50PT	1	1	C87	CU3510	Chip C.	GRM36CH090D50PT	1	1
C27	CU3511	Chip C.	GRM36CH100D50PT	1	1	C89	CU3531	Chip C.	GRM36B471K50PT	1	1
C28	CU3508	Chip C.	GRM36CH070D50PT	1	1	C90	CU3507	Chip C.	GRM36CH060D50PT	1	1
C29	CU3511	Chip C.	GRM36CH100D50PT	1	1	C91	CU3502	Chip C.	GRM36CK010C50PT	1	1
C30	CU3111	Chip C.	C1608JB1C104KT-N	1	1	C92	CU3502	Chip C.	GRM36CK010C50PT	1	1
C31	CU3502	Chip C.	GRM36CK010C50PT	1	1	C93	CU3523	Chip C.	GRM36CH101J50PT	1	1
C34	CU3501	Chip C.	GRM36CK0R5C50PT	1	1	C94	CU3531	Chip C.	GRM36B471K50PT	1	1
C35	CU3503	Chip C.	GRM36CK020C50PT	1	1	C95	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C36	CU3515	Chip C.	GRM36CH220J50PT	1	1	C96	CU3522	Chip C.	GRM36CH820J50PT	1	1
C37	CU3514	Chip C.	GRM36CH180J50PT	1	1	C97	CU3535	Chip C.	GRM36B102K50PT	1	1
C38	CU3509	Chip C.	GRM36CH080D50PT	1	1	C98	CU3535	Chip C.	GRM36B102K50PT	1	1
C39	CU3111	Chip C.	C1608JB1C104KT-N	1	1	C100	CU3535	Chip C.	GRM36B102K50PT	1	1
C40	CU3502	Chip C.	GRM36CK010C50PT	1	1	C101	CU3551	Chip C.	GRM36B223K16PT	1	1
C41	CU3503	Chip C.	GRM36CK020C50PT	1	1	C102	CU3539	Chip C.	GRM36B222K50PT	1	1
C42	CU3503	Chip C.	GRM36CK020C50PT	1	1	C103	CU3539	Chip C.	GRM36B222K50PT	1	1
C43	CU3502	Chip C.	GRM36CK010C50PT	1	1	C104	CU3547	Chip C.	GRM36B103K16PT	1	1
C45	CU3535	Chip C.	GRM36B102K50PT	1	1	C105	CU0108	Chip C.	LMK212BJ105KG	1	1
C46	CU3101	Chip C.	C1608JB1C473KT-NS	1	1	C106	CU3551	Chip C.	GRM36B223K16PT	1	1
C47	CS0406	Chip tantalum	35MCM105MATER	1	1	C107	CU3101	Chip C.	C1608JB1C473KT-NS	1	1
C48	CU3505	Chip C.	GRM36CH040C50PT	1	1	C108	CU3524	Chip C.	GRM36CH121J50PT	1	1
C49	CU3535	Chip C.	GRM36B102K50PT	1	1	C109	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C50	CU3111	Chip C.	C1608JB1C104KT-N	1	1	C110	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C51	CU3531	Chip C.	GRM36B471K50PT	1	1	C111	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C52	CU3531	Chip C.	GRM36B471K50PT	1	1	C112	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C53	CU0108	Chip C.	LMK212BJ105KG	1	1	C113	CU3547	Chip C.	GRM36B103K16PT	1	1
C54	CU3531	Chip C.	GRM36B471K50PT	1	1	C114	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C55	CU3523	Chip C.	GRM36CH101J50PT	1	1	C115	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C56	CU3520	Chip C.	GRM36CH560J50PT	1	1	C116	CU3541	Chip C.	GRM36B332K50PT	1	1
C57	CU3516	Chip C.	GRM36CH270J50PT	1	1	C117	CU3535	Chip C.	GRM36B102K50PT	1	1
C58	CU3511	Chip C.	GRM36CH100D50PT	1	1	C118	CS0408	Chip tantalum	6MCM156MATER	1	1
C59	CU3535	Chip C.	GRM36B102K50PT	1	1	C119	CU0108	Chip C.	LMK212BJ105KG	1	1
C60	CU3531	Chip C.	GRM36B471K50PT	1	1	C120	CU3538	Chip C.	GRM36B182K50PT	1	1
C61	CU3535	Chip C.	GRM36B102K50PT	1	1	C121	CU3101	Chip C.	C1608JB1C473KT-NS	1	1
C62	CU3547	Chip C.	GRM36B103K16PT	1	1	C122	CU3523	Chip C.	GRM36CH101J50PT	1	1

Ref. No.	Parts No.	Description	Parts Name	Version		Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F					E	F
C123	CU3547	Chip C.	GRM36B103K16PT	1	1	C221	CU3531	Chip C.	GRM36B471K50PT	1	1
C124	CU3111	Chip C.	C1608JB1C104KT-N	1	1	C222	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C125	CU3549	Chip C.	GRM36B153K16PT	1	1	C223	CU3111	Chip C.	C1608JB1C104KT-N	1	1
C126	CU0108	Chip C.	LMK212BJ105KG	1	1	C224	CU3547	Chip C.	GRM36B103K16PT	1	1
C127	CU3547	Chip C.	GRM36B103K16PT	1	1	C225	CU3547	Chip C.	GRM36B103K16PT	1	1
C128	CU3551	Chip C.	GRM36B223K16PT	1	1	CN1	UE0313	Connector	H.FL-R-SMT2(C)(10)	1	1
C129	CS0367	Chip tantalum	TMCMA0J106MTR	1	1	D1	XD0326	Chip Diode	1SV307(TPH3)	1	1
C130	CS0414	Chip tantalum	6MCM476MB2TER	1	1	D2	XD0344	Chip Diode	1SV311 (TPL3)	1	1
C131	CS0408	Chip tantalum	6MCM156MATER	1	1	D3	XD0331	Chip Diode	HSU277TRF	1	1
C132	CU3544	Chip C.	GRM36B562K25PT	1	1	D4	XD0251	Chip Diode	MA741WA TX	1	1
C133	CU3540	Chip C.	GRM36B272K50PT	1	1	D5	XD0331	Chip Diode	HSU277TRF	1	1
C134	CU3547	Chip C.	GRM36B103K16PT	1	1	D6	XD0291	Chip Diode	MA729-TX	1	1
C135	CU3545	Chip C.	GRM36B682K25PT	1	1	D7	XD0368	Chip Diode	M1FE40-4063	1	1
C137	CU3543	Chip C.	GRM36B472K25PT	1	1	D8	XL0036	Chip LED	SML-310MTT86	1	1
C138	CU3111	Chip C.	C1608JB1C104KT-N	1	1	D10	XL0036	Chip LED	SML-310MTT86	1	1
C139	CU3535	Chip C.	GRM36B102K50PT	1	1	D11	XD0331	Chip Diode	HSU277TRF	1	1
C140	CU0108	Chip C.	LMK212BJ105KG	1	1	D13	XD0130	Chip Diode	DA204U T106	1	1
C141	CU3111	Chip C.	C1608JB1C104KT-N	1	1	D15	XD0344	Chip Diode	1SV311 (TPL3)	1	1
C142	CU3535	Chip C.	GRM36B102K50PT	1	1	D16	XD0291	Chip Diode	MA729-TX	1	1
C143	CU3547	Chip C.	GRM36B103K16PT	1	1	D17	XD0315	Chip Diode	MA2S728-TX	1	1
C144	CS0408	Chip tantalum	6MCM156MATER	1	1	EL1	EL0053	LCD	WD-S2304I-7TNNA	1	1
C145	CU3535	Chip C.	GRM36B102K50PT	1	1	FL2	XC0074	Ceramic Filter	CFUCG450G-TC	1	1
C146	CS0408	Chip tantalum	6MCM156MATER	1	1	FL3	XF0049	Crystal Filter	DSF753SAF 21.7MHZ	1	1
C147	CS0422	Chip tantalum	TMCMB1A476MTR	1	1	IC1	XA0545	IC	UPC2771T	1	1
C148	CU0108	Chip C.	LMK212BJ105KG	1	1	IC2	XA0543	IC	M64082AGP	1	1
C149	CU3111	Chip C.	C1608JB1C104KT-N	1	1	IC3	XA0404	IC	TA31136FN(EL)	1	1
C150	CU3551	Chip C.	GRM36B223K16PT	1	1	IC4	XA0573	IC	NJM2904V-TE1	1	1
C151	CU3551	Chip C.	GRM36B223K16PT	1	1	IC5	XA0596	IC	NJM2902V-TE1	1	1
C152	CU3111	Chip C.	C1608JB1C104KT-N	1	1	IC6	XA0210	IC	NJM2070M T1	1	1
C155	CU3535	Chip C.	GRM36B102K50PT	1	1	IC7	XA0912	IC	M38224M6M235HP S446F	1	1
C157	CE0411	Electrolytic C.	16MV10UWA3	1	1	IC9	XA0855	IC	CAT24WC16JI-TE13	1	1
C158	CS0414	Chip tantalum	6MCM476MB2TER	1	1	IC10	XA0901	IC	XC6202P302PR	1	1
C159	CU3535	Chip C.	GRM36B102K50PT	1	1	IC11	XA0857	IC	S-80827ALNP	1	1
C160	CU0108	Chip C.	LMK212BJ105KG	1	1	JK1	UJ0022	Jack	HSJ1102-01-540	1	1
C161	CU3535	Chip C.	GRM36B102K50PT	1	1	JK2	UJ0019	Jack	HSJ1493-01-010	1	1
C162	CU3517	Chip C.	GRM36CH330J50PT	1	1	JK3	UJ0015	Jack	HEC2781 010020	1	1
C163	CU3517	Chip C.	GRM36CH330J50PT	1	1	L1	QC0215	Chip Inductor	MLF2012A1R0K-T	1	1
C165	CU3535	Chip C.	GRM36B102K50PT	1	1	L2	QC0533	Chip Inductor	LQN21A39NJ04	1	1
C166	CS0414	Chip tantalum	6MCM476MB2TER	1	1	L3	QC0507	Chip Inductor	LK16081R0K-T	1	1
C167	CU3503	Chip C.	GRM36CK020C50PT	1	1	L4	QC0623	Chip Inductor	LL1608-FS47NJ	1	1
C168	CU3531	Chip C.	GRM36B471K50PT	1	1	L5	QC0627	Chip Inductor	LL1608-FSR10J	1	1
C169	CU3531	Chip C.	GRM36B471K50PT	1	1	L6	QKA45A	Coil	MR1.5 4.5T 0.4	1	1
C170	CU3111	Chip C.	C1608JB1C104KT-N	1	1	L7	QKA45A	Coil	MR1.5 4.5T 0.4	1	1
C171	CU3535	Chip C.	GRM36B102K50PT	1	1	L8	QKA25A	Coil	MR1.5 2.5T 0.4	1	1
C172	CU3535	Chip C.	GRM36B102K50PT	1	1	L9	QC0619	Chip Inductor	LL1608-FS22NJ	1	1
C173	CE0411	Electrolytic C.	16MV10UWA3	1	1	L10	QC0616	Chip Inductor	LL1608-FS12NJ	1	1
C174	CS0367	Chip tantalum	TMCMA0J106MTR	1	1	L11	QC0616	Chip Inductor	LL1608-FS12NJ	1	1
C175	CU3535	Chip C.	GRM36B102K50PT	1	1	L12	QC0527	Chip Inductor	LQN21A12NJ04	1	1
C178	CU3519	Chip C.	GRM36CH470J50PT	1	1	L13	QC0507	Chip Inductor	LK16081R0K-T	1	1
C179	CU3519	Chip C.	GRM36CH470J50PT	1	1	L14	QC0527	Chip Inductor	LQN21A12NJ04	1	1
C180	CU3535	Chip C.	GRM36B102K50PT	1	1	L15	QC0528	Chip Inductor	LQN21A15NJ04	1	1
C181	CU3535	Chip C.	GRM36B102K50PT	1	1	L16	QC0507	Chip Inductor	LK16081R0K-T	1	1
C182	CU3519	Chip C.	GRM36CH470J50PT	1	1	L17	QC0618	Chip Inductor	LL1608-FS18NJ	1	1
C184	CU3510	Chip C.	GRM36CH090D50PT	1	1	L18	QC0526	Chip Inductor	LQN21A10NJ04	1	1
C185	CU3506	Chip C.	GRM36CH050C50PT	1	1	L19	QC0526	Chip Inductor	LQN21A10NJ04	1	1
C186	CU3111	Chip C.	C1608JB1C104KT-N	1	1	L20	QC0527	Chip Inductor	LQN21A12NJ04	1	1
C187	CU3111	Chip C.	C1608JB1C104KT-N	1	1	L21	QC0527	Chip Inductor	LQN21A12NJ04	1	1
C188	CU3509	Chip C.	GRM36CH080D50PT	1	1	L22	QC0507	Chip Inductor	LK16081R0K-T	1	1
C209	CU3535	Chip C.	GRM36B102K50PT	1	1	L23	QC0623	Chip Inductor	LL1608-FS47NJ	1	1
C210	CU3531	Chip C.	GRM36B471K50PT	1	1	L24	QC0534	Chip Inductor	LQN21A47NJ04	1	1
C212	CU0108	Chip C.	LMK212BJ105KG	1	1	L25	QC0616	Chip Inductor	LL1608-FS12NJ	1	1
C213	CU3504	Chip C.	GRM36CJ030C50PT	1	1	MIC1	EY0017	Mic	OB-27P44	1	1
C218	CU3531	Chip C.	GRM36B471K50PT	1	1	Q1	XU0193	Chip Transistor	RN1107 TE85L	1	1
C220	CU3531	Chip C.	GRM36B471K50PT	1	1	Q2	XT0138	Chip Transistor	2SC5066-O(TE85L)	1	1

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
Q3	XE0044	FET	2SK3074 TE12L	1	1
Q4	XE0044	FET	2SK3074 TE12L	1	1
Q5	XU0172	Chip Transistor	XP1501-TX	1	1
Q6	XT0138	Chip Transistor	2SC5066-O(TE85L)	1	1
Q7	XT0138	Chip Transistor	2SC5066-O(TE85L)	1	1
Q8	XT0172	Chip Transistor	2SC4618TLP	1	1
Q9	XT0138	Chip Transistor	2SC5066-O(TE85L)	1	1
Q10	XT0138	Chip Transistor	2SC5066-O(TE85L)	1	1
Q11	XT0138	Chip Transistor	2SC5066-O(TE85L)	1	1
Q12	XT0171	Chip Transistor	2SC4808-TX.AR	1	1
Q13	XU0092	Chip Transistor	UN911H-TX	1	1
Q15	XT0095	Chip Transistor	2SC4081 T106R	1	1
Q16	XU0193	Chip Transistor	RN1107 TE85L	1	1
Q17	XT0170	Chip Transistor	2SB766A-TX	1	1
Q19	XT0095	Chip Transistor	2SC4081 T106R	1	1
Q20	XT0135	Chip Transistor	2SD2216R-TX	1	1
Q21	XT0110	Chip Transistor	2SA1036K T146Q	1	1
Q22	XU0161	Chip Transistor	XP1114(TX)	1	1
Q23	XT0135	Chip Transistor	2SD2216R-TX	1	1
Q24	XU0193	Chip Transistor	RN1107 TE85L	1	1
Q26	XU0172	Chip Transistor	XP1501-TX	1	1
Q27	XT0170	Chip Transistor	2SB766A-TX	1	1
Q28	XU0192	Chip Transistor	RN2107 TE85L	1	1
Q29	XU0192	Chip Transistor	RN2107 TE85L	1	1
Q30	XU0172	Chip Transistor	XP1501-TX	1	1
Q31	XT0094	Chip Transistor	2SA1576A T106R	1	1
Q32	XT0170	Chip Transistor	2SB766A-TX	1	1
Q33	XU0193	Chip Transistor	RN1107 TE85L	1	1
Q35	XU0192	Chip Transistor	RN2107 TE85L	1	1
Q36	XU0193	Chip Transistor	RN1107 TE85L	1	1
Q40	XT0135	Chip Transistor	2SD2216R-TX	1	1
R4	RK3550	Chip R.	ERJ2GEJ103X	1	1
R5	RK3526	Chip R.	ERJ2GEJ101X	1	1
R6	RK3558	Chip R.	ERJ2GEJ473X	1	1
R8	RK3558	Chip R.	ERJ2GEJ473X	1	1
R9	RK3522	Chip R.	ERJ2GEJ470X	1	1
R11	RK3522	Chip R.	ERJ2GEJ470X	1	1
R13	RK3562	Chip R.	ERJ2GEJ104X	1	1
R14	RK3574	Chip R.	ERJ2GEJ105X	1	1
R15	RK3526	Chip R.	ERJ2GEJ101X	1	1
R16	RK3526	Chip R.	ERJ2GEJ101X	1	1
R17	RK3546	Chip R.	ERJ2GEJ472X	1	1
R18	RK3522	Chip R.	ERJ2GEJ470X	1	1
R20	RK3550	Chip R.	ERJ2GEJ103X	1	1
R21	RK3545	Chip R.	ERJ2GEJ392X	1	1
R22	RK3558	Chip R.	ERJ2GEJ473X	1	1
R23	RK3550	Chip R.	ERJ2GEJ103X	1	1
R24	RK3544	Chip R.	ERJ2GEJ332X	1	1
R25	RK3566	Chip R.	ERJ2GEJ224X	1	1
R26	RK3562	Chip R.	ERJ2GEJ104X	1	1
R28	RK3534	Chip R.	ERJ2GEJ471X	1	1
R29	RK3530	Chip R.	ERJ2GEJ221X	1	1
R30	RK3546	Chip R.	ERJ2GEJ472X	1	1
R32	RK3570	Chip R.	ERJ2GEJ474X	1	1
R33	RK3530	Chip R.	ERJ2GEJ221X	1	1
R34	RK3544	Chip R.	ERJ2GEJ332X	1	1
R35	RK3518	Chip R.	ERJ2GEJ220X	1	1
R36	RK3554	Chip R.	ERJ2GEJ223X	1	1
R37	RK3518	Chip R.	ERJ2GEJ220X	1	1
R38	RK3538	Chip R.	ERJ2GEJ102X	1	1
R39	RK3538	Chip R.	ERJ2GEJ102X	1	1
R40	RK3526	Chip R.	ERJ2GEJ101X	1	1
R41	RK3526	Chip R.	ERJ2GEJ101X	1	1
R42	RK3526	Chip R.	ERJ2GEJ101X	1	1

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
R43	RK3518	Chip R.	ERJ2GEJ220X	1	1
R44	RK3538	Chip R.	ERJ2GEJ102X	1	1
R45	RK3544	Chip R.	ERJ2GEJ332X	1	1
R46	RK3530	Chip R.	ERJ2GEJ221X	1	1
R47	RK3530	Chip R.	ERJ2GEJ221X	1	1
R48	RK3566	Chip R.	ERJ2GEJ224X	1	1
R49	RK3559	Chip R.	ERJ2GEJ563X	1	1
R50	RK3559	Chip R.	ERJ2GEJ563X	1	1
R51	RK3562	Chip R.	ERJ2GEJ104X	1	1
R52	RK3536	Chip R.	ERJ2GEJ681X	1	1
R53	RK3537	Chip R.	ERJ2GEJ821X	1	1
R54	RK3550	Chip R.	ERJ2GEJ103X	1	1
R55	RK3564	Chip R.	ERJ2GEJ154X	1	1
R56	RK3526	Chip R.	ERJ2GEJ101X	1	1
R59	RK3540	Chip R.	ERJ2GEJ152X	1	1
R61	RK3562	Chip R.	ERJ2GEJ104X	1	1
R62	RK1018	Chip R.	ERJ8GEYJ101V	1	1
R63	RK3554	Chip R.	ERJ2GEJ223X	1	1
R64	RK3558	Chip R.	ERJ2GEJ473X	1	1
R66	RK3562	Chip R.	ERJ2GEJ104X	1	1
R67	RK3562	Chip R.	ERJ2GEJ104X	1	1
R68	RK3552	Chip R.	ERJ2GEJ153X	1	1
R69	RK3548	Chip R.	ERJ2GEJ682X	1	1
R70	RK3555	Chip R.	ERJ2GEJ273X	1	1
R71	RK3562	Chip R.	ERJ2GEJ104X	1	1
R72	RK3562	Chip R.	ERJ2GEJ104X	1	1
R73	RK3560	Chip R.	ERJ2GEJ683X	1	1
R75	RK3562	Chip R.	ERJ2GEJ104X	1	1
R76	RK3550	Chip R.	ERJ2GEJ103X	1	1
R77	RK3572	Chip R.	ERJ2GEJ684X	1	1
R78	RK3562	Chip R.	ERJ2GEJ104X	1	1
R79	RK3558	Chip R.	ERJ2GEJ473X	1	1
R80	RK3558	Chip R.	ERJ2GEJ473X	1	1
R81	RK3550	Chip R.	ERJ2GEJ103X	1	1
R82	RK3522	Chip R.	ERJ2GEJ470X	1	1
R83	RK3557	Chip R.	ERJ2GEJ393X	1	1
R84	RK3554	Chip R.	ERJ2GEJ223X	1	1
R85	RK3558	Chip R.	ERJ2GEJ473X	1	1
R86	RK3548	Chip R.	ERJ2GEJ682X	1	1
R87	RK3559	Chip R.	ERJ2GEJ563X	1	1
R88	RK3558	Chip R.	ERJ2GEJ473X	1	1
R89	RK3538	Chip R.	ERJ2GEJ102X	1	1
R90	RK3567	Chip R.	ERJ2GEJ274X	1	1
R91	RK3545	Chip R.	ERJ2GEJ392X	1	1
R92	RK3562	Chip R.	ERJ2GEJ104X	1	1
R93	RK3558	Chip R.	ERJ2GEJ473X	1	1
R94	RK3561	Chip R.	ERJ2GEJ823X	1	1
R95	RK3550	Chip R.	ERJ2GEJ103X	1	1
R96	RK3543	Chip R.	ERJ2GEJ272X	1	1
R97	RK3542	Chip R.	ERJ2GEJ222X	1	1
R98	RK3545	Chip R.	ERJ2GEJ392X	1	1
R99	RK3560	Chip R.	ERJ2GEJ683X	1	1
R100	RK3550	Chip R.	ERJ2GEJ103X	1	1
R101	RK3563	Chip R.	ERJ2GEJ124X	1	1
R102	RK3552	Chip R.	ERJ2GEJ153X	1	1
R103	RK3559	Chip R.	ERJ2GEJ563X	1	1
R104	RK3563	Chip R.	ERJ2GEJ124X	1	1
R105	RK3546	Chip R.	ERJ2GEJ472X	1	1
R106	RK3540	Chip R.	ERJ2GEJ152X	1	1
R107	RK3514	Chip R.	ERJ2GEJ100X	1	1
R108	RK3550	Chip R.	ERJ2GEJ103X	1	1
R109	RK3550	Chip R.	ERJ2GEJ103X	1	1
R111	RK3550	Chip R.	ERJ2GEJ103X	1	1
R112	RK3572	Chip R.	ERJ2GEJ684X	1	1

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
R113	RK3550	Chip R.	ERJ2GEJ103X	1	1
R114	RK3567	Chip R.	ERJ2GEJ274X	1	1
R115	RK3560	Chip R.	ERJ2GEJ683X	1	1
R116	RK3538	Chip R.	ERJ2GEJ102X	1	1
R117	RK3546	Chip R.	ERJ2GEJ472X	1	1
R118	RK3501	Chip R.	ERJ2GE0R00X	1	1
R119	RK3538	Chip R.	ERJ2GEJ102X	1	1
R120	RK3546	Chip R.	ERJ2GEJ472X	1	1
R121	RK3550	Chip R.	ERJ2GEJ103X	1	1
R122	RK3546	Chip R.	ERJ2GEJ472X	1	1
R123	RK3546	Chip R.	ERJ2GEJ472X	1	1
R124	RK3550	Chip R.	ERJ2GEJ103X	1	1
R125	RK3562	Chip R.	ERJ2GEJ104X	1	1
R126	RK3546	Chip R.	ERJ2GEJ472X	1	1
R127	RK3550	Chip R.	ERJ2GEJ103X	1	1
R128	RK3542	Chip R.	ERJ2GEJ222X	1	1
R129	RK3541	Chip R.	ERJ2GEJ182X	1	1
R130	RK3564	Chip R.	ERJ2GEJ154X	1	1
R131	RK3550	Chip R.	ERJ2GEJ103X	1	1
R132	RK3566	Chip R.	ERJ2GEJ224X	1	1
R133	RK3542	Chip R.	ERJ2GEJ222X	1	1
R134	RK3538	Chip R.	ERJ2GEJ102X	1	1
R135	RK3551	Chip R.	ERJ2GEJ123X	1	1
R136	RK3522	Chip R.	ERJ2GEJ470X	1	1
R137	RK3532	Chip R.	ERJ2GEJ331X	1	1
R138	RK3562	Chip R.	ERJ2GEJ104X	1	1
R139	RK3558	Chip R.	ERJ2GEJ473X	1	1
R140	RK3558	Chip R.	ERJ2GEJ473X	1	1
R141	RK3562	Chip R.	ERJ2GEJ104X	1	1
R142	RK3558	Chip R.	ERJ2GEJ473X	1	1
R143	RK3562	Chip R.	ERJ2GEJ104X	1	1
R144	RK3574	Chip R.	ERJ2GEJ105X	1	1
R145	RK3562	Chip R.	ERJ2GEJ104X	1	1
R146	RK3529	Chip R.	ERJ2GEJ181X	1	1
R147	RK3552	Chip R.	ERJ2GEJ153X	1	1
R148	RK3562	Chip R.	ERJ2GEJ104X	1	1
R149	RK3562	Chip R.	ERJ2GEJ104X	1	1
R150	RK3559	Chip R.	ERJ2GEJ563X	1	1
R151	RK3574	Chip R.	ERJ2GEJ105X	1	1
R156	RK3546	Chip R.	ERJ2GEJ472X	1	1
R157	RK3556	Chip R.	ERJ2GEJ333X	1	0
R157	RK3562	Chip R.	ERJ2GEJ104X	0	1
R159	RK3542	Chip R.	ERJ2GEJ222X	1	1
R160	RK3538	Chip R.	ERJ2GEJ102X	1	1
R161	RK3538	Chip R.	ERJ2GEJ102X	1	1
R162	RK3551	Chip R.	ERJ2GEJ123X	1	1
R163	RK3562	Chip R.	ERJ2GEJ104X	1	1
R164	RK3558	Chip R.	ERJ2GEJ473X	1	1
R165	RK3550	Chip R.	ERJ2GEJ103X	1	1
R167	RK3562	Chip R.	ERJ2GEJ104X	1	1
R168	RK3538	Chip R.	ERJ2GEJ102X	1	1
R169	RK0003	Chip R.	ERJ6GEYJ150V	1	1
R170	RK3538	Chip R.	ERJ2GEJ102X	1	1
R173	RK3501	Chip R.	ERJ2GE0R00X	1	1
R174	RK3558	Chip R.	ERJ2GEJ473X	1	1
R175	RK3550	Chip R.	ERJ2GEJ103X	1	1
R176	RK3550	Chip R.	ERJ2GEJ103X	1	1
R177	RK3530	Chip R.	ERJ2GEJ221X	1	1
R178	RK3550	Chip R.	ERJ2GEJ103X	1	1
R180	RK3550	Chip R.	ERJ2GEJ103X	1	1
R182	RK3538	Chip R.	ERJ2GEJ102X	1	1
R183	RK3538	Chip R.	ERJ2GEJ102X	1	1
R190	RK3542	Chip R.	ERJ2GEJ222X	1	1
R191	RK3550	Chip R.	ERJ2GEJ103X	1	1

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
R192	RK3550	Chip R.	ERJ2GEJ103X	1	1
R193	RK3552	Chip R.	ERJ2GEJ153X	1	1
R194	RK3547	Chip R.	ERJ2GEJ562X	1	1
R195	RK3501	Chip R.	ERJ2GE0R00X	1	1
R196	RK3550	Chip R.	ERJ2GEJ103X	1	1
R197	RK3562	Chip R.	ERJ2GEJ104X	1	1
R198	RK3546	Chip R.	ERJ2GEJ472X	1	1
R199	RK3529	Chip R.	ERJ2GEJ181X	1	1
R200	RK3542	Chip R.	ERJ2GEJ222X	1	1
R201	RK3574	Chip R.	ERJ2GEJ105X	1	1
R203	RK3558	Chip R.	ERJ2GEJ473X	1	1
R204	RK3542	Chip R.	ERJ2GEJ222X	1	1
R205	RK3562	Chip R.	ERJ2GEJ104X	1	1
R208	RK3548	Chip R.	ERJ2GEJ682X	1	1
R209	RK3501	Chip R.	ERJ2GE0R00X	1	1
R210	RK3501	Chip R.	ERJ2GE0R00X	1	1
R212	RK3554	Chip R.	ERJ2GEJ223X	1	1
R213	RK3522	Chip R.	ERJ2GEJ470X	1	1
R214	RK3538	Chip R.	ERJ2GEJ102X	1	1
R215	RK3001	Chip R.	MCR03EZJ000	1	1
R216	RK3501	Chip R.	ERJ2GE0R00X	1	1
R218	RK3501	Chip R.	ERJ2GE0R00X	1	1
R228	RK3538	Chip R.	ERJ2GEJ102X	1	1
TC1	CT0046	Trimmer	TC03C100A-TP02	1	1
TC2	CT0046	Trimmer	TC03C100A-TP02	1	1
TC3	CT0046	Trimmer	TC03C100A-TP02	1	1
VR1	RH0148	Trimmer R.	MVR22HXBRN104	1	1
VR2	RH0138	Trimmer R.	MVR22HXBRN222	1	1
VR3	RV0046	Volume	TP76N00A135FB103	1	1
VR4	RH0142	Trimmer R.	MVR22HXBRN103	1	1
W7	UX1277	Wire	WIRE DJS40 W7	1	1
X1	XQ0103	Crystal	TOP-B 21.250MHZ	1	1
X2	KK0005	Discriminator	CDBC450CX24-TC	1	1
X3	XQ0131	Crystal	CSA310 3.686400MHZ	1	1
ST0069		LCD HOLDER		1	1
TL0026		DIFFUSION SHEET		1	1
TL0027		REFLECTION SHEET		1	1
TS0148		VCO Shield DJP85		1	1
FM0196		RADIATE SHEET		1	1
TS0142		VCO CASE XH655		1	1
DG0040		LCD LIGHT DJS40		1	1

UP0473 Unit

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
C901	CU3031	Chip C.	C1608JB1H471KT-AS	1	1
D901	XD0388	Chip Diode	UBZ TE-17 6.2B	1	1
Q901	XU0192	Chip Transistor	RN2107 TE85L	1	1
Q902	XU0193	Chip Transistor	RN1107 TE85L	1	1
R901	RK4064	Chip R.	ERJ14Y471U	1	1
R902	RK3046	Chip R.	MCR03EZJ472	1	1
W901	MRAMH2GG	Wire	#32WIRE-RED25mm	1	1
W902	MYAMH3GG	Wire	#32WIRE-YELLOW35mm	1	1
W903	MWAAMH3GG	Wire	#32WIRE-WHITE35mm	1	1

PTT Unit

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
SW1	UU0027	Switch	SKQGAA	1	1
SW7	UU0027	Switch	SKQGAA	1	1

Mechanical Parts

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
	AE0034		HLXM2.6#6FE/N	1	1
	AF0025		OPH M2+2.5 FE/N1	2	2
	AF0031		OPH 2+5 FE/N3	1	1
	AN0012		RND N7X0.75 BR/B.ZN	1	1
	AX0005		O P 1.7+5.5 Fe NI3	2	2
	AX0008		OPH P1.7+4 FE/B.ZN3	2	2
	AZ0044		SPRING WASHER 26NI	1	1
	DP0139		LCD panel	1	1
	EA0099		ANTENNA DJS40CQ	1	1
	ES0025		32-8BB-06	1	1
	FG0329		PTT RUBBER	1	1
	FG0330		SILICON KEY RUBBER	1	1
	FG0331		TERMINAL RUBBER	2	2
	FG0332		MIC CAP RUBBER	1	1
	FG0333		JACK CAP RUBBER	1	1
	FG0334		SP CAP RUBBER	1	1
	FG0336		MIC RUBBER	1	1
	FG0337		DC CAP RUBBER	1	1
	FG0345		FLEXIBLE CUSHION S40	1	1
	FG0346		CUSHION A DJS40	1	1
	FM0197		ANTENNA TERMINAL	1	1
	FP0179		REAR PANEL	1	1
	FP0182		SP CUSHION	2	2
	KZ0139		REAR CASE ASSY S40CQ	1	1
	KZ0140		FRONT CASE ASSY S446	1	1
W5	MACL04AA	Wire	#30A02-040-02	1	1
W4	MRCL04AA	Wire	#30 RED 02-040-02	1	1
	NK0077		VOL KNOB DJS40	1	1
	SD0092A		TERMINAL L	1	1
	SD0093A		TERMINAL R	1	1
	SP0013		LECTRA #7800	1	1
	TN0014		FLEX. SHIELD	1	1
	TS0165		RF SHIELD	1	1
	TZ0088		INSULATOR DJS40J	1	1
	YX0032		LCD TAPE DJS40	1	1


Packing

Ref. No.	Parts No.	Description	Parts Name	Version	
				E	F
	DS0446		Serial No. sheet	1	1
	PK0090		Schematic	1	1
	HK0537		Package	1	1
	HM0212		Carton	1	1
	HU0175		Inner	1	1
	HU0176		Inner 10	1	1
	HP0006Z		Plastic Bag	1	1
	PS0396		Instruction	1	0
	PS0407		Instruction	0	1
	EDH-31		Battery Case	1	1
	EBC-18		Belt Clip Strap	1	1

ADJUSTMENT

1. Enter the frequency in memory. (M1 ~ M17) * Refer to Memory Channel's Frequency List
2. Press FUNC > MONI (Key Lock) > FUNC > ▲ > ▼ 2 times > V/M > MONI 2 times
(It becomes in "Adjustment Mode" and "A" appears on the display)
3. Adjust the Set 1. (Refer to Adjustment Manual)
4. Press FUNC > MONI (Key Lock) > FUNC > ▲
(It becomes in "Nomal Mode" and "A" disappears on the display)

Remark1.# The frequency in each Memory Channel can be changed within ±500KHz.



Standard Measuring Condition

DC IN : 7.0V (Only in the Testing of NI-MH Charge, 13.8V is used.)

Modulation Frequency : 1KHz


Deviation : 1.5KHz

Audio output power : 50mW (8Ω)


Item	Ch	Frequency (MHz)	Status	Adj. or Check	Terminal	Adj. Point	Adj.Range	Condition
1. PD Voltage	1	E: 446.00625 F: 446.03125	Rx and Tx	Check	TP2	--	Rx : 0.6 ~ 1.5V Tx : 0.8 ~ 1.7V	
2. Reference Frecuency	1	E: 446.00625 F: 446.03125	Tx	Adj.	ANT	TC1	$\pm 100\text{Hz}$	
3. High Power output	2	E: 446.00625 F: 446.03125	Tx	Adj.	ANT	VR1	$0.45 \pm 0.05\text{W}$	
4. Sensitivity	5	E: 446.00625 F: 446.03125	Rx	Adj.	SP Jack	TC2 and TC3	less than -7.0dB μ	The sensitivity must be adjusted to the best tuning. Deviation: 1.5KHz
5. S-meter (1)	7	E: 446.00625 F: 446.03125	Rx	Adj.	--	FUNC Key	--	RF sig. level: 0dBu
6. S-meter (5)	8	E: 446.00625 F: 446.03125	Rx	Adj.	--	FUNC Key	--	RF sig. level: 20dBu
7. Mic Deviation	9	E: 446.00625 F: 446.03125	Tx	Adj.	ANT	VR2	$2.1 \pm 0.1\text{KHz}$	AF sig. : 1KHz /50mVrms AF Filter: OFF-20KHz (at MT2605)
8. Tone Deviation	13	E: 446.00625 F: 446.03125	Tx	Check	ANT	--	$0.35 \sim 0.75\text{KHz}$	AF Filter: OFF-3KHz (at MT2605)
9. Tone burst Deviation	16	E: 446.00625 F: 446.03125	Tx	Check	ANT	--	$1.2 \sim 1.8\text{KHz}$	AF Filter: OFF-20KHz (at MT2605)

PC BOARD VIEW


1) UP0446A(1/2) Side A




2) UP0446A(1/2) Side B




3) PTT Unit WIRING




4) UP0473 TOP VIEW / WIRING




UP0473



SCHEMATIC DIAGRAM



BLOCK DIAGRAM



ALINCO, INC.

Head Office : Shin-Dai Building 9th Floor
2-6, 1-Chome, Dojimahama, Kita-ku, Osaka 530-0004, Japan
Phone: +81-6-4797-2136 Fax: +81-6-4797-2157
E-mail:export@alinco.co.jp

Dealer/Distributor