Guitar and Amplifier Accessories

empe

Guitar Polish Ampeg considers guitar and amplifier accessories to be an important segment of their total product line. All accessories are manufactured or selected for distribution with the same attention to high quality that established Ampeg as a leader in amplifiers, sound reinforcement, and musical instruments. That's why the musician can buy Ampeg accessories with confidence, and all merchandise is guaranteed to be as represented and to be free from defects in materials and workmanship.

The Ampeg products described in this catalog offer a wide selection of accessories and parts to maintain, simplify, and enhance instruments and amplifiers, as well as playing techniques.

Phazzer sound Source Rotater

ampeg

BPEED

PHAER

Phazzer Sound Source Rotater

The Ampeg Phazzer provides a sound of unique depth and smoothness and can be operated with either a 9 volt battery or a 9 volt AC adapter for added performance and dependability. The Phazzer's solid state circuitry can be used in conjunction with any instrument (guitar, organ, electric piano, etc.) and is compatible with solid state or tube amplifiers.

Electrical Specifications:

Input Impedance: 100K ohms

Output Impedance: 50K ohms

Effect Bandwidth: 75 to 2500 Hertz

Input Overload Voltage: 1 volt

Speed Adjustment Range: 0.14 - 8.3 Hertz

Notch Depth at 1K Hz: 20 dB

Power Supply Requirements: 15 milliamps at 9 volts

Recommended Battery Change Interval: 30 hours

Operating Instructions:

Input Jack:

The Phazzer is internally switched "on" whenever a guitar cable is plugged into the input jack. For maximum battery life, be sure to unplug all cables when the unit is not in use.

Footswitch:

The footswitch turns the signal circuitry on and off.

Control Knob:

The control knob sets the *speed* of the automatic Phazzer effect.

Mini-Jack:

The mini-jack accepts a 9 volt AC adapter, such as the Magnavox 1A9179, and allows the Phazzer to be used directly from a normal AC power source.

Battery:

A standard 9 volt battery is provided within the Phazzer. To replace the battery, remove the two screws from each side of the case and separate the two metal enclosures.

Internal Adjustment:

The Phazzer has been preadjusted at the factory for optimum balance between depth and smoothness. This control should not require further adjustment. However, the small white serrated knob on the internal control adjusts the effect depth if modification is desired. Battery strength affects the adjustment of this control.

Order by model #8830. \$99.50 each.

Master Volume Control A/B Footswitch

MAGTER VOLUME

MASTER VOLUME

UBE MODELS

USE WITH

Master Volume Control A/B Footswitch

Master Volume Control

With the Ampeg Master Volume Control, the player can obtain higher levels of distortion with his Ampeg amplifier without annoying hum or increased noise at reduced volume levels. As a supplement to the controls on the amplifier, the Master Volume Control is particularly useful for studio or recording work, and improves signal to noise ratio in specific applications when used correctly.

The Master Volume Control is available in two models: one designed only for use with Ampeg's tube circuitry amplifiers (Model #8812) and one for use only with Ampeg's solid state amplifiers (Model #8819). The solid state version of the Master Volume Control can also be used between two SR6 Sound Reinforcement System consoles to control the volume of the overall system.

Specifications:

Master volume control taper provides up to 20 dB of attenuation at mid-position.

18" shielded flexible cable with phone plug.

A body manufactured from rugged, high impact molded plastic, with chrome plated steel overlay, and non-skid rubber base. Easily read position markers on volume control.

Operation:

Plug Master Volume Control into one of the extension amplifier jacks on rear of amplifier. Note: Only jacks marked Ext. Amp. are to be used for Master Volume Control.

After Master Volume Control is plugged in the Ext. Amp. jack, set amplifier for normal playing with Master Volume Control at midposition for a clean or normal sound.

For a low level distorted sound, turn Master Volume Control to zero, turn input volume to maximum, then turn the Master Volume Control to a suitable level (which will be distorted). The amount of distortion desired can be controlled by readjusting the input volume control counter-clockwise for less distortion.

A/B Footswitch

The A/B Footswitch can be used with any amplifier and allows the player to conveniently switch the signal from his instrument to two locations without changing the instrument cables.

The 10-foot cable on the A/B Footswitch enables the player to pre-set individual amplifier channel controls, or individual amplifiers, and switch from one channel or amplifier to the other quickly and easily during performance with only a touch of his foot.

Note: This device is designed for signal switching and should not be used to switch amplifier output from one loudspeaker cabinet to another.

The design of the footswitch shunts the unused signal path to avoid objectionable noise.

Specifications:

10 ft. flexible shielded cable with molded Y-connector and molded phone plugs.

Standard 1/4 " phone input jack.

High impact molded plastic body with chrome plated steel overlay and non-skid rubber base.

Operation:

Plug an instrument into the input jack and the two phone plugs into the desired channels or amplifiers.

Specify model numbers:

Master Volume Control — Solid state Model #8819, \$18.00 each.

Master Volume Control — Tube circuitry Model #8812, \$18.00 each.

A/B Footswitch #8820, \$30.50 each.

Ampeg Amplifier Accessories

Speaker Y-Adapter

Accepts two standard phone jacks for connecting two speaker cabinets in parallel. Handles up to 300 watts power output. Heavy duty cable is 12" long with a right angle molded phone plug for connection with amplifier.

8805 - Speaker Y-Adapter ... \$15.00

Single Foot Switch

The 10-foot cable on the foot switch provides convenient reverb switching on any amplifier.



8809 - FS-2 Foot switch\$14.50

Double Foot Switch

This double foot switch with a 10-foot cable provides easy activation of both the tremolo and reverb on any amplifier.



8808 - FS1-W Foot switch . . \$15.00

Extension Speaker Cable with Adapter

A 15-foot cable, capable of handling 300 watts, for connecting an extension speaker. Cable has standard right angle molded phone plug, and a four pin cannon connector. Special adapter is included to convert the cannon to a standard phone plug.



8807\$18.50

Extension Speaker Cable

Same as the model 8807, without cannon connector adapter.

8806\$	11	.00
--------	----	-----

Cable Adapter

Special adapter converts four pin cannon to standard phone plug.

8804						\$8.00
------	--	--	--	--	--	--------

Amplifier Dolly

Spe	cif	y	a	m	p	lif	ie	er	r	n	0	d	e	١.			
S1							,								,		\$30.00

Rugged elastic capos adjust to fit any guitar neck. Available in assorted colors.



8550 — 6 string guitar	\$1.25
8551 — 12 string guitar	1.75
8552 - 12 string guitar,	deluxe 2.50

Hamilton Screw Action Capo

Practically indestructible, the thumb screw provides easy method for stopping strings. Stop bar encased in clear plastic tubing, heavy felt pad on clamp protects instrument neck. Completely chrome plated.



KB-19 — Guitar Capo \$2.00

Ampeg Elastic Capos Lever Action Capo

Spring-loaded lever makes rapid changes fast and easy. Stop bar encased in clear plastic tubing, heavy felt pad on clamp protects neck of instrument. Completely chrome plated.

KB-19A — Guitar Capo \$2.25

Hamilton Banjo/Ukelele Capo

Identical in design to KB-19A, to fit a tenor or 5-string banjo or ukelele neck.

KB-20A — Banjo Capo \$2.25

Woven Guitar Straps

Woven in distinctive patterns, these multi-colored straps are as rugged and durable as they are beautiful. Available in 2" and 3" widths. Brass buckles. Assorted colors and designs.



8510 - 2	2"	strap						\$5.25
8511 - 3								6.75

Leather **Guitar Straps**

These genuine top grain cowhide straps are rugged, yet soft and pliable. Embossed styles have rich, contemporary design. All styles fully adjustable, can be used for both electric and acoustic guitars.



8509 - 21/2" Leather Strap	
(plain)\$12.00 8508 — 21/2" Leather Strap	0
8508 - 21/2" Leather Strap	
(embossed)13.50	0
8507 — 31/2" Leather Strap	
(plain)	0
(plain)	
(embossed)16.5	0

All prices and specifications subject to change without notice.

Guitar Picks

These evenly beveled, highly polished picks are made of Viscoloid. Specify type and gauge when ordering.



Standard

8520T — Thin 8520M — Medium 8520H — Heavy						,	11.00	
Universal								
8521T — Thin							9.50	
8521M — Medium							11.00	
8521H — Heavy		,		,	•		13.25	
Jazz								
8522T - Thin							9.50	
8522M - Medium								
8522H — Heavy							12.25	

Pic Pak

Convenient, plastic dispenser, about the size of a quarter, holds 12 thin, 8 medium or 6 heavy picks.

8502\$1.25 each 15.00 dozen

8500 — 4 oz. plastic	2						
squeeze bottle .			•		•	,	.\$1.50
per dozen in display carton .							18.00

Astro String Pull Pin Crank

This patented tool allows fast removal of bridge pins without scratching the bridge, and quickly winds string around tuning peg. Instructions included.



8501\$1.75

Guitar Polish

iuitar Polish

POLISHES

Clean, wax and polish in one easy step. Provides high lustre and added protection to any guitar finish.

Guitar Cables

8813 — 10 foot straight	
cable with molded ends	\$3.00
8814 — 20 foot coil cable	
with molded ends	5.00
8815 — 20 foot coil cable	
with metal ends	5.75
8816 — 25 foot rubber coil	
cable with metal ends	7.95
8818 — 18" shortie cable	
with molded ends	1.95

Grover Machine Heads

These are the finest machines available. The 14:1 gear ratio provides micro-tuning and positive, non-slip action. Sealed lubrication for lifetime wear. Includes bushings and screws.



Hamilton Guitar Stand

Sturdy, yet budget priced, this stand folds easily, compactly. Supporting arms covered with white vinyl. Entire stand chrome plated.

Hamilton Protective Hamilton Protective Guitar Stand Guitar Stand

Designed for solid body guitars. Holds largest size guitars easily, safely. Engineered for smooth, easy folding. White vinyl protective covering on supporting arms. Entire stand chrome plated.

KB-35 — Stand\$11.85

Solidly built and generously proportioned to hold the largest guitars. Precision tooled for smooth, easy folding. White vinyl protective covering on supporting arms. Entire guitar stand chrome plated.



KB-31 — Stand\$10.75



KB-33 — Stand\$12.00

Guitar Cases

Hagstrom Cases

Case No.	For Guitar	Model	Each
4580	HG800	and HG801 \$35	5.00
4582	HG802	90	0.00
4583	110000		00.0
4591	HB901	40	0.00
4593	HB903		0.00

Harmony Cases

Case No.	For Guitar Model Each
H0100	H6128, H6130, H6032,
	H6134, H6137,
HODIE	H4102\$18.00
H0315	
	H6362, H6365, H6364,
H0660	H6395, H1233, H655 21.00
H0550	H6659, H6690 24.95 H6560 21.00
H0661	H6600, H1269 34.50
H0583	H6583 36.00
H0200	H6210, H6272 18.95
H0201	H6290 32.50
H0415	H6415, H6450 21.00
H0831	H8031, H8010,
	H8017 15.95
H835	
H0480	H4800 18.95
H0580	H5800 21.00
H0485	H4815, H4835 19.95
H0585 H0595	H5815, H5835 21.00
H0595	H5865 30.00 H684 18.00
H0682	H684 18.00 H684 18.00
H0671	H667 34.50
H0619	
H0426	



Ampeg Guitar Strings

Acoustic **Guitar Strings**

Heavy Gauge Model

Description

Gauge Each

Dozen

Electric Guitar Strings

Regular Light - Nickel Round Wound

Set of eight strings — extra first and second strings. Diameters: First .010, Second .013, Third .017, Fourth .026, Fifth .036, Sixth .046. S8692

Per Set \$4.00 Super Light - Nickel Round Wound

Set of eight strings — extra first and second strings. Diameters: First .009, Second .0115, Third .016, Fourth .024, Fifth .032, Sixth .042.

\$8693 Per Set \$4.00

Extra Super Light — Nickel Round Wound One complete set of eight strings - extra first and second strings. Diameters: First .008, Second .010,

Third .015, Fourth .021, Fifth .030, Sixth .039. S8694

Electric Bass Strings

Nickel Flat Wound

Model	Description	Gauge	Each		
S8638	Four String Set		\$14.50	Per Set	
8638 1G	G-1st, Flat Wound	.054			
8638 2D	D-2nd, Flat Wound	.072	3.00		
8638 3A	A-3rd, Flat Wound	.092	4.25		
8638 4E	E-4th, Flat Wound	.108	4.75		
Round V	Vire Wound				
S8695	Four String Set		\$13.00	Per Set	
86951G		ound	2.50		

S8695	Four String Set	\$13.00 Per Se	ł
8695 1G	G-1st, Round Wire Wound	2.50	
8695 2D	D-2nd, Round Wire Wound	3.00	
8695 3A	A-3rd, Round Wire Wound	3.50	
8695 4E	E-4th, Round Wire Wound	4.00	

Classic Guitar Strings

8617 6E E-6th, Silverplated

Wound

Plain End — Clear Nylon Trebles — Silverplated Wound Basses

onterpi	area mound busse				
Model	Description	Gauge	Each	Dozen	
S8610	Six String Set		\$3.25	\$32.50	
8610 1E	E-1st, Clear Nylon	.028	.35		
8610 2B	B-2nd, Clear Nylon	.032	.40		
8610 3G	G-3rd, Clear Nylon	.040	.50	5.00	
8610 4D	D-4th, Silverplated				
	Wound	.030	.65	6.50	
8610 5A	A-5th, Silverplated				
	Wound	.035	.70	7.00	
8610 6E	E-6th, Silverplated				
	Wound	.043	.80	8.00	
Ball End	- Black Nylon Tr	ebles .	_		
	ated Wound Basse				
S8617	Six String Set		\$3.75	\$37.50	
8617 1E	E-1st, Black Nylon	.028	.40		
8617 2B	B-2nd, Black Nylon	.032	.45		
8617 3G	G-3rd, Black Nylon	.040	.55		
8617 4D	D-4th, Silverplated			0.00	
	Wound	.030	.70	7.00	
8617 5A	A-5th, Silverplated				
	Wound	.035	.85	8.50	
0.0 4 78 0.00	F PAR PAR - 1 - 1				

.043

.95

9.50

			ALC: NO REPORT	10 10 10 10 10 10
S8653	Six String Set		\$4.00	\$40.00
8653 1E	E Steel Polished	.014	.35	3.50
8653 2B	B Steel Polished	.018	.35	3.50
8653 3G	G Bronze Wound	.027	.70	7.00
8653 4D	D Bronze Wound	.039	.85	8.50
8653 5A	A Bronze Wound			
8653 6E	E Bronze Wound	.059	.95	9.50
Medium	Gauge			
S8652	Six String Set		\$4.00	\$40.00
	E Steel Polished	.013	.35	
8652 2B	B Steel Polished			3.50
8652 3G	G Bronze Wound	.026	.70	7.00
8652 4D	D Bronze Wound	.035	.85	8.50
8652 5A	A Bronze Wound	.045	.90	9.00
8652 GE	E Bronze Wound	.056	.95	9.50
Light Ga	uge			
S8651	Six String Set		\$4.00	\$40.00
	E Steel Polished	.012	.35	3.50
8651 2B	B Steel Polished	.016	.35	3.50
8651 3G	G Bronze Wound	.025	.70	7.00
8651 4D	D Bronze Wound			8.50
8651 5A	A Bronze Wound			
8651 6E	E Bronze Wound	.052	.95	9.50
Extra Lig	ght Gauge			

Evila Fil	Jin Gauge				
S8650	Six String Set		\$4.00	\$40.00	
8650 1E	E Steel Polished	.010	.35	3.50	
8650 2B	B Steel Polished	.014	.35	3.50	
8650 3G	G Bronze Wound	.023	.70	7.00	
8650 4D	D Bronze Wound	.030	.85	8.50	
8650 5A -	A Bronze Wound	.039	.90	9.00	
8650 6E	E Bronze Wound	.047	.95	9.50	

Ampeg Single String Selection Kit

8630 complete kit\$132.00				
Quan.	Cat. No.	Description & Gauge	Each	Dozen
12	8630-01	.008, Plain Steel	.30	\$3.00
12	8630-02	.008, Plain Steel .009, Plain Steel	.30	3.00
12	8630-03	010 Plain Steel	30	3.00
12	8630-04	.0115, Plain Steel	.30	3.00
12	8630-05	.012, Plain Steel	.30	3.00
12	8630-06	.012, Plain Steel .013, Plain Steel	.30	3.00
12	8630-07	014, Plain Steel .015, Plain Steel .016, Plain Steel .017, Plain Steel .018, Plain Steel .019, Plain Steel .020, Plain Steel .019, Nickel Wound	.30	3.00
12	8630-08	.015, Plain Steel	.35	3.50
12	8630-09	.016, Plain Steel	.35	3.50
12	8630-10	.017, Plain Steel	.35	3.50
12	8630-11	.018, Plain Steel	.35	3.50
12	8630-12	.019, Plain Steel	.35	
12	8630-13	.020, Plain Steel	.35	3.50
6	8630-14	.019W, Nickel Wound		7.00
6	8630-15	.020W, Nickel Wound		7.00
6	8630-16	.021, Nickel Wound	.70	
6	8630-17	.022, Nickel Wound		
6	8630-18	.024, Nickel Wound	.70	7.00
6	8630-19	.026, Nickel Wound	.70	7.00
6	8630-20	.028, Nickel Wound	.85	8.50
6	8630-21	.030, Nickel Wound	.85	8.50
6	8630-22	.032, Nickel Wound	.85	8.50
6	8630-23	.034, Nickel Wound .036, Nickel Wound	1.00	10.00
6	8630-24	.036, Nickel Wound	1.00	10.00
6	8630-25	.039, Nickel Wound	1.00	10.00
6	8630-26	.042, Nickel Wound	1.15	11.50
6	8630-27	.044, Nickel Wound		
6	8630-28	.046, Nickel Wound		
6	8630-29	.049, Nickel Wound		
6	8630-30	.052, Nickel Wound	1.25	12.50
6	8630-31	.056, Nickel Wound .059, Nickel Wound	1.25	12.50
6	8630-32	.059, Nickel Wound	1.25	12.50



D'Aquisto Guitar Strings

Electric **Guitar Strings**

Extra-Light Gauge --- Round Wound Dozen Description Gauge Each No. Six String Set \$5.50 \$66.00 190 Silvered Steel .010 .40 4.80 E or 1st 191 Silvered Steel .014 .40 4.80 B or 2nd 192 10.80 .023 .90 Round Wound 193 G or 3rd .030 1.10 13.20 194 D or 4th Round Wound 15.00 1.25 .039 195 A or 5th Round Wound 1.45 17.40 E or 6th Round Wound .047 196 Light Gauge — Round Wound \$5.50 \$66.00 Six String Set 200 E or 1st B or 2nd Silvered Steel .012 .40 4.80 201 Silvered Steel .016 .40 4.80 202 Round Wound .025 .90 10.80 203 G or 3rd .032 1.10 13.20 Round Wound D or 4th 204 1.25 15.00 .042 205 A or 5th Round Wound .052 1.45 17.40 E or 6th Round Wound 206 Medium Gauge - Round Wound \$5.50 \$66.00 Six String Set 210 E or 1st Silvered Steel .013 .40 4.80 B or 2nd Silvered Steel .017 .40 4.80 212 .90 10.80 Round Wound .026 G or 3rd 213 Round Wound .035 1.10 13.20 D or 4th 214 .045 1.25 15.00 Round Wound 215 A or 5th .056 1.45 17.40 Round Wound 216 E or 6th Light Gauge - Nickel Flat Wound \$7.00 \$84.00 300 Six String Set .012 4.80 .40 301 E or 1st Silvered Steel B or 2nd Silvered Steel .016 .40 4.80 302 G or 3rd Nickel Flat 303 1.30 15.60 Wound .025 Nickel Flat 304 D or 4th .032 1.45 17.40 Wound 305 A or 5th Nickel Flat .042 1.65 19.80 Wound 306 E or 6th Nickel Flat .052 1.80 21.60 Wound Medium Gauge - Nickel Flat Wound \$7.00 \$84.00 Six String Set 310 .013 .40 4.80 E or 1st Silvered Steel 311 B or 2nd .017 .40 4.80 Silvered Steel 312 G or 3rd Nickel Flat 313 .026 1.30 15.60 Wound 314 D or 4th Nickel Flat .035 1.45 17.40 Wound 315 A or 5th Nickel Flat 19.80 .045 1.65 Wound

316 E or 6th

Nickel Flat

Wound

Standard Rock & Roll -

Extra-Light Gauge — Round Wound

No.		Description	Gauge	Each	Dozen
900		Six String Set		\$4.40	\$52.80
901	E or 1st	Silvered Steel	.009	.40	4.80
902	B or 2nd	Silvered Steel	.0115	.40	4.80
903	G or 3rd	Silvered Steel	.016	.50	6.00
904	D or 4th	Round Wound	.024	.90	10.80
905	A or 5th	Round Wound	.032	1.10	13.20
906	E or 6th	Round Wound	.042	1.25	15.00

Standard Rock & Roll ---

Extr	a-Light G	auge - Flat	wound		
925		Six String Set		\$6.00	\$72.00
926	E or 1st	Silvered Steel	.009	.40	4.80
927	B or 2nd	Silvered Steel	.0115	.40	4.80
928	G or 3rd	Silvered Steel	.016	.50	6.00
929	D or 4th	Nickel Flat Wound	.024	1.20	14.40
930	A or 5th	Nickel Flat Wound	.032	1.50	18.00
931	E or 6th	Nickel Flat Wound	.042	1.70	20.40

Bass Guitar Strings

Elat Wound Motal

riat v	wound me	71411		
No.		Description	Gauge	Each
1000		Four String Set		\$20.00
1001	G or 1st	Metal Flat Wound	.054	2.75
1002	D or 2nd	Metal Flat Wound	.072	4.50
1003	A or 3rd	Metal Flat Wound	.092	6.00
1004	E or 4th	Metal Flat Wound	.108	6.75
Nylo	n Tape We	ound		
1010		Four String Set		\$20.00
1011	G or 1st	Nylon Tape Wound	.063	2.75
1012	D or 2nd	Nylon Tape Wound	.077	4.50
1010	A an Dad	Midan Tana Mound	000	6 00

1012	D or 2nd	Nylon Tape Wound	.077	4.50
1013	A or 3rd	Nylon Tape Wound	.098	6.00
1014	E or 4th	Nylon Tape Wound	.113	6.75

Round Wound

1020		Four String Set	1	\$20.00
1021	G or 1st	Round Wound	.050	2.75
1022	D or 2nd	Round Wound	.070	4.50
1023	A or 3rd	Round Wound	.085	6.00
1024	E or 4th	Round Wound	.102	6.75

Rock Guitar Strings 12 String Guitar Strings

No. Description	Each	Dozen
590 Extra-Light Gauge — Bronze Wound 1st and 2nd010, 3rd and 4th014, 5		\$87.00
6th008, 7th030, 8th012, 9th039 11th047, 12th027.), 10th(018,
600 Light Gauge — Bronze Wound 1st and 2nd012, 3rd and 4th016, 5	ith025,	\$87.00
6th010, 7th032, 8th014, 9th042 11th052, 12th030.	2, 10th	020,
610 Medium Gauge —	\$7.25	\$87.00

1st and 2nd-.013, 3rd and 4th-.017, 5th-.026, 6th-.0115, 7th-.035, 8th-.015, 9th-.045, 10th-.021, 11th-.056, 12th-.032.

Other Sets

No.	Description		Doten
1025	Tenor Banjo	\$2.10	\$25.20
1050	5 String Banjo		\$27.00
1075	Mandolin	\$3.25	\$39.00

.056 1.80 21.60

D'Aquisto Guitar Strings

Acoustic Guitar Strings

Extra-Light Gauge — Bronze Wound								
No.		Description	Gauge	Each	Dozen			
90		Six String Set		\$4.75	\$57.00			
91 E o	r 1st	Silvered Steel	.010	.40	4.80			
	r 2nd	Silvered Steel	.014	.40	4.80			
	r 3rd	Bronze Wound	.023	.85	10.20			
	r 4th	Bronze Wound		1.00				
	r 5th	Bronze Wound			12.60			
96 E o	r 6th	Bronze Wound	.047	1.15	13.80			
Light G	auge	- Bronze Wo	und					
100		Six String Set		\$4.75	\$57.00			
101 E	or 1st			.40	4.80			
102 B	or 2nd	Silvered Steel	.016	.40	4.80			
103 G	or 3rd	Bronze Wound	.025	.85	10.20			
104 D	or 4th	Bronze Wound	.032	1.00	12.00			
105 A	or 5th	Bronze Wound	.042	1.05	12.60			
106 E	or 6th	Bronze Wound	.052	1.15	13.80			
Medium Gauge — Bronze Wound								
110		Six String Set		\$4.75	\$57.00			

110		Six String Set		\$4.75	\$57.00
111	E or 1st	Silvered Steel	.013	.40	4.80
112	B or 2nd	Silvered Steel	.017	.40	4.80
113	G or 3rd	Bronze Wound	.026	.85	10.20
114	D or 4th	Bronze Wound	.036	1.00	12.00
115	A or 5th	Bronze Wound	.045	1.05	12.60
116	E or 6th	Bronze Wound	.056	1.15	13.80

Heavy Gauge - Bronze Wound

120		Six String Set		\$4.75	\$57.00
121	E or 1st	Silvered Steel	.014	.40	4.80
122	B or 2nd	Silvered Steel	.018	.40	4.80
123	G or 3rd	Bronze Wound	.027	.85	10.20
124	D or 4th	Bronze Wound	.039	1.00	12.00
125	A or 5th	Bronze Wound	.049	1.05	12.60
126	E or 6th	Bronze Wound	.059	1.15	13.80

Light Gauge — Bronze Flat Wound

800 Six String Set \$7.00 \$84.00 1st-.012, 2nd-.016, 3rd-.025, 4th-.032, 5th-.042, 6th-.052.

Medium Gauge — Bronze Flat Wound

810 Six String Set \$7.00 \$84.00 1st-.013, 2nd-.017, 3rd-.026, 4th-.035, 5th-.045, 6th-.056.

EAL	ra-Light	Gauge - Ph-B	Alloy	woun	a	
No.		Description		Each	Dozen	
60		Six String Set		\$5.50	\$66.00	
61	E or 1st	Silvered Steel	.010	.40	4.80	
62	B or 2nd	Silvered Steel	.014	.40	4.80	
63	G or 3rd	Ph-B Alloy				
		Wound	.023	.95	11.40	
64	D or 4th	Ph-B Alloy				
		Wound	.030	1.15	13.80	
65	A or 5th	Ph-B Alloy				
		Wound	.039	1.30	15.60	
66	E or 6th	Ph-B Alloy				
		Wound	.047	1.40	16.80	
Lia	ht Gauge	- Ph-B Alloy	Woun	d		
70	in clauge	Six String Set			\$66.00	
71	E or 1st	Silvered Steel		.40	4.80	
72	B or 2nd	Silvered Steel	.016		4.80	
73	G or 3rd	Ph-B Alloy	.010	.40	4.00	
15	4 01 514	Wound	.025	.95	11.40	
74	D or 4th	Ph-B Alloy	.020	.50	11.40	
14	0 01 411	Wound	.032	1.15	13.80	
75	A or 5th	Ph-B Alloy	.002	4.4.0	10.00	
10	noi otti	Wound	.042	1.30	15.60	
76	E or 6th	Ph-B Alloy	10.11	*100	10.00	
	L of oth	Wound	.052	1.40	16.80	
	dium Cou					
	dium Gau	ige — Ph-B All				
80		Six String Set			\$66.00	
81	E or 1st	Silvered Steel	.013		4.80	
82	B or 2nd	Silvered Steel	.017	.40	4.80	
83	G or 3rd	Ph-B Alloy				
~		Wound	.026	.95	11.40	
84	D or 4th	Ph-B Alloy				
		Wound	.036	1.15	13.80	
85	A or 5th	Ph-B Alloy				
0.0	F Cut	Wound	.045	1.30	15.60	
86	E or 6th	Ph-B Alloy			10.00	
		Wound	.056	1.40	16.80	

Extra-Light Gauge - Ph-B Alloy Wound

Folk Guitar Strings

Silk	& Steel				
No.		Description	Gauge	Each	Dozen
700		Six String Set		\$5.50	\$66.00
701	E or 1st	Silvered Steel	.0115	.40	4.80
702	B or 2nd	Silvered Steel	.014	.40	4.80
703	G or 3rd	Wound on			
		Silk & Steel	.023	.95	11.40
704	D or 4th	Wound on			
		Silk & Steel	.028	1.10	13.20
705	A or 5th	Wound on			
		Silk & Steel	.038	1.25	15.00
706	E or 6th	Wound on			
		Silk & Steel	.047	1.40	16.80
Silk	& Steel				
620		Silk & Steel	+ 5	8 50 9	102.00

1st and 2nd-.0115, 3rd and 4th-.014, 5th-.023, 6th-.009, 7th-.028, 8th-.014, 9th-.038, 10th-.018, 11th-.047, 12th-.028.

Classic Guitar Strings

Plain End — Clear Nylon							
No.		Description	Gauge	Each	Dozen		
400		Six String Set		\$4.00	\$48.00		
401	E or 1st	Clear Nylon	.028	.35	4.20		
402	B or 2nd	Clear Nylon	.032	.40	4.80		
403	G or 3rd	Clear Nylon	.040	.50	6.00		
404	D or 4th	Wound on					
		Nylon	.030	.90	10.80		
405	A or 5th	Wound on					
		Nylon	.035	.95	11.40		
406	E or 6th	Wound on					
		Nylon	.043	1.10	13.20		
Ball	End - C	lear Nylon					
500		Six String Set		\$5.00	\$60.00		
501	E or 1st	Clear Nylon	.028	.45	5.40		
502	B or 2nd	Clear Nylon	.032	.50			
503	G or 3rd	Clear Nylon	.040	.70	8.40		
504	D or 4th	Wound on					
		Nylon	.030	1.00	12.00		
505	A or 5th	Wound on					
		Nylon	.035	1.10	13.20		
506	E or 6th	Wound on					
		Nylon	.043	1.25	15.00		



Box 310, Elkhart, Indiana 46514 In Canada: H. & A. Selmer (Canada) Ltd. 95-97 Norfinch Drive Downsview, Ontario M3M1W8, Canada

.