

LAB 2000

SERVICEMANUAL

	DRAWING	
	SCHEMATIC	LAYOUT
THEORI OF FUNCTION	2KFUN	
INTERNAL CONNECTIONS	2KCON	
INPUT AMPLIFIER	2KINP	2KINP-P
LF-AMPLIFIER	2KLF	2KLF-P
HF-AMPLIFIER	2KHF	2KHF-P
LED DISPLAY	2KLED	2KLED-P
FUSE-BOARD	2KFU	2KFU-P
VOLTAGE STAB		
POWER SUPPLY	2KPSUA	2KPSUA-P
	2KPSUB	2KPSUB-P
POWER SUPPLY		OLD VERSION

LAB.GRUPPEN

Andersson & Bävholm AB
Gullregnsvägen 16
S-434 44 KUNGSBACKA
SWEDEN

Tel. + 46 300 - 168 23 Fax. + 46 300 - 142 46

LAB 2000C

Theory of function

AC-power is coming in to terminal K1. The voltage is rectified by D1 and filtered by C10, C11. This gives 310V DC to the transformer TR1. The PWM-controller U1 controls the switch Q1-Q3 to give the correct output voltage at terminal J17, J19. When the switch Q1-Q3 is closed, current flows through transformer, TR1, storing energy. Because of the voltage polarity, diode D3, D4 are reverse-biased, thus no voltage present at the load. When the switch is open, transformer TR1 reverses polarity because of the collapsing magnetic field, forward-biasing diodes D3, D4, and inducing a current flow into the capacitors C12, C14. The reversed voltage is sensed by a winding in TR1 and rectified by diode D8. The PWM-controller adjusts the on-time of the switch, by comparing the voltage across C14 with an internal reference, to give a railvoltage of +136V across the capacitors C12, C14. The voltage can be adjusted by potentiometer TP2. The maximum current in the transformer is sensed over the resistor R6-R8. The voltage across R6-R8 is compared with a reference-voltage, set by TP3, which makes it possible to adjust the maximum output power from the powersupply. Normally TP3 is in maximum position, but if something has to be repaired in the amplifier, TP3 is used for "slowstarting" the amplifier.

The input signal is connected to the balanced amplifier U1. The gain in this amplifier can be reduced by optoresistor LDR1 to prevent clipping in the output amplifier. From amplifier U1 signal goes to limiter U2, Q1, Q2 passing gaincontrol P1. This limiter together with the phaselineare lowpassfilter U3, U4 limits the slewrate of the signal going to the output amplifier 2KLF, preventing intermodulation in this amplifier if signals of too high frequencies are presented on the input terminal.

The output amplifier 2KLF works as an ordinary power amplifier with the difference that the collector voltage to the output transistors is supplied from the switchmode amplifier 2KHF. The base voltage on the output transistors Q26-Q28, Q31-Q33 is sensed by voltage divider R36-R38 and is then sent to the adjustable limiter U3, U4 on the input board, before it reaches the input on the switchmode amplifier. Limitlevel is set by the minimum load select-switches (MLS-sv.) to give correct output power in different loads.

The amplifier U1 (U2) on the HF-board makes sure that the output signal on terminal J4 (J8) is a copy of the input signal on terminal J12, by giving correct control voltage to pulsedwidth modulator U3. U3 compares this voltage with an 830Khz triangularwave giving a pulsedwidth modulated output signal from Q1 (Q7) which is filtered by L1, C1 (L4, C10). The gain from the base of the output transistors in the LF-amplifier to the output of the HF-amplifier is equal to one. TP1 (TP2) is used to add a DC-offset on the input of U1 (U2) giving +11V (J4) - 11V (J8) relative output of the LF-amplifier (J6), which is the same as collector-emitter voltage for the output transistors Q26-Q28, Q31-Q33.

HOW TO REPAIR

REQUIRED MEASUREMENT EQUIPMENT:

- Audiogenerator
- AC-voltmeter/THD-meter
- 2 digital voltmeters
- Two channel oscilloscope for audio
- Variac 0-280V, 6A
- 50Mhz oscilloscope, ex. Tek 2225
with 100x probe ex. Tek P6009

AMPLIFIER

1. Without changing any fuses check the powersupply +136V, -136V, +16V, -16V, +30V. If these aren't OK go to section for repairing power supply.
2. If all fuses are OK, follow the signal from input to output, and repair it in normal way. The best way is to place the amplifier on the front handles, loosen the rear panel, and mount it back on distances (delivered with this manual) to make it possible to measure.
3. If there is a fault in the power amplifier stage do as follows:
 - 3:1 Turn TP1, TP2 on the HF-board, TP3 on the power supply board counter clockwise. (TP1 old PSU clockwise)
 - 3:2 Short-circuit R38 on LF-board.
 - 3:3 Disconnect cables from Q28, Q32 collector on the LF-board.
 - 3:4 Replace broken fuses. (only for the channel you repair)
 - 3:5 Connect DC-voltmeter (200V) to the positive (negative) rail voltage.
 - 3:6 Connect another DC-voltmeter (20V) to the cable disconnected from Q28 (Q32).
 - 3:7 Turn TP3 (PSU) slowly clockwise, TP1 (old PSU counter clockwise) and watch the voltmeters. Rail voltage should increase rapidly, "collector voltage" should read 0. After turning TP3 maximum 30°, railvoltage should be 136V.
 - a. If the railvoltage is zero or very low, check Q1, D1 (Q7, D5) (shorted) on the HF-board..
If Q1 (Q7) is broken, also replace R3 (R16) and D2 (D6).
 - b. If OK (136V) turn TP1 (TP2) slowly maximun clockwise. Voltage measured on the disconnected colectorcable should stop at about 11V.
 - c. If OK turn TP1 (TP2) and TP3 counter clockwise. (TP1 old PSU clockwise)

- 3:8 Repeat from 3:5 for the negative side.
- 3:9 Reconnect cable to Q28 (Q32)colector.
- 3:10 Connect dummy load 16Ω to output, and connect an oscilloscope (10V/div) across the load.
- 3:11 Slowly turn TP3 (PSU) for 136V (-136V) railvoltage.
- 3:12 Slowly turn TP1 (TP2) clockwise and look at the oscilloscope. There should be no DC on the oscilloscope. If there is DC (<1V) repair the positive (negative) output section on the LF-board.
- 3:13 Turn back TP1 (TP2) and TP3, and disconnet Q28 collector.
- 3:14 Reconnect Q32 collector and repeat from 3:11 for the negative side.
- 3:15 Reconnect cables to Q28 and Q32 collector. Turn TP3 for 136V rail voltage. Turn TP1 clockwise, no DC on the oscilloscope. Then slowly turn TP2 clockwise. There can be some oscillation with TP2 in middle position, byt it will stop at further turning.
- 3:16 Connect 1KHz sine wave to the input of the amplifier. Adjust gain until there is signal on the output. It should be a 10V PK sinewave with no distortion.
- 3:17 Disconnect short circuit from R38, and the amplifier will work.


POWER SUPPLY

VALID FOR UNITS WITH PSUA AND PSUB BOARDS.

1. Turn TP3 fully counter clockwise.
2. Change F1 on the PSUA.
3. Increase the main voltage slowly by the variac.
4. Measure the voltage across C1.
 - a. No voltage: - change R5
 - b. The current increase quickly: - check D1 - PSUA
- check Q1, -Q2, Q3 - PSUB
5. It is now possible to increase the voltage across C1 to approx. 310V.
6. Connect an oscilloscope, (100V/div) via an isolation transformer across Q1 collector and emitter.

7. Turn TP3 slowly until a pulse is visible on the scope. The frequency is approx. 27kHz.

If the graph is seen, go to item 10.




8. If only narrow spikes is seen, check the following components.

- a. D3, D4 - PSUA or the output circuits.
- b. D1 (C5, R1, R2, R3) PSUB
- c. Q1 - PSUA - the softstart circuit will not deliver enough power.
- d. U1 - the output will remain low all the time.


9. If ringing occur after the flyback pulse, it depends on broken D2 or D4, R5/C6.

10. Turn TP3 fully clockwise:

- a. Check the outputvoltage on C12, C14 - PSUA for 136V DC - Adjust witch TP2.
- b. Check the softstart circuit by turning on and off the mainswitch and look at the oscilloscope.
- c. Increase the power by applying an audiosignal to the amplifier and turn up the gaincontrols. - The pulswidth will increase.
- d. Check the over-/ undervoltage protection circuits by turning the variac up to 280 VAC and down to 130 VAC. (No load.)



KONSTR. K. A	RITAD K. A	KOP	KONTAKT	STAND.	GNDK.	SKALA	ERSÄTTA	LENSATT AV
LABGRUPPEN KUNGSSBACKA SWEDE	LAB 2000 THEORY OF FUNCTION							DAT 90-12-01 2KFUN






KONSTR.	RITAD	KOP	KONTR.	STAND.	CODK.	SKALA	ERSATTER	ERSATT AV
K.A.	K.A.						RITN. -NR	2KCON

DAT 90-12-01

LAB 2000 INTERNAL CONNECTIONS

KLABGRUPPEN KUNGSBACKA SHEDEN







KÖNSR. K.A	RITAD K.A	KÖP	KONTR.	STAND.	GÖDK.	SKALA	ERSÄTTER	ERSÄTT AV
LÄBGRUPPEN KUNGSSACKA SWEDE				LAB	E000			DAT 90-12-01 RTRN,-NR 2K INP-P

LAB 2000 INPUT**Component-list Channel A****(Ch. B add 100)**

Resistors	Capacitors	Channel A and B
R1 10 kΩ 1%	C1 -	
R2 10 kΩ 1% gain	C2 -	
R3 13 kΩ 1% 33 dB	C3 0.1 µF 50V	Resistors
5.3 kΩ 1% 29 dB	C4 10 µF 50V	R201 10 Ω
3.3 kΩ 1% 26 dB	C5 10 µF 50V	R202 220 kΩ
2.1 kΩ 1% 23 dB	C6 470 pF 5%	R203 1 Ω
R4 10 kΩ 1%	C7 470 pF 5%	R204 2.2 kΩ
R5 66 kΩ 1%	C8 680 pF 5%	R205 1.6 kΩ 1%
R6 10 kΩ 1%	C9 220 pF 5%	R206 22 kΩ 1%
R7 22 kΩ 1%	C10 0.47 µF 50V	
R8 22 kΩ 1%	C11 -	
R9 100 Ω	C12 4.7 µF 50V	Capacitors
R10 47 kΩ 1%	C13 4.7 µF 50V	C201 22 pF
R11 1 kΩ 1%	C14 0.47 µF 250V	C202 220 pF
R12 47 kΩ 1%	C15 2.2 µF 63V	C203 68 pF
R13 18 kΩ 1%	C16 10 µF 50V	C204 10 µF 25V
R14 1 kΩ 1%	C17 10 µF 50V	C205 1 nF
R15 47 kΩ 1%	C18 -	C206 68 pF 5%
R16 10 kΩ 1%	C19 22 pF	C207 220 pF
R17 18 kΩ 1%		
R18 10 kΩ 1%		
R19 10 kΩ 1%		
R20 10 kΩ 1%		
R21 780 kΩ 1%	Diodes	
R22 100 Ω	D1 HS10	Diodes
R23 1.6 kΩ 1W	D2 1N 4148	
R24 4.7 kΩ 1W on legs	D2 1N 4148	D201 1N 5404
R25 120 kΩ	D3 1N 4148	D202 1N 5404
R26 100 Ω	D4 1N 4148	D203 5.6V Zener
R27 10 kΩ 1%	D5 1N 4148	
R28 47 kΩ 1%		
R29 47 kΩ 1%		
R30 10 kΩ 1%		
R31 10 kΩ 1%	Switches	
R32 100 Ω	S1 Alps SPPJ3	
R33 2 kΩ 1%	S2 Alps "	
R34 10 kΩ 1%		
R35 1 kΩ 1%		
Optoresistor	Integrated circuits	
LDR1 VTL5C4	U1 NE 5532	Integrated circuits
Potentiometers	U2 NE 5532	
	U3 TL 072	
P1 4.7 kΩ 1%	U4 TL 072	
Transistors	Connectors	
Q1 BC 547	K1 3-pole XLR chassie	Switches
Q2 BC 557	K2 3-pole Telejack	S201 Alps SPPJ3
Q3 Q 4025R6	K3 Speak-on NL-4MP	S202 Alps "
	K4 5-pole pinheader	S203 Alps "





KONSTR. K. A.	RITAD K. A.	KOP	KONTAKT	STAND.	GÖOK.	SKALA	ERSÄTTARE	ERSÄTTA AV
LABGRUPPEN KUNGSSBACKA SWEDE	LAB 2000	LF-AMPLIFIER						DAT 98-12-01
								2KL F-P

LAB 2000 LF component-list

Resistors

R1	10 Ω	R55	220 kΩ	C11	1 nF
R2	27 kΩ 1%	R56	100 kΩ	C12	2.2 nF 63V
R3	1 kΩ 1%	R57	220 kΩ	C13	1 µF 100V
R4	180 Ω 1%	R58	56 kΩ	C14	68 pF
R5	1.8 kΩ 1%	R59	56 kΩ	C15	0.1 µF 40V
R6	180 Ω 1%	R60	27 kΩ 1%	C16	220 µF 16V
R7	27 kΩ 1%	R61	3.3 kΩ 1%	C17	4.7 µF 50V
R8	10 Ω	R62	330 kΩ 1%	C18	10 µF 50V
R9	1 kΩ 1%	R63	2.2 MΩ	C19	22 nF 250V
R10	100 kΩ	R64	22 kΩ 1%	C20	47 nF 250V
R11	1.8 kΩ 1%	R65	2.7 kΩ 1%	C21	0.1 µF 250V
R12	27 kΩ 1%	R66	100 kΩ	C22	0.1 µF 250V
R13	27 kΩ 1%	R67	56 kΩ	C23	0.1 µF 250V
R14	3.3 kΩ 1%	R68	47 Ω	C24	4.7 nF
R15	3.3 kΩ 1%	R69	4.7 Ω 5W	C25	4.7 nF
R16	4.7 kΩ 1%	R70	0.22 Ω 5W	C26	0.1 µF
R17	3.3 kΩ 1%	R71	0.22 Ω 5W	C27	0.1 µF
R18	3.3 kΩ 1%	R72	0.22 Ω 5W		
R19	100 kΩ	R73	0.22 Ω 5W		
R20	100 kΩ	R74	47 Ω		
R21	18 kΩ 2W	R75	4.7 Ω 5W		
R22	100 Ω 1%	R76	0.22 Ω 5W	D1	15 V Zener
R23	100 Ω 1%	R77	0.22 Ω 5W	D2	1N 4148
R24	10 kΩ 1% 0.7W	R78	0.22 Ω 5W	D3	1N 4148
R25	82 kΩ 1%	R79	0.22 Ω 5W	D4	1N 4148
R26	4.7 kΩ 1%	R80	6.8 kΩ 3W	D5	1N 4148
R27	4.7 kΩ 1%	R81	820 Ω 6W	D6	1N 4004
R28	1.8 kΩ 1%	R82	1.5 kΩ 3W	D7	27 V Zener
R29	10 kΩ 1%	R83	10 Ω 3W	D8	BAV 21
R30	4.7 kΩ	R84	10 Ω	D9	1N 4148
R31*	294 kΩ 1%	R85	10 Ω	D10	1N 4148
R32	220 Ω	R86	150 kΩ NTC	D11	BAV 21
R33	3.3 kΩ 1%	R87	150 kΩ NTC	D12	BAV 21
R34	10 Ω	R88	4.7Ω	D13	1N 4148
R35	680 Ω	R89	4.7Ω	D14	1N 4148
R36	22 kΩ 1% 0.7W			D15	BAV 21
R37	22 kΩ 1% 0.7W			D16	27 V Zener
R38	22 kΩ			D17	1N 4004
R39	220 Ω			D18	1N 4148
R40*	294 kΩ 1%			D19	1N 4148
R41	4.7 kΩ			D20	15 V Zener
R42	10 kΩ 1%			D21	1N 4004
R43	1.8 kΩ 1%			D22	1N 4148
R44	4.7 kΩ 1%			D23	1N 4148
R45	4.7 kΩ 1%	C1	47 µF 50V	D24	1N 4148
R46	82 kΩ 1%	C2	4.7 µF 50V	D25	1N 4148
R47	10 kΩ 1% 0.7W	C3	150 pF ker	D26	1N 4004
R48	100 Ω 1%	C4	-	D27	1N 4004
R49	100 Ω 1%	C5	680 pF	D28	BYW 95C
R50	100 kΩ	C6	1 µF 100V	D29	BYW 95C
R51	100 kΩ	C7	2.2 nF 63V	D30	1N 5404
R52	18 kΩ 2W	C8	1 nF	D31	1N 5404
R53	10 kΩ 1%	C9	680 pF		
R54	10 kΩ 1%	C10	680 pF		


Transistors


Q1 BC 547
matched
Q2 BC 547
matched
Q3 BC 547
Q4 BC 557
Q5 BC 557
Q6 MPSA 42
Q7 MPSA 42
Q8 BC 557
Q9 BC 557
Q10 BC 547
Q11 BC 557
Q12 BC 547
Q13 BC 557
Q14 BC 547
Q15 BC 547
Q16 BC 547
Q17 BC 547
Q18 BC 557
Q19 BC 557
Q20 BC 547
Q21 BC 547
Q22 MJE 350
Q23 MJE 350
Q24 MJE 340
Q25 MJE 340
Q26 MJ 15024
Q27 MJ 15024
Q28 MJ 15024
Q29 MJE 350
Q30 MJE 340
Q31 MJ 15025
Q32 MJ 15025
Q33 MJ 15025


Inductors

L1 9.5 μ H


* Until 9503
R31 150 k Ω 1%
R40 150 k Ω 1%







KONSTR. K. A	RITAD K. A	KOP	KONTR.	STAND.	CODEK.	SKALA	ERSÄTTER	ERSÄTTA AV
LAB GRUPPEN KUNGSSBACKA SWEDEN	LAB 2000						RTTN.-NR	2KHF-P



KONSTR. K.A.	RITAD K.A.	KOP	KONTR.	STÅND.	GUDK.	SKALA	ERSÄTTER	ERSATT AV
LAB GRUPPEN KUNGSSBACKA SHEDEN							90-12-81	2KHF-P

LAB 2000 HF**Component-list**

Resistors

R1* -
R2 4.7 Ω 6W on legs
R3# 4.7 Ω
R4# 1 Ω 0.7W
R5 680 Ω
R6 47 Ω
R7 2.2 kΩ 1%
R8 22 kΩ
R9 820 Ω
R10 47 Ω
R11 2.2 kΩ 1%
R12 4.7 kΩ 1%
R13 15 Ω 6W on legs
R14* -
R15 4.7 Ω 6W on legs
R16# 4.7 Ω
R17# 1 Ω 1W
R18 680 Ω
R19 47 Ω
R20 2.2 kΩ 1%
R21 22 kΩ
R22 820 Ω
R23 47 Ω
R24 1.8 kΩ 1%
R25 4.7 kΩ 1%
R26 15 Ω 6W on legs
R27 220 Ω 1%
R28 1.8 kΩ 1%
R29 27 kΩ 1%
R30 220 Ω 1%
R31 4.7 kΩ 1%
R32 4.7 kΩ
R33 330 Ω
R34 1.2 kΩ
R35 39 kΩ 1%
R36 220 Ω 1%
R37 1.8 kΩ 1%
R38 220 Ω 1%
R39 27 kΩ 1%
R40 4.7 kΩ 1%
R41 4.7 kΩ 1%
R42 330 Ω
R43 1.2 kΩ
R44 39 kΩ 1%
R45 2.2 kΩ 1%
R46 2.2 kΩ 1%
R47 820 Ω 2W
R48 12 kΩ
R49 47 Ω
R50 27 Ω
R51 1 kΩ
R52 1 kΩ
R53 2.2 Ω
R54 2.2 Ω
R55 2.2 kΩ 1%

R56 2.2 kΩ 1%
R57 1 Ω 1W
R58 1 Ω 1W
R59 2.2 kΩ 1%
R60 2.2 kΩ 1%
R61 100 kΩ
R62 2.2 Ω 2W from 94
R63 2.2 Ω 2W from 94

Trim potentiometers

TP1 25 kΩ
TP2 25 kΩ
TP3 1 kΩ
TP4 10 kΩ

Capacitors

C1 0.33 μF 250V
C2 0.33 μF 250V
C3 0.33 μF 250V
C4 4.7 μF 160V
C5 1 μF 63V
C6 1 nF 200V
C7 470 μF 10V
C8 0.1 μF 63V
C9 10 μF 50V
C10 0.33 μF 250V
C11 0.33 μF 250V
C12 0.33 μF 250V
C13 4.7 μF 160V
C14 1 μF 63V
C15 1 nF 200V
C16 470 μF 10V
C17 0.1 μF 63V
C18 10 μF 50V
C19 0.1 μF 63V
C20 10 μF 50V
C21 0.1 μF 63V
C22 10 μF 50V
C23 4.7 nF 5%
C24 220 pF 5%
C25 150 pF 5%
C26 560 pF 5%
C27 4.7 nF 5%
C28 270 pF 5%
C29 220 pF 5%
C30 560 pF 5%
C31 68 pF
C32 1 nF 100V
C33 0.1 μF 63V
C34 0.1 μF 63V
C35 0.1 μF 63V

C36 0.1 μF 63V
C37 10 μF 50V
C38 1 nF 100V
C39 220 pF
C40 470 μF 63V
C41 1 nF
C42 0.1 μF 63V
C43 0.1 μF 63V
C44 1.5 nF feed through
C45 1.5 nF feed through
C46 1.5 nF feed through
C47 1.5 nF feed through
C48 1.5 nF feed through
C49 220 pF
C50 220 pF
C51 1 nF
C52 1 nF
C53 470 pF 200V from 94
C54 470 pF 200V from 94

Diodes

D1 BYW 81PI200
D2 BZW 06P15B
D3 5.6V Zener
D4 BYV 100-100
D5 BYW 81PI200
D6 BZW 06P15B
D7 5.6V Zener
D8 BYV 100-100
D9 12V Zener
D10 12V - -
D11 12V - -
D12 12V - -
D13 18V Zener 1.3W
D14 27V Zener

Transistors

Q1# TSD 4M350
Q2 IRF 9530
Q3 BUZ 71
Q4 ZTX 650
Q5 ZTX 750
Q6 Tip 120
Q7# TSD 4M350
Q8 IRF 9530
Q9 BUZ 71
Q10 ZTX 650
Q11 ZTX 750
Q12 Tip 120
Q13 IRF 730
Q14 BC 557

Integrated circuits

U1 LM 318
U2 LM 318
U3 LM 319
U4 HCPL 2400
U5 LM 393
U6 HCPL 2400
U7 LM 393
U8 UC 3842

Inductors

L1 14 µH
L2 1 µH
L3 1 µH
L4 14 µH
L5 1 µH
L6 1 µH
L7 47 µH
L8 47 µH
L9 47 µH
L10 47 µH
L11 1 µH

Transformers


TR1 EF20 N27

* Until 94


R1 4.7 Ω 6W on legs
R14 4.7 Ω 6W on legs

#Transistor Q1, Q7	R3	R16	R4	R17
TSD4M350	4.7 Ω	4.7 Ω	1 Ω	1 Ω
APT4M90JN	6.8 Ω	6.8 Ω	1 Ω	1 Ω
MPT53N50E	4.7 Ω	4.7 Ω	0 Ω	0 Ω


CHA



CHB



KONSTR. K.A	RITAD K.A	KOP	KONTR.	STAND.	GODK.	SKALA	ERSÄTTER	ERSATT AV
LABGRUPPEN KUNGSSBACKA SWEDEN	LAB 2000 LED. DISPLAY							



KONSTR. K.A	RITAD K.A	KOP	KONTR.	STAND.	GODK.	SKALA	ERSÄTTER	ERSATT AV
LABGRUPPEN KUNGSBACKA SWEDEN			LAB 2000 LED. DISPLAY				DAT 90 12 01	RITN.-NR 2KLED-P

LAB 2000 LED**Component-list****Channel A (Ch. B add 100)**

Resistors

R1 680 Ω
R2 2.7 kΩ 3W
R3 1.2 kΩ 1W
R4 680 Ω
R5 330 Ω
R6 120 Ω
R7 220 Ω
R8 33 kΩ
R9 33 kΩ
R10 33 kΩ
R11 33 kΩ
R12 33 kΩ
R13 33 kΩ
R14 33 kΩ
R15 120 Ω
R16 2.7 kΩ
R17 2.7 kΩ

Capacitors

C1 4.7 µF 100V

Diodes



D1 1N 4004
D2 Led Y
D3 Led Y
D4 Led G
D5 Led G
D6 Led G
D7 Led G
D8 Led G
D9 Led R
D10 Led G

Transistors



Q1 MPSA 42
Q2 MPSA 42
Q3 MPSA 92
Q4 BC 547
Q5 BC 547
Q6 BC 547
Q7 BC 547
Q8 BC 547
Q9 BC 547

C1,C2 USED FOR SERIELNR.

C8-C13 USED FOR SERIELNR.



KONSTR. K.A	RITAD K.A	KOP	KONTR.	STAND.	GODK.	SKALA	ERSÄTTER	ERSATT AV
LABGRUPPEN KUNGSBACKA SWEDEN			LAB 2000 FUSE-BOARD VOLTAGESTABB.-BOARD				DAT 90 12 01	
							RITN.-NR 2KFU	



KONSTR.	RITAD	KOP.	KONTR.	STAND.	GÖRK.	SKALA	ERSÄTTAR	ERSATZ AV
K. A.								

LAB 2000		RITN. -NR		DAT	
FUSE-BOARD VOL TAGESTABB. - BOARD		2KFU-P		99-12-01	

LAB 2000 FU component-list

Resistors

R1 5.6 kΩ
R2 270 Ω
R3 10 kΩ 1%
R4 10 kΩ 1%
R5 1 kΩ
R6 150 Ω 3W

Fuses

FU1 F 10A
FU2 F 10A
FU3 F 10A
FU4 F 10A

Inductors

Trim potentiometers
TP1 2.5 kΩ

L1 47 μH
L2 47 μH
L3 47 μH
L4 47 μH

Capacitors

C1 8200 μF 160V
C2 8200 μF 160V
C3 470 μF 63V
C4* 33 μF 63V
C5* -
C6* 22 μF 50V
C7* 22 μF 50V
C8 2200 μF 160V
C9 2200 μF 160V
C10 2200 μF 160V
C11 2200 μF 160V
C12 2200 μF 160V
C13 2200 μF 160V

* Until 9411
C4 10 μF 50V
C5 10 μF 50V
C6 10 μF 50V
C7 10 μF 50V

Diodes

D1 BYW 98-200
D2 1N 4004


Transistors

Q1 BC 337
Q2 BC 327

Integrated circuits

U1 LM 317
U2 uA 741



卷之三



LAB 2000C
POWER SUPPLY

LABGRUPPEN
KUNGSSÄCKA SWEDE

AB 2000C	RTIN, -MR	DAT 98-12-0
POWERSUPPLY	2KPSU-A	2KPSU-B



KÖNSTR.	RITAD K.A.	KOP	KONTR.	STÅND.	GÖDK.	SKALA	ERSATTER	ERSATT AV
LABGRUPPEN KUNGSSBACKA SWEDEN								DAT 90-12-01
RTN.-NR							RTN.-NR	2KPSU-A-P 2KPSU-B-P

LAB 2000C SWITCH-TRANSISTOR BOARD PSUB component-list 941028

230V AC

Resistors		Capacitors		Transistors	
R1	18 kΩ 9W	C1a#	220 µF 385V	Q1	BUP 307
R2	18 kΩ 9W	C2a#	220 µF 385V	Q2	BUP 307
R3	18 kΩ 9W	C5	0.6 µF 500V	Q3	BUP 307
R4	100 Ω 5W	C6	2.2 nF 1.5 kV	Q4	BC 327
R5	100 Ω 5W	C7	10 µF 63V	Q5	TIP 50
R6	0.1 Ω 4W	C8	10 µF 50V	Q6	BC547
R7	0.1 Ω 4W	C9	10 µF 50V		
R8	0.1 Ω 4W	C10	4.7 µF 50V		
R9	1.5 kΩ 2W	C11	1 nF		Switches
R10	4.7 kΩ 5W	C12	330 pF	S2	Tempswitch 95°C
R11	4.7 Ω	C13	10 nF		
R12	15 kΩ 1%	C14	10 nF		
R13	82 kΩ 1%	C15	330 pF		
R14	36.5 kΩ 1%	C16*	330 pF		
R15	15 kΩ 1%	C17	10 nF		#110V AC
R16	180 Ω	C18	1 nF		
R17	220 kΩ 1% (long legs)	C19	10 µF 50V	C1b	1500 µF 200V
R18	4.7 kΩ 1%	C21*	1.5 nF Y	C2b	1500 µF 200V
R19	4.7 kΩ 1%	C22*	1.5 nF Y		
R20	432 kΩ 1%				
R21	750 kΩ 1%				* Until 9410
R22	82 Ω	Diode		R34	1 kΩ
R23	2.2 kΩ	D1	BYT 12PI 1000	R35	1 kΩ
R24	4.7 Ω	D2*	BYT 12PI 1000	TP3	2.5 kΩ
R25	15 kΩ 1%	D3	15V 1.3W Zener	C16	1 nF
R26	1 kΩ 1%	D4	5.6V 0.4W Zener	C21	2.2 nF Y
R27	4.7 Ω	D5	1N 4148	C22	2.2 nF Y
R28	33 Ω	D6	BYW 26C		
R29	1 MΩ 1%	D7	1N 4004		
R30	30 kΩ	D8	1N 4148		* Until 94xx
R31	220 kΩ 1%	D9	1N 4148		
R32	36.5 kΩ 1%	D10	1N 4148	D2	BYR 29-800F
R33*	294 kΩ 1%	D11	BYW 26C		
R34*	3.3 kΩ 1%	D12	BZW 06P15B		
R35*	3.3 kΩ 1%				* Until 9506
R36	15 kΩ 1%			R33	270 KΩ 1%
R37	4.7 Ω	Integrated circuits			
R38	4.7 Ω	U1	TDA 4718A		
R39	4.7 Ω				
R40	1 MΩ 1%				

Trim potentiometers

TP1	10 kΩ
TP2	10 kΩ
TP3*	10 kΩ

LAB 2000C RECTIFIER BOARD PSUA component-list 941028

230V AC

Resistors		Transistors	
R1	-	Q1	Q6025J6
R2	1 MΩ 500V	Q2	-
R3	33 Ω	Q3	BC 546
R4	33 Ω	Q4	BDX53
R5	47 Ω 9W		
R6	150 Ω 5W		
R7	2.2 Ω 1W	Fuse	
R8	47 kΩ 1%		
R9	390 kΩ	F1	Fuse F15A
R10	39 kΩ 1%		
R11	6.8 kΩ		
R12	1.8 Ω	Switch	
R13	4.7 Ω		
		S1	Arcolectric 8550VB

Capacitors

C1*		Chokes
C2*	0.47 μF X	
C3*	1.5 nF Y	DR1 2.7mH 8A 220V
C4	1.5 nF Y	DR2 2.7mH 8A 220V
C5*	0.22 μF X	
C6*	1.5 nF Y	
C7	100 μF 50V	
C8a	220 μF 385V	*Until 9410
C9a	220 μF 385V	
C12	1800 μF 100V	C1 0.22 μF X
C13	1800 μF 100V	C2 2.2 nF Y
C14	1800 μF 100V	C3 2.2 nF Y
C15	1800 μF 100V	C5 2.2 nF Y
C16	22 μF 16V	C6 2.2 nF Y
C17	2.2 μF 63V	


Diodes

D1	600V 35A
D2	BYW26C
D3	BYT30PI400
D4	BYT30PI400
D5	5.6V Zener



**LAB 1200C, LAB 1300C, LAB 1600, LAB 2000C
POWER SUPPLY component-list PSUC**

Resistors		# 110V AC			
R1	-	C16	22 μ F 16V		
R2	1 M Ω 500V	C17	2.2 μ F 63V		
R3	33 Ω	C18	See below		
R4	33 Ω	C19	"		
R5#	47 Ω 9W				
R6#	150 Ω 5W				
R7	2.2 Ω 1W				
R8	See below	D1	600V 35A		
R9	"	D2	BYW26C		
R10	"	D3	BYT30PI400		
R11	"	D4	BYT30PI400		
R12	"	D5	5.6V Zener		
R13	4.7 Ω	D6	See below		
R14	See below				
R15	"				
R16	"	F1#	See below		
Capacitors					
C1	0.47 μ F		Transistors		
C2#	0.22 μ F	Q1#	Q6025J6		
C3#	1.5 nF Y	Q2	-		
C4	1.5 nF Y	Q3	BC 546		
C5#	1.5 nF Y	Q4	See below		
C6#	1.5 nF Y				
C7	100 μ F 50V	DR1#	2.7mH 8A 220V		
C8a#	220 μ F 385V	DR2#	2.7mH 8A 220V		
C9a#	220 μ F 385V				
C12	See below		Switches		
C13	"	S1	Arcolectric 8550VB		
C14	"	S3	Comepa 4JT95 ARIUI 95°C		
C15	"				
		1200C	1300C	1600	2000C
R8	4.7 k Ω 1%	0 Ω		8.2 k Ω 1%	0 Ω
R9	1 M Ω	470 k Ω		150 k Ω	390 k Ω
R10	39 k Ω 1%	4.7 k Ω 1% 0.7W long leg	39 k Ω 1%	47 k Ω 1%	
R11	18 k Ω 1%	1.8 k Ω	18 k Ω 1%	6.8 k Ω	
R12	4.7 k Ω 1%	0 Ω	4.7 k Ω	1.8 k Ω	
R14	2.2 Ω 2W	-	2.2 Ω 2W	-	
R15	2.2 Ω 2W	-	2.2 Ω 2W	-	
R16	-	18 k Ω 1%	-		39 k Ω 1%
C12	3900 μ F 100V	3900 μ F 100V	3900 μ F 100V		1800 μ F 160V
C13	3900 μ F 100V	3900 μ F 100V	3900 μ F 100V		1800 μ F 160V
C14	3900 μ F 100V	3900 μ F 100V	3900 μ F 100V		1800 μ F 160V
C15	3900 μ F 100V	3900 μ F 100V	3900 μ F 100V		1800 μ F 160V
C18	4.7 μ F 400V	-	4.7 μ F 400V	-	
C19	4.7 μ F 400V	-	4.7 μ F 400V	-	
D6	62 V \pm 2% Zener	-	62 V \pm 2% Zener	-	
F1	220V	T10AH250V	T8AH250V	T10AH250V	T10AH250V
F1#	110V	T20A	T20A	T20A	T30A
Q4	BDX53F	TIP41	BDX53F	BDX53F	

FAN SPEED CONTROL



DET.-NR		ANT.	BENÄMNING	MATERIAL	SKALA	ERSÄTTER	ERSATT AV
KONSTR.	RITAD	dB	KÖP	KONTR.	STÅND.	GÖDK.	
KA							
LAB. GRUPPEN	POWER SUPPLY	SS 1300					DAT 880406
KUNGSSBACKA	SCHEMATIC	LAB 2000					DAT 880406



LAB. GRUPPEN		VÄTDEL SS 100 LAB 2000				KOMPONENT PLACERING	
Nr	Ant.	Kondensator/eller meddel.	Delum	Inf.	Godk.		
Kontr. L:	Ristad	L2	Kop.	Kont.	Stand.	Qvt.	Modell/Name Dimension Skala
							Erlättar Erstattnings Dat. 270629 Dat. 270629

LAB 2000 PSU

Old version component-list

Resistors

R1 47 Ω 9W
 R2 220 Ω 4W
 R3 12 kΩ 9W
 R4 22 kΩ 1%
 R5 220 kΩ 1% 0.7W
 R6 2.2 kΩ 1%
 R7 3.3 kΩ 50W
 R8 294 kΩ 1% 0.7W
 R9 330 kΩ 1% 0.7W
 R10 2.2 kΩ 1%
 R11 8.2 mΩ 1% 0.5W
 R12 15 kΩ 1%
 R13 1 kΩ 1%
 R14 1 kΩ 1%
 R15 36.5 kΩ 1%
 R16 1 mΩ 1%
 R17 220 kΩ 1%
 R18 39 kΩ 1%
 R19 -
 R20 2.2 kΩ 1%
 R21 2.2 kΩ 1%
 R22 4.7 Ω
 R23 390 Ω 4W
 R24 27 Ω
 R25 0.1 Ω 4W
 R26 0.1 Ω 4W
 R27 0.1 Ω 4W
 R28 220 Ω 9W
 R29 18 kΩ 1W
 R30 18 kΩ 1W
 R31 3.3 kΩ

R32 1.5 mΩ 400V
 R33 390 kΩ
 R34 -
 R35 4.7 Ω
 R36 2.2 Ω 1W
 R37 4.7 Ω
 R38 330 kΩ 1%
 R39 1 kΩ

Trim potentiometers

VR1 2.5 kΩ
 VR2 10 kΩ
 VR3 10 kΩ

Capacitors

C1 0.22 μF X
 C2 4.7 nF Y
 C3 4.7 nF Y
 C4 0.22 μF X
 C5 47 μF 50V R
 C6a 220 μF 385V
 C6b 220 μF 385V

C6c 220 μF 385V
 C6d 220 μF 385V
 C7 390 pF
 C8 10 μF 63V A
 C9 10 μF 50V R
 C10 10 μF 63V A
 C11 4.7 μF 50V R C12 10 μF 50V R
 C13 1 nF
 C14 390 pF
 C15 10 nF
 C16 10 nF
 C17 560 pF
 C18 1 nF
 C19 1 nF
 C20 1000 μF 200V
 C21 1000 μF 200V
 C22 1000 μF 200V
 C23 1000 μF 200V
 C24 2.2 μF 100V
 C25 -
 C26 0.6 μF 600V X
 C27 0.6 μF 600V X
 C28 4.7 nF 2K V
 C29 100 μF 40V R
 C30 10 nF
 C31 0.1 μF

Diodes

D1 KBPC 3506
 D2 IN 4148
 D3 IN 4004
 D4 BYV26C
 D5 12V 1W
 D6 IN 4148
 D7 1N 4148
 D8 1N 4148
 D9 1N 5818
 D10 1N 5818
 D11 BYR29-800F
 D12 BYR29-800F
 D13 BYT30P-400
 D14 BYT30P-400
 D15 5.6V 0.4W
 D16 BYW26C
 D17 BZW06P15B
 D18 BYW26C

Transistors

Q1 Q6025-W6
 Q2 BSM181
 Q3 TIP41C
 Q4 BC546

Integrated circuits

IC1 TDA 4700
 IC2 TSC429CPA

Inductors

L1 Mainsfilter
 L2 2 layer choke
 L3 1 layer choke
 L4 1 layer choke
 L5 1 layer choke

Transformer

TR1 UI93/104/30

Switches

S1 Marquardt
 1802.0102
 S2 Tempswitch 80°

Fuses

FU1 F15A

Fans

F1 Fan
 F2 Fan