



# SERVICE MANUAL

**CS-1022,CS-1021,CS-1012**  
**(DUAL TRACE OSCILLOSCOPE)**

**CS-1020,CS-1010**  
**(SINGLE TRACE OSCILLOSCOPE)**



**KENWOOD**

www.electronicsandb

www.electronicsandb

## CONTENTS

SPECIFICATIONS .....	2
SAFETY .....	6
CIRCUIT DESCRIPTION.....	7, 9
BLOCK DIAGRAM.....	8, 10
ADJUSTMENT.....	11
TROUBLESHOOTING .....	15
PARTS LIST .....	17
SEMICONDUCTORS .....	38
DISASSEMBLY .....	39
P.C. BOARD .....	40
SCHEMATIC DIAGRAM.....	41

### — WARNING —

1. The following instructions are for use by qualified personnel only. To avoid electric shock, do not perform servicing other than contained in the operating instructions unless you are qualified to do so.
2. High voltage up to 6000 volts (for CS-1021, 1012, 1010, 2000 volts) dc is present when the oscilloscope is operating. Line voltage (100

to 240 VAC) is present on the power transformer, on-off switch, fuse holder, and line voltage selector any time the oscilloscope is connected to an ac power source, even if turned off. Always observe caution when the housing is removed from the unit. Contacting exposed high voltage could result in fatal electric shock.

### NOTE:

The description of the dual-trace oscilloscope in this Service Manual is based on CS-1021.  
The shaded parts cannot be applied to CS-1021.

# SPECIFICATIONS

	CS-1022	CS-1021	CS-1012	CS-1020	CS-1010						
<b>CRT</b>	150FTM31	150GTM31A	150GTM31A	150FTM31	150GTM31A						
Acceleration Voltage	6 kV	2 kV	2 kV	6 kV	2 kV						
Display Area	$8 \times 10$ div (1 div = 10 mm)										
Type	Rectangular, with internal graticule										
<b>VERTICAL AXIS</b>	CH1 and CH2			—							
Sensitivity	1 mV/div to 5 V/div, $\pm 3\%$										
Attenuator	12 steps, 1 mV/div to 5 V/div in 1-2-5 sequence. Vernier control for fully adjustable sensitivity between steps.										
Input Impedance	$1 M\Omega \pm 2\%$ , approx 35pF										
Frequency Response 2 mV/div to 5 V/div	DC; DC to 20 MHz, -3 dB AC; 5 Hz to 20 MHz, -3 dB DC; DC to 10 MHz, -3 dB AC; 5 Hz to 10 MHz, -3 dB	DC; DC to 10 MHz, -3 dB AC; 5 Hz to 10 MHz, -3 dB DC; DC to 7 MHz, -3 dB AC; 5 Hz to 7 MHz, -3 dB	DC; DC to 20 MHz, -3 dB AC; 5 Hz to 20 MHz, -3 dB DC; DC to 10 MHz, -3 dB AC; 5 Hz to 10 MHz, -3 dB	DC; DC to 10 MHz, -3 dB AC; 5 Hz to 10 MHz, -3 dB DC; DC to 7 MHz, -3 dB AC; 5 Hz to 7 MHz, -3 dB	DC; DC to 10 MHz, -3 dB AC; 5 Hz to 10 MHz, -3 dB DC; DC to 7 MHz, -3 dB AC; 5 Hz to 7 MHz, -3 dB						
Rise Time	17.5 nsec or less (20 MHz) 35 nsec or less (10 MHz)	35 nsec or less (10 MHz) 50 nsec or less (7 MHz)	17.5 nsec or less (20 MHz) 35 nsec or less (10 MHz)	17.5 nsec or less (10 MHz) 50 nsec or less (7 MHz)	17.5 nsec or less (10 MHz) 50 nsec or less (7 MHz)						
Crosstalk	-40 dB minimum			—							
Operating Modes	CH1; single trace CH2; single trace ADD; CH1 + CH2 added display ALT; two waveforms alternating CHOP; two waveforms chopped	—									
Chop Frequency	Approx. 250 kHz										
Channel Polarity	Normal or inverted, CH2 only inverted										
Maximum Input voltage	500 Vp-p or 250 V (DC + AC peak)										
Non-Distorted Maximum Amplitude	More than 8 div, DC to 20 MHz	More than 5 div, DC to 20 MHz	More than 6 div, DC to 10 MHz	More than 8 div, DC to 20 MHz	More than 6 div, DC to 10 MHz						
<b>HORIZONTAL AXIS</b>	(input thru CH2, $\times 10$ MAG not included)			( $\times 10$ MAG not included)							
Operating Mode	With TRIG MODE switch, X-Y operation is selectable. CH1; Y axis CH2; X axis			With TRIG MODE switch, X-Y operation is selectable. VERT. INPUT; Y axis EXT TRIG INPUT; X axis							
Sensitivity	Same as vertical axis (CH2)										
Input Impedance	Same as vertical axis (CH2)			$1 M\Omega \pm 2\%$ , approx. 32pF	$1 M\Omega \pm 2\%$ , approx. 35 pF						
Frequency Response	DC; DC to 1 MHz, -3 dB AC; 5 Hz to 1 MHz, -3 dB	DC; DC to 500 kHz, -3 dB AC; 5 Hz to 500 kHz, -3 dB	DC; DC to 1 MHz, -3 dB	DC; DC to 500 kHz, -3 dB	DC; DC to 500 kHz, -3 dB						
X-Y Phase Difference	3° or less at 100 kHz	3° or less at 50 kHz	3° or less at 100 kHz	3° or less at 100 kHz	3° or less at 50 kHz						
Maximum Input Voltage	Same as vertical axis (CH2)										
<b>SWEEP</b>	—										
Type	NORM	Triggering sweep									
	AUTO	Sweep free runs in absence of trigger									

# SPECIFICATIONS

	CS-1022	CS-1021	CS-1012	CS-1020	CS-1010																																																				
Sweep Time	0.2 $\mu$ s/div to 0.5 s/div, $\pm 3\%$ in 20 ranges, in 1-2-5 sequence. Vernier control provides fully adjustable sweep time between steps.	0.5 $\mu$ s/div to 0.5 s/div, $\pm 3\%$ in 19 ranges, in 1-2-5 sequence. Vernier control provides fully adjustable sweep time between steps.	0.2 $\mu$ s/div to 0.5 s/div, $\pm 3\%$ in 20 ranges, in 1-2-5 sequence. Vernier control provides fully adjustable sweep time between steps.	0.2 $\mu$ s/div to 0.5 s/div, $\pm 3\%$ in 19 ranges, in 1-2-5 sequence. Vernier control provides fully adjustable sweep time between steps.	0.5 $\mu$ s/div to 0.5 s/div, $\pm 3\%$ in 19 ranges, in 1-2-5 sequence. Vernier control provides fully adjustable sweep time between steps.																																																				
Sweep Magnification	$\times 10$ (ten times) $\pm 5\%$																																																								
Linearity	$\pm 3\%$ all ranges, $\pm 5\%$ on 0.2 $\mu$ s/div range at $\times 10$ magnification.																																																								
TRIGGERING																																																									
Internal Sync	V. MODE; CH1; CH2; LINE;	Triggered by input signal selected by vertical MODE setting. Triggered by CH1 signal Triggered by CH2 signal Triggered by line voltage	INT; Triggered by vertical input signal LINE; Triggered by line voltage																																																						
External Sync	EXT; Triggered by signal applied to EXT TRIG INPUT jack																																																								
External sync Input Impedance	1 M $\Omega$ , $\pm 2\%$ approx 32pF	1 M $\Omega$ , $\pm 2\%$ approx 35pF	1 M $\Omega$ , $\pm 2\%$ approx 30pF																																																						
Maximum External Trigger Voltage	50 V (DC + AC peak)																																																								
Coupling	AC, VIDEO FRAME, VIDEO LINE																																																								
Tigger Sensitivity	<table border="1"> <thead> <tr> <th></th> <th>FREQ. RANGE</th> <th>INT</th> <th>EXT</th> <th>FREQ. RANGE</th> <th>INT</th> <th>EXT</th> <th>FREQ. RANGE</th> <th>INT</th> <th>EXT</th> <th>FREQ. RANGE</th> <th>INT</th> <th>EXT</th> </tr> </thead> <tbody> <tr> <td>AUTO</td> <td>20Hz to 20MHz</td> <td>1div</td> <td>0.1Vp-p</td> <td>20Hz to 20MHz</td> <td>1div</td> <td>0.2Vp-p</td> <td>20Hz to 10MHz</td> <td>1div</td> <td>0.1Vp-p</td> <td>20Hz to 20MHz</td> <td>1div</td> <td>0.1Vp-p</td> </tr> <tr> <td>NORM</td> <td>10Hz to 20MHz</td> <td>1div</td> <td>0.1Vp-p</td> <td>10Hz to 20MHz</td> <td>1div</td> <td>0.2Vp-p</td> <td>10Hz to 10MHz</td> <td>1div</td> <td>0.1Vp-p</td> <td>10Hz to 20MHz</td> <td>1div</td> <td>0.1Vp-p</td> </tr> <tr> <td>VIDEO</td> <td>FRAME, LINE</td> <td>1div</td> <td>0.1Vp-p</td> <td>FRAME, LINE</td> <td>1div</td> <td>0.2Vp-p</td> <td>FRAME, LINE</td> <td>1div</td> <td>0.1Vp-p</td> <td>FRAME, LINE</td> <td>1div</td> <td>0.1Vp-p</td> </tr> </tbody> </table>						FREQ. RANGE	INT	EXT	FREQ. RANGE	INT	EXT	FREQ. RANGE	INT	EXT	FREQ. RANGE	INT	EXT	AUTO	20Hz to 20MHz	1div	0.1Vp-p	20Hz to 20MHz	1div	0.2Vp-p	20Hz to 10MHz	1div	0.1Vp-p	20Hz to 20MHz	1div	0.1Vp-p	NORM	10Hz to 20MHz	1div	0.1Vp-p	10Hz to 20MHz	1div	0.2Vp-p	10Hz to 10MHz	1div	0.1Vp-p	10Hz to 20MHz	1div	0.1Vp-p	VIDEO	FRAME, LINE	1div	0.1Vp-p	FRAME, LINE	1div	0.2Vp-p	FRAME, LINE	1div	0.1Vp-p	FRAME, LINE	1div	0.1Vp-p
	FREQ. RANGE	INT	EXT	FREQ. RANGE	INT	EXT	FREQ. RANGE	INT	EXT	FREQ. RANGE	INT	EXT																																													
AUTO	20Hz to 20MHz	1div	0.1Vp-p	20Hz to 20MHz	1div	0.2Vp-p	20Hz to 10MHz	1div	0.1Vp-p	20Hz to 20MHz	1div	0.1Vp-p																																													
NORM	10Hz to 20MHz	1div	0.1Vp-p	10Hz to 20MHz	1div	0.2Vp-p	10Hz to 10MHz	1div	0.1Vp-p	10Hz to 20MHz	1div	0.1Vp-p																																													
VIDEO	FRAME, LINE	1div	0.1Vp-p	FRAME, LINE	1div	0.2Vp-p	FRAME, LINE	1div	0.1Vp-p	FRAME, LINE	1div	0.1Vp-p																																													
PROBE ADJ. VOLTAGE	0.5 V, $\pm 6\%$ , square wave, positive polarity, approx 1 kHz																																																								
INTENSITY MODULATION																																																									
Sensitivity	TTL compatible Positive voltage increases brightness. Negative voltage decreases brightness.																																																								
Input Impedance	Approx 10 k $\Omega$																																																								
Usable Frequency Range	DC to 2 MHz	DC to 1 MHz		DC to 2 MHz	DC to 1 MHz																																																				
Maximum Input Voltage	50 V (DC + AC peak)																																																								
VERTICAL AXIS SIGNAL OUTPUT	CH1 SIGNAL OUTPUT	—	CH1 SIGNAL OUTPUT	VERTICAL SIGNAL OUTPUT																																																					
Output Voltage	Approx. 50mV/div (50 $\Omega$ load)	—	Approx 50 mV/div (50 $\Omega$ load)																																																						
Output Impedance	Approx 50 $\Omega$	—	Approx 50 $\Omega$																																																						
Frequency Response	100 Hz to 20 MHz, -3 dB (50 $\Omega$ load)	—	100 Hz to 10 MHz, -3 dB (50 $\Omega$ load)	100 Hz to 20 MHz, -3 dB (50 $\Omega$ load)	100 Hz to 10 MHz, -3 dB (50 $\Omega$ load)																																																				
TRACE ROTATION	Electrical, adjustable from front panel																																																								
POWER REQUIREMENT	AC 100/120/220/240 V $\pm 10\%$ 50/60 Hz																																																								
Power Consumption	Approx 43 W	Approx 39 W	Approx 41W	Approx 38W	Approx 36W																																																				
DIMENSIONS	( ) dimensions include protrusions from basic outline dimensions.																																																								
	Width	260 mm (260 mm)																																																							
	Height	160 mm (180 mm)																																																							
	Depth	400 mm (460 mm)																																																							

# SPECIFICATIONS

	CS-1022	CS-1021	CS-1012	CS-1020	CS-1010
<b>WEIGHT</b>	Approx. 8.8 kg		Approx. 8.4 kg		Approx. 8.1 kg
<b>ENVIRONMENT</b>					
Operating Temperature and Humidity for Guaranteed Specifications	0°C to 40°C, 85% maximum RH				
Full Operating Temperature and Humidity	0°C to 50°C, 90% maximum RH				
<b>ACCESSORIES</b>					
Probe	2			1	
Instruction Manual		1			
Replacement Fuse 0.8 A		2			
0.5 A		2			

■ Circuit and rating are subject to change without notice due to developments in technology.

## STANDARD ACCESSORIES INCLUDED

Probe (PC-20) ..... Y87-1840-00

Attenuation..... 1/10, 1/1

### Input Impedance

1/10 ..... 10 MΩ, 18pF or less

1/1 ..... 1 MΩ, 100pF or less

Instruction Manual..... B50-7570-00

### Replacement Fuse

0.8 A ..... F05-8015-05

0.5 A ..... F05-5013-05

## OPTIONAL ACCESSORIES

Probe Pouch (MC-78)..... Y87-1600-00

Service Manual ..... B51-1033-10

# SPECIFICATIONS

## CRT 150FTM 31 SPECIFICATIONS

### (150GTM31A)

#### Screen and Shape

##### Dimensions;

Overall length; 330 mm max. (355mm max)

Face plate dimensions; 149.3 ± 3 mm max.

(149 ± 3 mm)

Screen shape;

Rectangular flat face, internal graticule, non-metal back

#### Deflection and focusing system;

Electrostatic deflection,  
electrostatic focusing and  
post-deflection acceleration  
(150FTM 31 only)

Color;

Green

Persistence;

Medium short

Useful display area

Y axis.....80 mm

X axis.....100 mm

#### Heating

Heater voltage 6.0 V (6.3 V)

Heater current 75 mV (95 mA)

#### Weight

900 gr (1000 gr)




Fig. 1 150GTM31A Graticule  
150FTM31




Fig. 2 150GTM31A Basing




Fig. 3 150FTM31 Basing

# SAFETY

## SAFETY

Before connecting the instrument to a power source, carefully read the following information, then verify that the proper power cord is used and the proper line fuse is installed for power source. The specified voltage is shown at the left side of the power cord on the rear panel. If the power cord is not applied for specified voltage, there is always a certain amount of danger from electric shock.

### Line voltage

This instrument operates using ac-power input voltages that 100/120/220/240 V at frequencies from 50 Hz to 60 Hz.

### Power cord

The ground wire of the 3-wire ac power plug places the chassis and housing of the oscilloscope at earth ground. Do not attempt to defeat the ground wire connection or float the oscilloscope; to do so may pose a great safety hazard. The appropriate power cord is supplied by an option that is specified when the instrument is ordered.

The optional power cords are shown as follows in Fig. 4.

### Line fuse

The fuse holder is located on the rear panel and contains the line fuse. Verify that the proper fuse is installed by replacing the line fuse.

### Voltage conversion

This oscilloscope may be operated from either a 100 V to 240 V, 50/60 Hz power source. Use the following procedure to change from 100- to 240 volt operation or vice versa.

1. Remove the top section of case.
2. Unplug the leadwire of the voltage selector P5 located on the connection unit (X77-1260).
3. Reinsert it for appropriate voltage range.
4. Replace fuse F 1 with a fuse of appropriate value, 0.8 amp for 100 VAC to 120 VAC operation, 0.5 amp for 220 VAC to 240 VAC operation.
5. When performing the reinsertion of leadwire for the voltage conversion the appropriate power cord should be used. (See Fig. 4.)

Plug configuration	Power cord and plug type	Factory installed instrument fuse	Line cord plug fuse	Parts No. for power cord and plate
	North American 120 volt/60 Hz Rated 15 amp (12 amp max; NEC)	0.8 A, 250 V Fast blow AGC/3AG	None	Cord: E30-1854-05 Plate: J21-2977-04
	Universal Europe 220 volt/50 Hz Rated 16 amp	0.5 A, 250 V Fast blow 5 x 20 mm	None	Cord: E30-1852-05 Plate: J21-2973-04
	U.K. 240 volt/50 Hz Rated 13 amp	0.5 A, 250 V Fast blow 5 x 20 mm	0.5 A Type C	—
	Australian 240 volt/50 Hz Rated 10 amp	0.5 A, 250 V Fast blow 5 x 20 mm	None	Cord: E30-1853-05 Plate: J21-2972-04
	North American 240 volt/60 Hz Rated 15 amp (12 amp max; NEC)	0.5 A, 250 V Fast blow AGC/3AG	None	—
	Switzerland 240 volt/50 Hz Rated 10 amp	0.5 A, 250 V Fast blow AGC/3AG 5 x 20 mm	None	—

**Fig. 4 Power Input Voltage Configuration**

# CIRCUIT DESCRIPTION CS-1021, CS-1022, CS-1012

## VERTICAL ATTENUATOR

The attenuators of channel 1 and channel 2 are mounted on two independent circuit board which are the same.

The vertical input signal coming to the BNC input receptacle enters a first-stage attenuator with path selected with the AC-GND-DC switch.

It then comes to one of the 1:1, 1:10, 1:100 attenuators which the vertical rotary switch selects before it enters the attenuator of the second stage. This attenuator consists of U1 and U2 and provides an attenuation sequence of 1-2-5. For the ranges of 1, 2, and 5mV/div, an amplifier consists of U3 and Q2 - 4 is used. For the adjustment of step ATT balance, VR2 is used in the ranges of 10 mV/div or more. For the ranges of 1, 2, 5mV/div, VR3 adjusts coarsely and VR4 does finely. VR2 and VR4 are accessible from the outside.

Trimmer TC 5 adjusts frequency response of the amplifier operating for ranges of 1, 2, and 5mV/div. It should be adjusted to obtain square wave and frequency response of the 10 mV/div range also in the other three ranges.

## VERTICAL AMPLIFIER

The signal which has passed the attenuators comes to a preamplifier consisting of U1 and Q2 - 4 (CH2 ; U101 and Q102 - 104). Variable resistor VR1 (101) provided for the preamplifier allows to vary vertical position.

~~The preamplifier output comes to not only the vertical mode selector but in CH1, the CH1 OUTPUT circuit consisting of Q6 - 8 from which it is sent to the outside via a 22  $\mu$ F capacitor for AC coupling.~~

Another component of the preamplifier output comes to the base of Q5 (105) and after being selected with the TRIG SOURCE switch, passes through the emitter follower Q5 (105) over to a trigger amplifier which generates a trigger signal from the input. The channel 2 signal is used also as X-signal and VR102 adjusts offset for X POSITION centering.

The vertical mode switching circuit is a cascode amplifier comprising Q9 - 12 (107 - 110) whose outputs to Q13, 14 are controlled by two signals, CH1 - ENABLE and CH2 ENABLE, supplied from the vertical switching signal generator of the horizontal & high voltage unit.

Channel 2 is provided with the CH2 polarity inverter which comprises Q111, 112 and switched by switch S102.

VR104 allows to center during CH2 INVERT in relation to the condition during NORMAL.

Two cascode amplifiers of channel 1 and channel 2 of the vertical mode switching circuit are provided with trimmer capacitors TC101 (102) permitting adjustment of square wave and frequency response at high frequencies and semi-fixed variable resistor VR103 permitting to adjust channel 1 gain.

Since both channels are on during ADD, current is supplied to the vertical switching circuits from the circuits of Q113, 114 which are controlled by CH1-E and CH2-E signals. The

vertical switching output is given not only to the vertical output amplifier but also to the base of Q115 from which it goes as the V MODE trigger signal to the trigger amplifier.

~~The output amplifier is a cascode amplifier comprising Q15 - 18 and provided with VR4 permitting GAIN/center adjustment, VR3 permitting operating level adjustment, VR5 permitting gain adjustment and VR6 plus TC112 permitting square wave and frequency response adjustment.~~

## TRIGGER AND SWEEP CIRCUITS

The trigger (or X-axis) signal coming from the vertical amplifier enters the trigger amplifier of Q101 - 104 with path selected by the TRIG SOURCE switch. During X-Y mode, the channel 2 signal passes Q117 to the horizontal output amplifier comprising Q118 and Q120 - 127.

During sweep mode, the trigger signal entering the trigger amplifier divides into AC and VIDEO signals. The VIDEO signal passes the video-sync signal separator which separates vertical and horizontal sync signals from the video signal. Then it comes to the TRIG COUPLING switch and appears, after shaped by a Schmitt circuit, as the clock signal of sweep control gate U102b.

The auto-sweep circuit comprising U101a, b, d and U103a checks for the presence of the output of U101c and performs free-run operation if the signal is absent and mode is AUTO.

The output of the sweep control gate is controlled by the auto sweep and Schmitt circuits. When Q116 turns off, the Miller integrator starts to charge at the speed which time-base C and R determine. SWEEP VARIABLE VR103 permits to vary sweep speed. The sweep stop circuit of Q113, 114 detects the output voltage of the Miller integrator and controls a gate to invert state and stop sweep. The holdoff circuit Q119 determines when to stop sweep. The sawtooth wave output of the Miller integrator is, with sweep speed controlled by VR104, sent to the horizontal output amplifier.

VR111 and TC101 permit sweep time adjustment respectively of 10 msec/div and 50  $\mu$ sec/div ranges. VR106, 107 permit adjustment respectively of gain and center during x 10MAG mode. VR105 adjusts X-axis gain during X-Y mode.

## CRT CIRCUIT

U104a ANDs the  $\bar{Q}$  output of sweep control gate U102b with the CHOP blanking signal of U104c, d to generate the blanking signal.

Its amplitude is controlled in Q128, 129 by voltage coming from the INTENSITY control before the signal is sent to the blanking amplifier of Q1, 2. After amplified in the blanking amplifier and high acceleration DC component regenerated by D4 - 7, the blanking signal applies to a grid of the CRT. High voltages of 6 kV (for CS-1012, 2 kV) needed for trace in the CRT are generated by the DC - DC converter comprising T1 and Q3. Operational amplifier U1b performs

# CIRCUIT DESCRIPTION / BLOCK DIAGRAM

feedback to obtain high stability.

## POWER SUPPLY

The regulated power supply requires no adjustment.

+5, -15, and +15 V are generated by 3-terminal regulators. +100 and +140 V are stabilized against line voltage fluctuation by feedback applied by an operational amplifier.

## CALIBRATION VOLTAGE

No adjustment is needed for the calibration voltage.

An oscillator composed of operational amplifier U1 generates a stable signal.

## VERTICAL FINAL AMPLIFIER (applied for CS-1021 only)

The output amplifier is a cascode amplifier and comprised Q15, 16 (V. AMP. X73-1490) and Q1, 2 (V. FINAL X73-1630). The buffer amplifier is comprised with Q3~6. This output amplifier is provided with VR4 permitting crt center adjustment, VR3 permitting operating level adjustment, VR5 permitting gain adjustment and VR6 plus TC1, 2 permitting square wave and frequency response adjustment.

## CS-1021 (1022, 1012) BLOCK DIAGRAM




Fig. 5

Note: The shaded parts cannot be applied to CS-1021.

# CIRCUIT DESCRIPTION CS-1020, CS-1010

## VERTICAL ATTENUATOR

The vertical input signal coming to the BNC input receptacle enters a first-stage attenuator with path selected with the AG-GND-DC switch.

It then comes to one of the 1:1, 1:10, 1:100 attenuators which the vertical rotary switch selects before it enters the attenuator of the second stage. This attenuator consists of U1 and U2 and provides an attenuation sequence of 1-2-5. For the ranges of 1, 2, and 5 mV/div, an amplifier consists of U3 and Q2 - 4 is used.

For the adjustment of step ATT balance, VR2 is used in the ranges of 10 mV/div or more. For the ranges of 1, 2, 5 mV/div, VR3 adjusts coarsely and VR 4 does finely. VR2 and VR4 are accessible from the outside.

Trimmer TC 5 adjusts frequency response of the amplifier operating for ranges of 1, 2, and 5 mV/div. It should be adjusted to obtain square wave and frequency response of the 10 mV/div range also in the other three ranges.

## VERTICAL AMPLIFIER

The signal which has passed the attenuators comes to a preamplifier consisting of U1 and Q2 - 4.

Variable resistor VR1 provided for the preamplifier allows to vary vertical position.

The preamplifier output comes to not only the vertical mode selector but in CH1, the VERT OUTPUT circuit consisting of Q6 - 8 from which it is sent to the outside via a 22  $\mu$ F capacitor for AC coupling. Another component of the preamplifier output comes to the base of Q5 and after being selected with the TRIG SOURCE switch, passes through the emitter follower Q5 over to a trigger amplifier which generates a trigger signal from the input.

The second stage amplifier is a cascode amplifier comprising Q9 - 12 whose switched to differential signal and it is fed to emitter follower of Q13 and 14.

The cascode amplifier is provided with trimmer capacitor TC101 permitting adjustment of square wave and frequency response at high frequencies.

The signal from Q13 and 14 is fed to vertical output amplifier.

The output amplifier is a cascode amplifier comprising Q15 - 18 and provided with VR4 permitting CRT center adjustment, VR3 permitting operating level adjustment, VR5 permitting gain adjustment, and VR6 plus TC1, 2 permitting square wave and frequency response adjustment.

## TRIGGER AND SWEEP CIRCUITS

The trigger signal coming from the vertical amplifier enters the trigger amplifier of Q101 - 104 with path selected by the TRIG SOURCE switch. During X-Y mode, the signal applied to EXT TRIG input is X-signal which passes sweep X-Y selector consisting of S106, Q117, 130 and 131 and then applies to horizontal output amplifier comprising Q118 and Q120 - 127.

VR103a of X-Y selector adjusts X-axis gain coarsely and VR110 adjusts X-axis DC balance.

During sweep mode, the sync signal entering the sync amplifier divides into AC and VIDEO signals. The VIDEO signal passes the video-sync signal separator which separated vertical and horizontal sync signals from the video signal. Then it comes to the TRIG COUPLING switch and appears, after shaped by a Schmitt circuit, as the clock signal of sweep control gate U102b.

The auto-sweep circuit comprising U101a, b, d and U103a checks for the presence of the output of U101c and performs free-run operation if the signal is absent and mode is AUTO.

The output of the sweep control gate is controlled by the auto sweep and Schmitt circuits. When Q116 turns off, the Miller integrator starts to charge at the speed which time-base C and R determine. SWEEP VARIABLE VR103b permits to vary sweep speed. The sweep stop circuit of Q113, 114 detects the output voltage of the Miller integrator and controls a gate to invert state and stop sweep. The holdoff circuit Q119 determines when to stop sweep. The sawtooth wave output of the Miller integrator is, with sweep speed controlled by VR104, sent to the horizontal output amplifier.

VR111 and TC101 permit sweep time adjustment respectively of 10 msec/div and 50  $\mu$ sec/div ranges. VR106, 107 permit adjustment respectively of gain and center during  $\times 10$ MAG mode. VR105 adjusts X-axis gain during X-Y mode.

## CRT CIRCUIT

Q output of sweep control gate U102b generates the blanking signal.

Its amplitude is controlled in Q128, 129 by voltage coming from the INTENSITY control before the signal is sent to the blanking amplifier of Q1, 2.

After amplified in the blanking amplifier and high acceleration DC component of regenerated by D4 - 7, the blanking signal applies to a grid of the CRT. High voltages of 6 kV (for CS-1010, 2 kV) needed for trace in the CRT are generated by the DC-DC converter comprising T1 and Q 3. Operational amplifier U1b performs feedback to obtain high stability.

## POWER SUPPLY

The regulated power supply requires no adjustment.

+5, -15, and +15 V are generated by 3-terminal regulators. +100 and +140 V are stabilized against line voltage fluctuation by feedback applied by an operational amplifier.

## CALIBRATION VOLTAGE

No adjustment is needed for the calibration voltage.

An oscillator composed of operational amplifier U1 generates a stable signal.

# BLOCK DIAGRAM

CS-1020 (1010) BLOCK DIAGRAM




Fig. 6

# ADJUSTMENT

To obtain the best performance, periodically calibrate the unit. Sometimes, only one mode need be calibrated, while at other times, all modes should be calibrated. When one mode is calibrated, it must be noted that the other modes may be affected. When calibrating all modes, perform the calibration in the specified sequence.

The following calibration required an accurate measuring instrument and an insulated adjusting flat blade screwdriver. If they are not available, contact your dealer. For optimum adjustment, turn the power on and warm up the this equipment sufficiently (more than 30 minutes) before starting.

Before calibrating the unit, check the power supply voltage.

## TEST EQUIPMENT REQUIRED

The following instrument or their equivalent should be used for making adjustment.

Test Equipment	Model	Minimum Specification
Digital Multi-Meter	DL-706 (TRIO)	Impedance: More than 10 MΩ, Measuring range: 0.01 V to 199 V
Sine-Wave Generator	651 B (YHP)	Frequency: 10 Hz to 10 MHz, constant voltage over tuning range
Sine-Wave Generator	SG-503 (Tektronix)	Frequency: 50 kHz to 100 MHz, Output impedance: 50 Ω, constant voltage over tuning range.
Square-Wave Generator	PG-506 (Tektronix)	Output signal: 1 kHz, Amplitude: 10 mVp-p to 10 Vp-p, Accuracy: within ±1%, Rise time: 35ns or less 100 kHz, Rise time: 1 ns or less
Q Meter	4343B (YHP)	—
Color Pattern Generator	CG-911A (TRIO)	—
Oscilloscope	CS-2100A (TRIO)	Sensitivity: more than 5 mV Frequency response: More than 100 MHz
Time-Marker Generator	TG-501 (Tektronix)	Time mark: 0.5 s to 0.1μs repetitive waveform
High-Voltage Probe	—	Input Impedance: 1000 MΩ
Termination	—	Impedance: 50 Ω Accuracy: within 3%
Termination	—	3 watts type impedance: 50 Ω
Attenuator	—	–20 dB attenuation (50 Ω)

## PREPARATION FOR ADJUSTMENT

### Control Setting

The control setting listed below must be used for each adjustment procedure.

Exceptions to these settings will be noted as they occur.

After completing a adjustment, return the controls to the following settings.

NAME OF KNOBS	POSITION
INTENSITY	3 o'clock
FOCUS	Optimum position
CH1, CH2 POSITION ◀ ▶ H. POSITION/PULL × 10MAG	Mechanical center
VARIABLE (SWEEP TIME/DIV, VOLTS/DIV)	Mechanical center, push CAL
AC-GND-DC (CH1 and CH2)	DC (GND at no signal)
MODE	CH1
CH2 POLARITY	NORM
COUPLING	AC
SOURCE	V.MODE
TRIG. LEVEL	Mechanical center, push AUTO
TRIG. MODE	10 mV/DIV
VOLTS/DIV	0.2 ms/DIV
SWEEP TIME/DIV	

# ADJUSTMENT


Item	Control setting	Test equ.	Adjustment control				P.C.B	Procedure
			1021 1022	1012	1020	1010		
<b>POWER SUPPLY SECTION ADJ.</b>								
ASTIG, FOCUS	TRIG MODE; X-Y	—	ASTIG, FOCUS					For the sharpest and roundest spot.
INTENSITY	AC-GND-DC; GND TRIG MODE; X-Y	—	VR1				X74	Spot disappears in 9 to 10 o'clock position.
TRACE ROTATION	AC-GND-DC; GND	—	TRACE ROTATION VR					Trace is in parallel with horizontal graduation line.
CRT CENTER		DL-706	VR4				X73	Short the short terminal (P2). Trace should be in the CRT center.
58 V ADJ.		DL-706	VR3	—	VR3	—	X73	Short the short terminal (P2). The voltage of +Y (-Y) should be $58\text{ V} \pm 0.5\text{ V}$ .
63 V ADJ.		DL-706	—	VR3	—	VR3	X73	Short the short terminal (P2). The voltage of +Y (-Y) should be $63\text{ V} \pm 0.3\text{ V}$ .
<b>VERTICAL AMPLIFIER SECTION ADJ.</b>								
CH1 DC BAL	VOLTS/DIV; 10 mV AC-GND-DC; GND		VR2	VR2	VR2	VR2	X75	Trace does not move vertically when rotating CH1 variable control.
			VR1	VR1	—	VR1	X75	
CH2 DC BAL	VOLTS/DIV; 10 mV AC-GND-DC; GND		VR2	VR2	—	—	X75	Trace does not move vertically when rotating CH2 variable control.
			VR1	VR1	—	—	X75	
CH1 ATT BAL	VOLTS/DIV; 1 mV AC-GND-DC; GND		VR3	VR3	VR3	VR3	X75	Trace does not move vertically when rotating CH1 variable control.
			VR4	VR4	VR4	VR4	X75	
CH2 ATT BAL	VOLTS/DIV; 1 mV AC-GND-DC; GND		VR3	VR3	—	—	X75	Trace does not move vertically when rotating CH2 variable control.
			VR4	VR4	—	—	X75	
CH2 INVERT	MODE; CH2 AC-GND-DC; GND		VR104	VR104	—	—	X73	Trace should be overlapped in the center of the graduation.
CH2 GAIN	MODE; CH2 VOLTS/DIV; 10 mV		VR5	VR5	VR5 (CH1 GAIN)	VR5 (CH1 GAIN)	X73	When applying a 1 kHz, 50 mVp-p square wave signal, vertical amplitude should be 5 div.
CH1 GAIN	MODE; CH1 VOLTS/DIV; 10 mV		VR103	VR103	—	—	X73	When applying a 1 kHz, 50 mVp-p square wave signal, vertical amplitude should be 5 div.
CH1 WAVESHAPE		PG-506	TC1	TC1	TC1	TC1	X75	Same as 10 mV range, a best flat top waveform should be obtained. TC1.....0.1 V TC3.....1 V
			TC3	TC3	TC3	TC3	X75	
CH2 WAVESHAPE		PG-506	TC1	TC1	—	—	X75	Same as 10 mV range, a best flat top waveform should be obtained. TC1.....0.1 V TC3.....1 V
			TC3	TC3	—	—	X75	
CH2 INPUT CAPACITY		4343B	TC2	TC2	—	—	X75	Input capacity should be $35\text{pF} \pm 3\text{pF}$ . TC2.....0.1 V TC4.....1 V
			TC4	TC4	—	—	X75	
CH1 INPUT CAPACITY		4343B	TC2	TC2	TC2	TC2	X75	Input capacity should be $35\text{pF} \pm 3\text{pF}$ . TC2.....0.1 V TC4.....1 V
			TC4	TC4	TC4	TC4	X75	

# ADJUSTMENT


Item	Control setting	Test equ.	Adjustment control				P.C.B	Procedure
			1021 1022	1012	1020	1010		
CH1 OVERSHOOT	SWEEP TIME/DIV; 2 $\mu$ s PULL x 10MAG; PULL VOLTS/DIV; 10 mV	PG-506	TC101	TC101	TC101	TC101	X73	When applying a 100 kHz, square wave signal, vertical amplitude should be 6 div.
			VR6	VR6	VR6	VR6	X73	Set TC101 at mechanical center and with VR6, for the sharpest waveform.
			TC1	TC1	TC1	TC1	X73	TC1...mid range flat top waveform
			TC2	TC2	TC2	TC2	X73	TC2...high range flat top waveform
			TC5	TC5	TC5	TC5	X75	Set VOLTS/DIV to 5 mV for 6 div $\pm$ 3% vertical amplitude waveform. Overshoot should be $\pm$ 3%.
CH2 OVERSHOOT	SWEEP TIME/DIV; 2 $\mu$ s	PG-506	TC102	TC102	—	—	X73	TC5...best flat top waveform. When applying a 100 kHz square wave signal for 6 div vertical amplitude, overshoot should be $\pm$ 3%.
<b>HORIZONTAL HIGH VOLTAGE SECTION ADJ.</b>								
1 ms SWEEP TIME	SWEEP TIME/DIV; 1 ms	TG-501	VR104	VR104	VR104	VR104	X74	Pulse should be on each division on the graduation line.
MAG GAIN	SWEEP TIME/DIV; 1 ms PULL x 10MAG; PULL	TG501	VR106	VR106	VR106	VR106	X74	Interval of pulses should be 10 div when applying a 1 ms time marker signal.
MAG CENTER	SWEEP TIME/DIV; 1 ms PULL x 10MAG; PUSH	TG-501	VR107	VR107	VR107	VR107	X74	The center of pulse should be center of the graduation scale when applying a 5 ms marker signal. H.POSITION...mechanical center.
10 ms SWEEP TIME	SWEEP TIME/DIV; 10 ms	TG-501	VR111	VR111	VR111	VR111	X74	11th pulse should correspond to the right end of the graduation line.
20 $\mu$ s SWEEP TIME	SWEEP TIME/DIV; 20 $\mu$ s	TG-501	TC101	TC101	TC101	TC101	X74	11th pulse should correspond to the right end of the graduation line.
X POSITION	TRIG MODE; X-Y=AUTO AC-GND-DC; GND		VR102	VR102	—	—	X73	(1) Adjust the trace for center graduation line. (2) Spot should be the center of the screen.
X GAIN	TRIG MODE; X-Y VOLTS/DIV; 10 mV (CH2)	PG-506	VR105	VR105	VR105	VR105	X74	When applying a 1 kHz, 50 mV square wave signal, horizontal amplitude should be 5 div.

# ADJUSTMENT


## VERTICAL ATTENUATOR UNIT (X75-1140)



## V. FINAL AMP UNIT (X73-1630)



## HORIZONTAL & HIGH VOLTAGE UNIT (X74-1340)



## VERTICAL AMPLIFIER & POWER UNIT (X73-1490)













Fig. 7 Location of adjustment control

## **TROUBLESHOOTING**








**Note:** The shaded parts cannot be applied to CS-1021.

## TROUBLESHOOTING



TEST POINT	P303 (X73)			U105 (X74)		U104 Pin 8	U104 Pin 6	P102 (X74)	
	② CH1	① CH2	ALT Chop	③ Pin.6	Pin.11			CH1-E ①	CH2-E ②
CH1	L	H	H	L	L	H		H	L
CH2	H	L	H	L	H	H		L	H
ADD	L	L	H	L	L	H		H	H
ALT	H	H	L	L	H	H		CH1 SWEEP	CH2 SWEEP
CHOP	H	H	H	H	H	W		W	W
X-Y	-	-	-	L	L	H		H	



# PARTS LIST

**MAIN CHASSIS**
**CS-1022 Y70-1400-21**

REF. NO.	PARTS NO	NAME & DESCRIPTION
1	A01-0897-12	CASE (TOP)
2	A01-0898-02	CASE (BOTTOM)
3	A10-1435-12	CHASSIS
4	A20-2761-02	PANEL (MOLDED)
5	A21-1026-12	DECORATIVE PANEL
6	A22-0826-02	SUB PANEL
7	A22-0827-13	SUB PANEL
8	A23-1642-02	REAR PANEL
9	A33-0502-05	REFLECTOR (FOR LAMP ASS'Y)
10	A33-0503-05	REFLECTOR (FOR LAMP ASS'Y)
11	B07-0712-13	ESCUCHEON FOR FILTER
12	B19-0726-04	FILTER
13	B30-0903-15	LED LAMP (RED)
—	B30-0940-05	LAMP ASS'Y
14	B30-0941-05	LAMP
15	B39-0407-04	SPACER
—	B40-2765-04	NAME PLATE (SERIAL NO)
—	B41-0710-04	CAUTION LABEL (HIGH VOLTAGE)
—	B41-0747-13	CAUTION LABEL
—	B50-2998-00	INSTRUCTION MANUAL
16	E04-0251-05	BNC RECEPTACLE
17	E21-0657-04	TERMINAL (GND)
18	E21-0660-04	TERMINAL(CAL)
—	E23-0043-04	EARTH LUG
—	E23-0513-05	EARTH LUG
—	E23-0524-04	EARTH LUG
—	E23-0525-14	EARTH PLATE
19	E30-0545-05	POWER CORD (JIS)
—	E30-1851-05	POWER CORD ASS'Y (JIS)
—	E31-2371-05	LEAD WIRE WITH CONNECTOR
—	E31-2372-05	LEAD WIRE WITH CONNECTOR
—	E31-2373-15	LEAD WIRE WITH CONNECTOR
20	F05-5013-05	FUSE 0.5A
21	F05-8015-05	FUSE 0.8A
—	F11-0990-13	SHIELD CASE
22	F15-0733-04	BLIND PLATE
—	F20-0622-05	INSULATOR
23	G02-0607-04	SPRING FOR CRT
24	G13-0716-04	CUSHION
—	G16-0602-04	REFLECTOR SHEET(L)
—	G16-0603-04	REFLECTOR SHEET(R)
—	G16-0607-04	REFLECTOR SHEET
—	H01-2986-04	CARTON BOX
—	H10-2815-02	FOAMED STYRENE PAD
—	H10-2816-02	FOAMED STYRENE PAD
—	H20-1719-04	VINYL COVER
25	H25-0029-04	BAG
26	J02-0089-05	LEG
27	J10-0100-22	BEZEL
28	J13-0033-15	FUSE HOLDER
39	J19-1313-05	LEAD HOLDER
29	J19-1633-13	HOLDER FOR CRT
30	J19-1634-04	HOLDER FOR LEAD
31	J19-1635-04	HOLDER FOR LED
32	J21-2573-04	HOLDER FOR LEG
33	J21-2970-23	BLACKET FOR CRT
34	J21-2972-04	PLATE FOR POWER CORD
—	J31-4512-04	BLACKET FOR CRT
35	J31-3000-05	P.C.BOARD (FOR LAMP ASS'Y)
36	J31-0603-04	COLLAR
37	J42-0083-05	BUSHING
—	J42-0523-04	BUSHING
38	J59-0403-05	NYLON RIVET
—	J61-0408-05	WIRE WRAPPING, BAND
40	J61-0515-05	SUPPORT (I TYPE)
41	J61-0516-05	SUPPORT (T TYPE)
42	J61-0517-05	STADOFF CLIP
43	K01-0518-05	HANDLE
44	K21-0851-03	KNOB
45	K21-0853-13	KNOB
46	K21-0854-13	KNOB
47	K21-0855-14	KNOB
48	K21-0856-13	KNOB
49	K27-0526-04	KNOB FOR LEVER
50	K27-0528-04	KNOB FOR PUSH
51	L01-9344-15	POWER TRANSFORMER
52	L39-0518-05	ROTATOR COIL
—	N08-0611-04	DRESSED SCREW
—	N09-0715-04	SCREW, PAN HD M 4X31
—	N09-0716-05	SCREW
—	N09-0717-05	SCREW, TRUSS HD M 3X12
—	N09-0720-05	SCREW, SEMS PAN HD
—	N10-2070-46	NUT, HEX
N15	N15-1030-41	WASHER, FLAT FOR M3
N15	N15-1040-41	WASHER
N19	N19-0191-05	WASHER NONMETAL
N30	N30-3004-46	SCREW, PAN HD M 3X4
N30	N30-3006-46	SCREW, PAN HD M 3X6
N88	N88-3006-46	SCREW, FLAT HD TAP TITE
N89	N89-3006-41	SCREW, BINDING TAP TITE
53	R03-3502-15	V.R. 10K B

REF. NO	PARTS NO	NAME & DESCRIPTION
54	R05-7504-05	V.R. 10K B
55	R05-3505-05	V.R. 20K B
56	R05-8001-05	V.R. 3M B
57	W01-0503-04	CORD WRAP
58	X73-1490-00	VERTICAL,POWER SUPPLY UNIT
59	X74-1340-00	HORIZONTAL UNIT
60	X75-1140-00	VERTICAL ATTENUATOR UNIT
61	X81-1260-00	CONNECTION UNIT
62	X81-1250-00	C.R.T SOCKET UNIT
63	Y87-1840-00	PROBE PC-20
63	150FTM31	CRT
63	Z12-2014-05	TUBE (PLASTIC)
63	Z12-3017-05	TUBE (PLASTIC)
0001	Z80613(E)	TR. SI, NPN
R100	RD14BB2E331J	RES. CARBON 330 5% 1/4W

**CS-1020 Y70-1410-21**

REF. NO	PARTS NO	NAME & DESCRIPTION
	A01-0897-12	CASE (TOP)
	A01-0898-02	CASE (BOTTOM)
	A10-1435-02	CHASSIS
	A20-2761-12	PANEL
	A21-1027-12	DECORATIVE PANEL
	A22-0826-02	SUB PANEL
	A22-0827-13	SUB PANEL
	A23-1642-02	REAR PANEL
	A33-0502-05	REFLECTOR (FOR LAMP ASS'Y)
	A33-0503-05	REFLECTOR (FOR LAMP ASS'Y)
	B07-0712-13	ESCUCHEON FOR FILTER
	B19-0726-04	FILTER
	B30-0903-15	LED LAMP (RED)
	B30-0940-05	LAMP ASS'Y
	B30-0941-05	LAMP
	B39-0407-04	SPACER
	B40-2765-04	NAME PLATE (SERIAL NO)
	B41-0710-04	CAUTION LABEL (HIGH VOLTAGE)
	B41-0748-13	CAUTION LABEL
	B50-2998-00	INSTRUCTION MANUAL
	E04-0251-05	BNC RECEPTACLE
	E21-0657-04	TERMINAL (GND)
	E21-0660-04	TERMINAL(CAL)
	E23-0043-04	EARTH LUG
	E23-0513-05	EARTH LUG
	E23-0524-04	EARTH LUG
	E23-0525-14	EARTH PLATE
	E30-0545-05	AC POWER CORD
	E30-1851-05	POWER CORD ASS'Y (JIS)
	E31-2371-05	LEAD WIRE WITH CONNECTOR
	E31-2372-05	LEAD WIRE WITH CONNECTOR
	E31-2373-15	LEAD WIRE WITH CONNECTOR
	F05-5013-05	FUSE 0.5A
	F05-8015-05	FUSE 0.8A
	F11-0981-03	SHIELD CASE FOR CRT
	F20-0622-05	INSULATOR
	G02-0607-04	SPRING FOR CRT
	G13-0716-04	CUSHION
	G16-0602-04	REFLECTOR SHEET(L)
	G16-0603-04	REFLECTOR SHEET(R)
	G16-0607-04	REFLECTOR SHEET
	H01-2987-04	CARTON BOX
	H10-2815-02	FOAMED STYRENE PAD
	H10-2816-02	FOAMED STYRENE PAD
	H20-1719-04	VINYL COVER
	H25-0029-04	BAG
	J02-0089-05	LEG
	J02-0510-14	LEG
	J10-0100-12	BEZEL
	J13-0033-15	FUSE HOLDER
	J19-1313-05	LEAD HOLDER
	J19-1633-03	HOLDER FOR CRT
	J19-1634-04	HOLDER FOR LEAD
	J19-1635-04	HOLDER FOR LED
	J21-2573-04	HOLDER FOR LEG
	J21-2970-13	BLACKET FOR CRT
	J21-2972-04	PLATE FOR POWER CORD
	J25-3000-05	P.C.BOARD (FOR LAMP ASS'Y)
	J31-0603-04	COLLAR
	J42-0083-05	BUSHING
	J59-0403-05	NYLON RIVET
	J61-0401-05	WIRE BAND
	J61-0515-05	SUPPORT (I TYPE)
	J61-0516-05	SUPPORT (T TYPE)
	J61-0517-05	STADOFF CLIP
	K01-0518-05	HANDLE
	K21-0851-03	KNOB
	K21-0853-03	KNOB
	K21-0854-03	KNOB
	K21-0855-14	KNOB
	K21-0856-13	KNOB
	K27-0526-04	KNOB FOR LEVER

# PARTS LIST

REF.NO	PARTS NO	NAME & DESCRIPTION	REF.NO	PARTS NO	NAME & DESCRIPTION
	L01-9344-15	POWER TRANSFORMER		J21-2972-14	PLATE FOR POWER CORD
	L39-0518-05	ROTATOR COIL		J21-4512-04	BLACKET FOR CRT
N08-0611-04	DRESSED SCREW			J25-3000-05	P.C. BOARD (FOR LAMP ASS'Y)
N09-0715-04	SCREW, PAN HD M 4X31			J31-0603-04	COLLAR
N09-0716-05	SCREW			J42-0083-05	BUSHING
N09-0717-05	SCREW, TRUSS HD M 3X12			J42-0524-04	NYLON RIVET
N09-0720-05	SCREW, SEMS PAN HD			J59-0403-05	WIRE WRAPPING BAND
N10-2070-46	NUT, HEX			J61-0408-05	SUPPORT (I TYPE)
N15-1030-41	WASHER, FLAT FOR M3			J61-0515-05	SUPPORT (T TYPE)
N15-1040-41	WASHER			J61-0516-05	STADOFF CLIP
N19-0191-05	WASHER NONMETAL			J61-0517-05	HANDLE
N30-3004-46	SCREW, PAN HD M 3X4			K01-0518-05	KNOB
N30-3006-46	SCREW, PAN HD M 3X6			K21-0851-03	KNOB
N33-4012-41	SCREW M 4X12			K21-0853-13	KNOB
N88-3006-46	SCREW, FLAT HD TAP TITE			K21-0854-13	KNOB
N89-3006-41	SCREW, BINDING TAP TITE			K21-0855-14	KNOB
R03-3502-15	V.R. 10K B			K21-0856-13	KNOB
R05-3504-05	V.R. 10K B			K27-0526-04	KNOB FOR LEVER
R05-3505-05	V.R. 20K B			K27-0528-04	KNOB FOR PUSH
R05-8001-05	V.R. 3M B			L01-9344-15	POWER TRANSFORMER
W01-0503-04	CORD WRAP			N08-0611-04	ROTATOR COIL
X73-1490-01	VERTICAL,POWER SUPPLY UNIT			N09-0716-05	DRESSED SCREW
X74-1340-01	HORIZONTAL UNIT			N09-0717-05	SCREW, PAN HD M 4X31
X75-1140-01	VERTICAL ATTENUATOR UNIT			N09-0720-05	SCREW, SEMS PAN HD
X77-1260-01	CONNECTION UNIT			N10-2070-46	NUT, HEX
X81-1250-00	C.R.T SOCKET UNIT			N15-1030-41	WASHER, FLAT FOR M3
Y87-1840-00	PROBE PC-20			N15-1040-41	WASHER
150GTM31	CRT			N19-0191-05	WASHER NONMETAL
Q001 2SD613(E)	TR. SI. NPN			N30-3004-46	SCREW, PAN HD M 3X4
R100 RD14BB2E331J	RES. CARBON 330 5% 1/4W			N30-3006-46	SCREW, PAN HD M 3X6
				N88-3006-46	SCREW, FLAT HD TAP TITE
				N89-3006-41	SCREW, BINDING TAP TITE
				R03-3502-15	V.R. 10K B
				R05-3504-05	V.R. 10K B
				R05-3505-05	V.R. 20K B
				R05-8001-05	V.R. 3M B
				W01-0503-04	CORD WRAP
				X73-1490-02	VERTICAL,POWER SUPPLY UNIT
				X74-1340-02	HORIZONTAL UNIT
				X75-1140-02	VERTICAL ATTENUATOR UNIT
				X77-1260-02	CONNECTION UNIT
				X81-1250-01	C.R.T SOCKET UNIT
				Y87-1840-00	PROBE PC-20
				150GTM31	CRT
				212-2014-05	TUBE (PLASTIC)
				212-3017-05	TUBE (PLASTIC)
			Q001 2SD613(E)	TR. SI. NPN	
			R100 RD14BB2E431J	RES. CARBON 430 5% 1/4W	

## CS-1012 Y70-1420-21

REF.NO	PARTS NO	NAME & DESCRIPTION	REF.NO	PARTS NO	NAME & DESCRIPTION
A01-0897-12	CASE (TOP)		X73-1490-02	VERTICAL,POWER SUPPLY UNIT	
A01-0898-02	CASE (BOTTOM)		X74-1340-02	HORIZONTAL UNIT	
A10-1435-12	CHASSIS		X75-1140-02	VERTICAL ATTENUATOR UNIT	
A20-2761-02	PANEL (MOLDED)		X77-1260-02	CONNECTION UNIT	
A21-1029-12	DECORATIVE PANEL		X81-1250-01	C.R.T SOCKET UNIT	
A22-0826-02	SUB PANEL		Y87-1840-00	PROBE PC-20	
A22-0827-13	SUB PANEL		150GTM31	CRT	
A23-1642-02	REAR PANEL		212-2014-05	TUBE (PLASTIC)	
A33-0502-05	REFLECTOR (FOR LAMP ASS'Y)		212-3017-05	TUBE (PLASTIC)	
A33-0503-05	REFLECTOR (FOR LAMP ASS'Y)		Q001 2SD613(E)	TR. SI. NPN	
B07-0712-13	ESCUCHION FOR FILTER		R100 RD14BB2E431J	RES. CARBON 430 5% 1/4W	
B19-0726-04	FILTER				
B30-0903-15	LED LAMP (RED)				
B30-0940-05	LAMP ASS'Y				
B30-0941-05	LAMP				
B39-0407-04	SPACER				
B40-2765-04	NAME PLATE (SERIAL NO)				
B41-0749-13	CAUTION LABEL				
B50-2998-00	INSTRUCTION MANUAL				
E04-0251-05	BNC RECEPTACLE				
E21-0657-04	TERMINAL (GND)				
E21-0660-04	TERMINAL(CAL)				
E23-0043-04	EARTH LUG				
E23-0513-05	EARTH LUG				
E23-0524-04	EARTH LUG				
E23-0525-14	EARTH PLATE				
E30-0545-05	POWER CORD (JIS)				
E30-1851-05	POWER CORD ASS'Y (JIS)				
E31-2371-05	LEAD WIRE WITH CONNECTOR				
E31-2372-05	LEAD WIRE WITH CONNECTOR				
E31-2373-15	LEAD WIRE WITH CONNECTOR				
F05-5013-05	FUSE 0.5A				
F05-8015-05	FUSE 0.8A				
F10-1565-04	SHIELDING PLATE				
F11-0982-23	SHIELD CASE				
F15-0734-04	BLIND PLATE				
F20-0622-05	INSULATOR				
G02-0607-04	SPRING FOR CRT				
G13-0716-04	CUSHION				
G16-0602-04	REFLECTOR SHEET(L)				
G16-0603-04	REFLECTOR SHEET(R)				
G16-0607-04	REFLECTOR SHEET				
H01-2988-04	CARTON BOX				
H10-2815-02	FOAMED STYRENE PAD				
H10-2816-02	FOAMED STYRENE PAD				
H20-1719-04	VINYL COVER				
H25-0029-04	BAG				
J02-0089-05	LEG				
J02-0510-14	LEG				
J10-0100-22	BEZEL				
J13-0033-15	FUSE HOLDER				
J19-1313-05	LEAD HOLDER				
J19-1633-13	HOLDER FOR CRT				
J19-1634-04	HOLDER FOR LEAD				
J19-1635-04	HOLDER FOR LED				
J21-2573-04	HOLDER FOR LEG				
J21-2970-23	BLACKET FOR CRT				

## CS-1010 Y70-1430-21

REF.NO	PARTS NO	NAME & DESCRIPTION
A01-0897-12	CASE (TOP)	
A01-0898-02	CASE (BOTTOM)	
A10-1435-12	CHASSIS	
A20-2761-02	PANEL (MOLDED)	
A21-1029-12	DECORATIVE PANEL	
A22-0826-02	SUB PANEL	
A22-0827-13	SUB PANEL	
A23-1642-02	REAR PANEL	
A33-0502-05	REFLECTOR (FOR LAMP ASS'Y)	
A33-0503-05	REFLECTOR (FOR LAMP ASS'Y)	
B07-0712-13	ESCUCHION FOR FILTER	
B19-0726-04	FILTER	
B30-0903-15	LED LAMP (RED)	
B30-0940-05	LAMP ASS'Y	
B30-0941-05	LAMP	
B39-0407-04	SPACER	
B40-2765-04	NAME PLATE (SERIAL NO)	
B41-0750-13	CAUTION LABEL	
B50-2998-00	INSTRUCTION MANUAL	
E04-0251-05	BNC RECEPTACLE	
E21-0657-04	TERMINAL (GND)	
E21-0660-04	TERMINAL(CAL)	
E23-0043-04	EARTH LUG	
E23-0513-05	EARTH LUG	
E23-0524-04	EARTH LUG	
E23-0525-14	EARTH PLATE	
E30-0545-05	POWER CORD (JIS)	
E30-1851-05	POWER CORD ASS'Y (JIS)	
E31-2371-05	LEAD WIRE WITH CONNECTOR	
E31-2372-05	LEAD WIRE WITH CONNECTOR	
E31-2373-15	LEAD WIRE WITH CONNECTOR	
F05-5013-05	FUSE 0.5A	
F05-8015-05	FUSE 0.8A	
F10-1565-04	SHIELDING PLATE	
F11-0982-23	SHIELD CASE	
F15-0734-04	BLIND PLATE	
F20-0622-05	INSULATOR	

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
	G02-0607-04	SPRING FOR CRT	C009	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V
	G13-0716-04	CUSHION	C010	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
	G16-0602-04	REFLECTOR SHEET(L)	C011	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
	G16-0603-04	REFLECTOR SHEET(R)	C012	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
	G16-0607-04	REFLECTOR SHEET	C013	CE04W1E470M	CAP. ELECTRO 47 20% 250
	H01-2989-04	CARTON BOX	C014	CE04W1E470M	CAP. ELECTRO 47 20% 250
	H10-2815-02	FOAMED STYRENE PAD	C015	CE04W1E470M	CAP. ELECTRO 47 20% 250
	H10-2816-02	FOAMED STYRENE PAD	C016	CE04W1E470M	CAP. ELECTRO 47 20% 250
	H20-1719-04	VINYL COVER	C017	CC45CH1H030C	CAP. CERAMIC 3P 0.25P 50V
	H25-0029-04	BAG	C018	CC45CH1H010C	CAP. CERAMIC 1P 0.25P 50V
	J02-0089-05	LEG	C019	CE04W1H010C	CAP. ELECTRO 1 20% 50V
	J02-0510-14	LEG	C020	CK45B1H152K	CAP. CERAMIC 1500P 10% 50V
	J10-0100-22	GEZEL	C021	NO USE	
	J13-0033-15	FUSE HOLDER	C022	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
	J19-1313-05	LEAD HOLDER	C023	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
	J19-1633-13	HOLDER FOR CRT	D001	MTZ9.1JC	DIODE, ZENER 9V
	J19-1634-04	HOLDER FOR LED	D002	MTZ9.1JC	DIODE, ZENER 9V
	J19-1635-04	HOLDER FOR LED	J001	E31-2367-15	LEAD WIRE WITH CONNECTOR
	J21-2573-04	HOLDER FOR LEG			
	J21-2970-23	BLACKET FOR CRT			
	J21-2972-04	PLATE FOR POWER CORD	Q001	ZSK30A(0)	FET. N-CHANNEL
	J21-4512-04	BLACKET FOR CRT	Q002	ZSA1005(K)	TR. SI, PNP
	J25-3000-05	P.C. BOARD (FOR LAMP ASS'Y)	Q003	ZSA1005(K)	TR. SI, PNP
	J31-0603-04	COLLAR	Q004	ZSC2786(K)	TR. SI, NPN
	J42-0083-05	BUSHING	Q005	ZSC2786(K)	TR. SI, NPN
	J42-0524-04	BUSHING			
	J59-0403-05	NYLON RIVET	R001	RD14BB2E220J	RES. CARBON 22 5% 1/4W
	J61-0408-05	WIRE WRAPPING BAND	R002	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
	J61-0515-05	SUPPORT (I TYPE)	R003	RD14BB2E220J	RES. CARBON 22 5% 1/4W
	J61-0516-05	SUPPORT (T TYPE)	R004	RD14BB2E220J	RES. CARBON 22 5% 1/4W
	J61-0517-05	STADOFF CLIP	R005	RN14BK2E9003F	RES. METAL FILM 900K 1% 1/4W
K01-0516-05	HANDLE	R006	RN14BK2E1113F	RES. METAL FILM 111K 1% 1/4W	
K21-0851-03	KNOB	R007	RD14BB2E820J	RES. CARBON 82 5% 1/4W	
K21-0853-13	KNOB	R008	RN14BK2E9903F	RES. METAL FILM 990K 1% 1/4W	
K21-0854-13	KNOB	R009	RN14BK2E1012F	RES. METAL FILM 10.1K 1% 1/4W	
K21-0855-14	KNOB	R010	RD14BB2E100J	RES. CARBON 10 5% 1/4W	
K21-0856-13	KNOB	R011	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	
K27-0526-04	KNOB FOR LEVER	R012	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	
L01-9344-04	POWER TRANSFORMER	R013	RN14BK2E3900F	RES. METAL FILM 390 1% 1/4W	
L39-0518-05	ROTATOR COIL	R014	RD14BB2E101J	RES. CARBON 100 5% 1/4W	
N08-0611-04	DRESSED SCREW	R015	RN14BK2E3900F	RES. METAL FILM 390 1% 1/4W	
N09-0715-04	SCREW, PAN HD M 4X31	R016	RD14BB2C101J	RES. CARBON 100 5% 1/6W	
N09-0716-05	SCREW	R017	RD14BB2C302J	RES. CARBON 3K 5% 1/6W	
N09-0717-05	SCREW, TRUSS HD M 3X12	R018	RD14BB2C101J	RES. CARBON 100 5% 1/6W	
N09-0720-05	SCREW, SEMS PAN HD	R019	RD14BB2E271J	RES. CARBON 270 5% 1/4W	
N10-2070-46	NUT, HEX	R020	NO USE		
N15-1030-41	WASHER, FLAT FOR M3	R021	RD14BB2E124J	RES. CARBON 120K 5% 1/4W	
N15-1040-41	WASHER	R022	RD14BB2E220J	RES. CARBON 22 5% 1/4W	
N19-0191-05	WASHER NONMETAL	R023	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	
N30-3004-46	SCREW, PAN HD M 3X4	R024	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	
N30-3006-46	SCREW, PAN HD M 3X6	R025	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	
N88-3006-46	SCREW, FLAT HD TAP TITE	R026	RD14BB2E753J	RES. CARBON 75K 5% 1/4W	
N89-3006-41	SCREW, BINDING TAP TITE	R027	RD14BB2E754J	RES. CARBON 750K 5% 1/4W	
R03-3502-15	V.R.	R028	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W	
R05-3504-05	V.R.	R029	RD14BB2C332J	RES. CARBON 3.3K 5% 1/6W	
R05-3505-05	V.R.	R030	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	
R05-8001-05	V.R.	R031	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	
W01-0503-04	CORD WRAP	R032	RD14BB2C561J	RES. CARBON 560 5% 1/6W	
X73-1490-03	VERTICAL,POWER SUPPLY UNIT	R033	RN14BK2E9100F	RES. METAL FILM 910 1% 1/4W	
X74-1340-03	HORIZONTAL UNIT	R034	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W	
X75-1140-03	VERTICAL ATTENUATOR UNIT	R035	RD14BB2E220J	RES. CARBON 22 5% 1/4W	
X77-1260-03	CONNECTION UNIT	R036	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W	
X81-1250-01	C.R.T SOCKET UNIT	R037	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W	
Y67-1840-00	PROBE PC-20	R038	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W	
150GTM31	CRT	R039	RD14BB2E151J	RES. CARBON 150 5% 1/4W	
212-2014-05	TUBE (PLASTIC)	R040	RD14BB2E560J	RES. CARBON 56 5% 1/4W	
212-3017-05	TUBE (PLASTIC)	R041	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W	
Q001	ZSD613(E)	TR. SI, NPN	R042	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W
R100	RD14BB2E431J	RES. CARBON 430 5% 1/4W	R043	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W

## VERTICAL ATTENUATOR UNIT

**(X75-1140-00)**

REF. NO	PARTS NO	NAME & DESCRIPTION			
1	A42-0626-03	NUB PINEL	R051	NO USE	
2	E04-0251-05	BNC RECEPTACLE	R052	RD14BB2C910J	RES. CARBON 91 5% 1/6W
	E35-4036-00	WIRE ASY	R053	RD14BB2C111J	RES. CARBON 110 5% 1/6W
3	F10-1564-04	SHIELD PLATE	R054	RD14BB2E220J	RES. CARBON 22 5% 1/4W
	F11-1566-04	SHIELD PLATE	S001	S32-4007-05	SLIDE SWITCH
	J25-2997-13	PCB (UNMOUNTED)	S002	S02-3501-15	ROTARY SWITCH
4	K21-0852-03	KNOB			
5	K21-0855-14	KNOB	TC001	C05-0427-05	CAP. TRIMMER 10P
	N30-3006-46	SCREW, PAN HD M 3X6	TC002	C05-0428-05	CAP. TRIMMER 20P
	N89-3006-41	SCREW, RINGING TAP TITE	TC003	C05-0427-05	CAP. TRIMMER 10P
	R92-0150-05	JUMPING RES. ZERO OHM	TC004	C05-0428-05	CAP. TRIMMER 20P
	212-2014-05	TUBE (PLASTIC)	TC005	C05-0427-05	CAP. TRIMMER 10P
C001	C91-0501-05	CAP. METAL FILM 0.047 10% 6300	U001	M47F(C)	FET, DUAL SI, N-CHANNEL
C002	CM93BD2A470J	CAP. MICA 47P 5% 1000	U002	2SA684	TR. SI, PNP
C003	CM93BD2A471J	CAP. MICA 47OP 5% 1000	U003	M47F(B)	FET
C004	C91-0502-05	CAP. METAL FILM 0.01 20% 6300			
C005	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V			
C006	CC45CH1H0RSC	CAP. CERAMIC 0.5P 0.25P 50V			

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION
VR002	R12-3502-05	RES. SEMI FIXED 33K B
VR003	R12-3502-05	RES. SEMI FIXED 33K B
VR004	R12-3502-05	RES. SEMI FIXED 33K B
VR005	S02-3501-15	ROTARY SWITCH

## VERTICAL ATTENUATOR UNIT

(X75-1140-01)

REF. NO	PARTS NO	NAME & DESCRIPTION
A22-0828-03	SUB PANEL	
E04-0251-05	BNC RECEPTACLE	
E33-4038-00	WIRE ASSY	
F10-1564-04	SHIELD PLATE	
F10-1566-04	SHIELD PLATE	
J25-2997-13	PCB (UNMOUNTED)	
K21-0852-03	KNOB	
K21-0855-14	KNOB	
N30-3006-46	SCREW, PAN HD M 3X6	
N89-3006-41	SCREW, BINDING TAP TITE	
R92-0150-05	JUMPING RES. ZERO OHM	
C001 C91-0501-05	CAP. METAL FILM 0.047 10% 630V	
C002 CM938D29470J	CAP. MICA 47P 5% 100V	
C003 CM938D2A471J	CAP. MICA 470P 5% 100V	
C004 C91-0502-05	CAP. METAL FILM 0.01 20% 630V	
C005 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C006 CC45CH1H0R5C	CAP. CERAMIC 0.5P 0.25P 50V	
C009 CC45CH1H470J	CAP. CERAMIC 47P 5% 50V	
C010 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C011 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C012 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C013 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C014 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C015 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C016 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C017 CC45CH1H030C	CAP. CERAMIC 3P 0.25P 50V	
C018 CC45CH1H010C	CAP. CERAMIC 1P 0.25P 50V	
C019 CE04W1H010M	CAP. ELECTRO 1 20% 50V	
C020 CK45B1H152K	CAP. CERAMIC 1500P 10% 50V	
C021 NO USE		
C022 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C023 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
D001 WZ-090	DIODE	
D002 WZ-090	DIODE	
J001 E31-2367-15	LEAD WIRE WITH CONNECTOR	

Q001	2SK30A(D)	FET. N-CHANNEL
Q002	2SA1005(K)	TR. SI, PNP
Q003	2SA1005(K)	TR. SI, PNP
Q004	ZSC2786(K)	TR. SI, NPN
Q005	ZSC2786(K)	TR. SI, NPN
R001	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R002	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
R003	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R004	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R005	RN14BK2E9003F	RES. METAL FILM 900K 1% 1/4W
R006	RN14BK2E1113F	RES. METAL FILM 111K 1% 1/4W
R007	RD14BB2E820J	RES. CARBON 82 5% 1/4W
R008	RN14BK2E9903F	RES. METAL FILM 990K 1% 1/4W
R009	RN14BK2E1012F	RES. METAL FILM 10.1K 1% 1/4W
R010	RD14BB2E100J	RES. CARBON 10 5% 1/4W
R011	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
R012	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
R013	RN14BK2E3900F	RES. METAL FILM 390 1% 1/4W
R014	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R015	RN14BK2E3900F	RES. METAL FILM 390 1% 1/4W
R016	RD14BB2C101J	RES. CARBON 100 5% 1/6W
R017	RD14BB2C302J	RES. CARBON 3K 5% 1/6W
R018	RD14BB2C101J	RES. CARBON 100 5% 1/6W
R019	RD14BB2E271J	RES. CARBON 270 5% 1/4W
R020	NO USE	
R021	RD14BB2E274J	RES. CARBON 270K 5% 1/4W
R022	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R023	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
R024	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
R025	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
R026	RD14BB2E753J	RES. CARBON 75K 5% 1/4W
R027	RD14BB2E754J	RES. CARBON 750K 5% 1/4W
R028	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W
R029	RD14BB2C332J	RES. CARBON 3.3K 5% 1/6W
R030	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
R031	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
R032	RD14BB2C561J	RES. CARBON 560 5% 1/6W
R033	RN14BK2E9100F	RES. METAL FILM 910 1% 1/4W
R034	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W
R035	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R036	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W
R037	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W
R038	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W
R039	RD14BB2E151J	RES. CARBON 150 5% 1/4W
R040	RD14BB2E560J	RES. CARBON 56 5% 1/4W

REF. NO	PARTS NO	NAME & DESCRIPTION
R041	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W
R042	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W
R043	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W
R044	RD14BB2E151J	RES. CARBON 150 5% 1/4W
R045	RD14BB2E560J	RES. CARBON 56 5% 1/4W
R046	RD14BB2E333J	RES. CARBON 33K 5% 1/4W
R047	RD14BB2E473J	RES. CARBON 47K 5% 1/4W
R048	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W
R049	RD14BB2C163J	RES. CARBON 16K 5% 1/6W
R050	RD14BB2C131J	RES. CARBON 130 5% 1/6W
R051	NO USE	
R052	RD14BB2C910J	RES. CARBON 91 5% 1/6W
R053	RD14BB2C111J	RES. CARBON 110 5% 1/6W
S001	S32-4007-05	SLIDE SWITCH
S002	S02-3501-15	ROTARY SWITCH
TC001	C05-0427-05	CAP. TRIMMER 10P
TC002	C05-0428-05	CAP. TRIMMER 20P
TC003	C05-0427-05	CAP. TRIMMER 10P
TC004	C05-0428-05	CAP. TRIMMER 20P
TC005	C05-0427-05	CAP. TRIMMER 10P
U001	M47F(C)	FET, DUAL SI, N-CHANNEL
U002	2SA884	TR. SI, PNP
U003	M47F(B)	FET
VR002	R12-3502-05	RES. SEMI FIXED 33K B
VR003	R12-3502-05	RES. SEMI FIXED 33K B
VR004	R12-3502-05	RES. SEMI FIXED 33K B

## VERTICAL ATTENUATOR UNIT

(X75-1140-02)

REF. NO	PARTS NO	NAME & DESCRIPTION
A22-0828-03	SUB PANEL	
E04-0251-05	BNC RECEPTACLE	
F10-1564-04	SHIELD PLATE	
F10-1566-04	SHIELD PLATE	
J25-2997-13	PCB (UNMOUNTED)	
K21-0852-03	KNOB	
K21-0855-14	KNOB	
N30-3006-46	SCREW, PAN HD M 3X6	
N89-3006-41	SCREW, BINDING TAP TITE	
R92-0150-05	JUMPING RES. ZERO OHM	
C001 C91-0501-05	CAP. METAL FILM 0.047 10% 630V	
C002 CM938D2A470J	CAP. MICA 47P 5% 100V	
C003 CM938D2A471J	CAP. MICA 470P 5% 100V	
C004 C91-0502-05	CAP. METAL FILM 0.01 20% 630V	
C006 CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V	
C007 NO USE		
C008 CC45CH1H040C	CAP. CERAMIC 4P 0.25P 50V	
C009 CC45CH1H680J	CAP. CERAMIC 68P 5% 50V	
C010 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C011 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C012 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C013 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C014 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C015 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C016 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C017 CC45CH1H270J	CAP. CERAMIC 27P 5% 50V	
C018 CC45CH1H020C	CAP. CERAMIC 2P 0.25P 50V	
C024 CC45CH1H270J	CAP. CERAMIC 27P 5% 50V	
D001 MTZ9.1JC	DIODE, ZENER 9V	
D002 MTZ9.1JC	DIODE, ZENER 9V	
J001 E31-2367-15	LEAD WIRE WITH CONNECTOR	
Q001 2SK30A(D)	FET. N-CHANNEL	
Q002 2SA1005(K)	TR. SI, PNP	
Q003 2SA1005(K)	TR. SI, PNP	
Q004 ZSC2786(K)	TR. SI, NPN	
R001 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R002 RD14BB2E105J	RES. CARBON 1M 5% 1/4W	
R003 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R004 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R005 RN14BK2E9003F	RES. METAL FILM 900K 1% 1/4W	
R006 RN14BK2E1113F	RES. METAL FILM 111K 1% 1/4W	
R007 RD14BB2E820J	RES. CARBON 82 5% 1/4W	
R008 RN14BK2E9903F	RES. METAL FILM 990K 1% 1/4W	
R009 RN14BK2E1012F	RES. METAL FILM 10.1K 1% 1/4W	
R010 RD14BB2E100J	RES. CARBON 10 5% 1/4W	
R011 RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	
R012 RD14BB2E104J	RES. CARBON 100K 5% 1/4W	
R013 RN14BK2E27R0F	RES. METAL FILM 27.0 1% 1/4W	
R014 RD14BB2E101J	RES. CARBON 100 5% 1/4W	
R015 RN14BK2E27R0F	RES. METAL FILM 27.0 1% 1/4W	
R016 RD14BB2C101J	RES. CARBON 100 5% 1/6W	
R017 NO USE		
R018 RD14BB2C101J	RES. CARBON 100 5% 1/6W	

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R019	RD14BB2E121J	RES. CARBON 120 5% 1/4W	Q003	ZSA1005(K)	TR. SI, PNP
R020	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	Q004	ZSC2786(K)	TR. SI, NPN
R021	RD14BB2E474J	RES. CARBON 470K 5% 1/4W	R001	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R022	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R002	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
R023	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	R003	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R024	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	R004	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R025	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	R005	RN14BK2E9003F	RES. METAL FILM 900K 1% 1/4W
R026	RD14BB2E753J	RES. CARBON 75K 5% 1/4W	R006	RN14BK2E1113F	RES. METAL FILM 111K 1% 1/4W
R027	RD14BB2E754J	RES. CARBON 750K 5% 1/4W	R007	RD14BB2E820J	RES. CARBON 82 5% 1/4W
R028	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W	R008	RN14BK2E9903F	RES. METAL FILM 990K 1% 1/4W
R029	RD14BB2C332J	RES. CARBON 3.3K 5% 1/4W	R009	RN14BK2E1012F	RES. METAL FILM 10.1K 1% 1/4W
R030	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	R010	RD14BB2E100A	RES. CARBON 10 5% 1/4W
R031	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	R011	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
R032	NO USE		R012	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
R033	RN14BK2E9100F	RES. METAL FILM 910 1% 1/4W	R013	RN14BK2E27R0F	RES. METAL FILM 27.0 1% 1/4W
R034	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W	R014	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R035	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R015	RN14BK2E27R0F	RES. METAL FILM 27.0 1% 1/4W
R036	RD14BK2E3000F	RES. METAL FILM 300 1% 1/4W	R016	RD14BB2C101A	RES. CARBON 100 5% 1/6W
R037	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W	R017	NO USE	
R038	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W	R018	RD14BB2C101J	RES. CARBON 100 5% 1/6W
R039	RD14BB2E151J	RES. CARBON 150 5% 1/4W	R019	RD14BB2E121J	RES. CARBON 120 5% 1/4W
R040	RD14BB2E560J	RES. CARBON 56 5% 1/4W	R020	RD14BB2E473J	RES. CARBON 47K 5% 1/4W
R041	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W	R021	RD14BB2E474J	RES. CARBON 470K 5% 1/4W
R042	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W	R022	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R043	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W	R023	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
R044	RD14BB2E161J	RES. CARBON 160 5% 1/4W	R024	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
R045	RD14BB2E560J	RES. CARBON 56 5% 1/4W	R025	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
R046	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	R026	RD14BB2E753J	RES. CARBON 75K 5% 1/4W
R051	RD14BB2E361J	RES. CARBON 360 5% 1/4W	R027	RD14BB2E754J	RES. CARBON 750K 5% 1/4W
R052	RD14BB2C910J	RES. CARBON 91 5% 1/6W	R028	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W
R053	RD14BB2C111J	RES. CARBON 110 5% 1/6W	R029	RD14BB2C332J	RES. CARBON 3.3K 5% 1/6W
S001	S32-4007-05	SLIDE SWITCH	R030	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
S002	S02-3501-15	ROTARY SWITCH	R031	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
R032	NO USE		R032	NO USE	
TC001	C05-0427-05	CAP. TRIMMER 10P	R033	RN14BK2E9100F	RES. METAL FILM 910 1% 1/4W
TC002	C05-0428-05	CAP. TRIMMER 20P	R034	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W
TC003	C05-0427-05	CAP. TRIMMER 10P	R035	RD14BB2E220J	RES. CARBON 22 5% 1/4W
TC004	C05-0428-05	CAP. TRIMMER 20P	R036	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W
TC005	C05-0427-05	CAP. TRIMMER 10P	R037	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W
U001	M47F(C)	FET, DUAL SI, N-CHANNEL	R038	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W
U002	NO USE		R039	RD14BB2E151J	RES. CARBON 150 5% 1/4W
U003	M47F(B)	FET	R040	RD14BB2E560J	RES. CARBON 56 5% 1/4W
VR001	R12-3502-05	RES. SEMI FIXED 33K 8	R041	RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W
VR002	R12-3502-05	RES. SEMI FIXED 33K 8	R042	RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W
VR003	R12-3502-05	RES. SEMI FIXED 33K 8	R043	RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W
VR004	R12-3502-05	RES. SEMI FIXED 33K 8	R044	RD14BB2E161J	RES. CARBON 160 5% 1/4W
VR005	S02-3501-15	ROTARY SWITCH	R045	RD14BB2E560J	RES. CARBON 56 5% 1/4W
R051	RD14BB2E361J	RES. CARBON 360 5% 1/4W	R046	RD14BB2E153J	RES. CARBON 15K 5% 1/4W
R052	RD14BB2C910J	RES. CARBON 91 5% 1/6W	R053	RD14BB2C111J	RES. CARBON 110 5% 1/6W
S001	S32-4007-05	SLIDE SWITCH			
S002	S02-3501-15	ROTARY SWITCH			

## VERTICAL ATTENUATOR UNIT (X75-1140-03)

REF. NO	PARTS NO	NAME & DESCRIPTION
A22-0828-03	SUB PANEL	
E04-0251-05	BNC RECEPTACLE	
F10-1564-04	SHIELD PLATE	
F10-1566-04	SHIELD PLATE	
J25-2997-13	PCB (UNMOUNTED)	
K21-0852-03	KNOB	
K21-0855-14	KNOB	
N30-3006-46	SCREW, PAN HD M 3X6	
N89-3006-41	SCREW, BINDING TAP TITE	
R92-0150-05	JUMPING RES. ZERO OHM	
C001	C91-0501-05	CAP. METAL FILM 0.047 10% 630V
C002	CM93BD24470J	CAP. MICA 47P 5% 100V
C003	CM93BD2A471J	CAP. MICA 470P 5% 100V
C004	C91-0502-05	CAP. METAL FILM 0.01 20% 630V
C005	NO USE	
C006	CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V
C007	NO USE	
C008	CC45CH1H040C	CAP. CERAMIC 4P 0.25P 50V
C009	CC45CH1H680J	CAP. CERAMIC 68P 5% 50V
C010	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C011	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C012	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C013	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C014	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C015	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C016	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C017	CC45CH1H270J	CAP. CERAMIC 27P 5% 50V
C018	CC45CH1H020C	CAP. CERAMIC 2P 0.25P 50V
C024	CC45CH1H270J	CAP. CERAMIC 27P 5% 50V
D001	MTZ9.1JC	DIODE, ZENER 9V
D002	MTZ9.1JC	DIODE, ZENER 9V
J001	E31-2367-15	LEAD WIRE WITH CONNECTOR
Q001	ZSK30A(O)	FET. N-CHANNEL
Q002	ZSA1005(K)	TR. SI, PNP

## VERTICAL AMP & POWER UNIT (X73-1490-00)

REF. NO	PARTS NO	NAME & DESCRIPTION
E23-0526-04	EARTH PLATE	
E33-4031-00	WIRE ASSY	
F01-0635-05	HEAT SINK	
F01-0636-04	HEAT SINK	
J25-2999-13	PCB (UNMOUNTED)	
J61-0517-05	STADOFF CLIP	
N19-0191-05	WASHER NONMETAL	
N19-0702-04	WASHER	
N30-3006-46	SCREW, PAN HD M 3X8	
R92-0150-05	JUMPING RES. ZERO OHM	
212-1018-05	TUBE (PLASTIC)	
212-2014-05	TUBE (PLASTIC)	
C002	CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V
C006	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V
C007	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V

# PARTS LIST

REF.NO	PARTS NO	NAME & DESCRIPTION	REF.NO	PARTS NO	NAME & DESCRIPTION
C008	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q014	ZSC2786(K)	TR. SI, NPN
C009	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q015	ZSC2407	TR. SI, NPN
C010	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q016	ZSC2407	TR. SI, NPN
C011	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q017	ZSC2912(R,S)	TR. SI, NPN
C012	NO USE		Q018	ZSC2912(R,S)	TR. SI, NPN
C013	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V	Q102	ZSA1005(K)	TR. SI, PNP
C014	CE04W1E220M	CAP. ELECTRO 22 20% 25V	Q103	ZSA1005(K)	TR. SI, PNP
C015	NO USE		Q104	ZSC2786(K)	TR. SI, NPN
C016	CE04W1E220M	CAP. ELECTRO 22 20% 25V	Q105	ZSC2786(K)	TR. SI, NPN
C017	CE04BW1E220M	CAP. ELECTRO 22 20% 25V	Q106	ZSC2785(F)	TR. SI, NPN
C020	CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V	Q107	ZSC2786(K)	TR. SI, NPN
			Q108	ZSC2786(K)	TR. SI, NPN
C102	CC45CH1H010C	CAP. CERAMIC 1P 0.25P 50V	Q109	ZSC2786(K)	TR. SI, NPN
C103	NO USE		Q110	ZSC2786(K)	TR. SI, NPN
C104	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q111	ZSC2786(K)	TR. SI, NPN
C105	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q112	ZSC2786(K)	TR. SI, NPN
C106	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q113	ZSA1175(F)	TR. SI, PNP
C107	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q114	ZSC2785(F)	TR. SI, NPN
C108	NO USE		Q115	ZSC2786(K)	TR. SI, NPN
C109	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V	Q301	ZSA1009(L,K)	TR. SI, PNP
C110	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V	Q302	ZSA1009(L,K)	TR. SI, PNP
C111	CE04BW1H010M	CAP. ELECTRO 1 20% 50V	Q303	ZSA1175(F)	TR. SI, PNP
C112	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	Q304	ZSA1175(F)	TR. SI, PNP
C115	CC45CH1H020C	CAP. CERAMIC 2P 0.25P 50V	Q305	ZSC2271(E)	TR. SI, NPN
			Q306	ZSC2271(E)	TR. SI, NPN
C301	CE04W1V222M	CAP. ELECTRO 2200 20% 35V	R001	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
C302	CE04W1V222M	CAP. ELECTRO 2200 20% 35V	R002	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C303	CE04W1E222M	CAP. ELECTRO 2200 20% 25V	R003	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
C304	C90-0910-05	CAP. ELECTRO 100 20% 200V	R004	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
C305	CE04W2E470	CAP. ELECTRO 47 250V	R005	RD14BB2E120J	RES. CARBON 12 5% 1/4W
C306	CE04W1A101M	CAP. ELECTRO 100 20% 10V	R006	RD14BB2E510J	RES. CARBON 51 5% 1/4W
C307	CE04W1E101M	CAP. ELECTRO 100 20% 25V	R007	RD14BB2E510J	RES. CARBON 51 5% 1/4W
C308	CE04W1E101M	CAP. ELECTRO 100 20% 25V	R008	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
C309	CE04W2C100	CAP. ELECTRO 10 160V	R009	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
C310	CE04W2E010	CAP. ELECTRO 1 250V	R010	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
C311	CE04BW1H010M	CAP. ELECTRO 1 20% 50V	R011	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C312	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R012	RD14BB2E243J	RES. CARBON 24K 5% 1/4W
C313	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	R013	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
C314	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R014	RNI4BK2E1000F	RES. METAL FILM 100 1% 1/4W
C315	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	R015	RNI4BK2E1301F	RES. METAL FILM 1.3K 1% 1/4W
C316	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R016	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C317	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	R017	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
C318	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V	R018	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
C319	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V	R019	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C320	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V	R020	RD14BB2E331J	RES. CARBON 330 5% 1/4W
D001	DS442X	DIODE	R021	RD14BB2E331J	RES. CARBON 330 5% 1/4W
D002	DS442X	DIODE	R022	NO USE	
D003	DS442X	DIODE	R023	RD14BB2E220J	RES. CARBON 22 5% 1/4W
			R024	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
D101	DS442X	DIODE	R025	RD14BB2E101J	RES. CARBON 100 5% 1/4W
D102	DS442X	DIODE	R026	RD14BB2E152J	RES. CARBON 1.5K 5% 1/4W
D103	DS442X	DIODE	R027	RD14BB2E152J	RES. CARBON 1.5K 5% 1/4W
D104	DS442X	DIODE	R028	RD14BB2E270J	RES. CARBON 27 5% 1/4W
D105	DS442X	DIODE	R029	RD14BB2E270J	RES. CARBON 27 5% 1/4W
D106	DS442X	DIODE	R030	RD14BB2E100J	RES. CARBON 10 5% 1/4W
D107	DS442X	DIODE	R031	RD14BB2E151J	RES. CARBON 150 5% 1/4W
D108	MTZ10JC	DIODE, ZENER 10V	R032	RD14BB2E101J	RES. CARBON 100 5% 1/4W
			R033	RD14BB2E101J	RES. CARBON 100 5% 1/4W
D301	S2VB40F	DIODE, BRIDGE	R034	RD14BB2E222J	RES. CARBON 2.3K 5% 1/4W
D302	S2VB40F	DIODE, BRIDGE	R035	RD14BB2E222J	RES. CARBON 2.3K 5% 1/4W
D303	S1VB60	DIODE	R036	RNI4BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
D304	S1VB60	DIODE	R037	RNI4BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
D305	DS442X	DIODE	R038	RD14BB2E750J	RES. CARBON 75 5% 1/4W
D306	DS442X	DIODE	R039	RD14BB2E431J	RES. CARBON 430 5% 1/4W
D307	V068	DIODE	R040	RD14BB2E682J	RES. CARBON 6.8K 5% 1/4W
			R041	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
L001	L40-1025-03	FERRI INDUCTOR	R042	RD14BB2E471J	RES. CARBON 470 5% 1/4W
L002	L40-1025-03	FERRI INDUCTOR	R043	RD14BB2E471J	RES. CARBON 470 5% 1/4W
			R044	RNI4BK2E8200F	RES. METAL FILM 820 1% 1/4W
P001	E40-0473-05	PIN CONNECTOR 4P	R045	RNI4BK2E8200F	RES. METAL FILM 820 1% 1/4W
P002	E40-0273-05	PIN CONNECTOR 2P	R046	RNI4BK2E8200F	RES. METAL FILM 820 1% 1/4W
P003	E04-0154-05	BNC RECEPTACLE	R047	RNI4BK2E8200F	RES. METAL FILM 820 1% 1/4W
P004	E23-0046-04	TERMINAL	R048	RD14BB2E101J	RES. CARBON 100 5% 1/4W
P005	E23-0046-04	TERMINAL	R049	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
			R050	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
P101	E40-0473-05	PIN CONNECTOR 4P	R051	RD14BB2E101J	RES. CARBON 100 5% 1/4W
			R052	RD14BB2E220J	RES. CARBON 22 5% 1/4W
P301	E40-0930-05	PIN CONNECTOR 9P	R053	RD14BB2E220J	RES. CARBON 22 5% 1/4W
P302	E40-1116-05	PIN CONNECTOR 11P	R054	RD14BB2E201J	RES. CARBON 200 5% 1/4W
P303	E40-1116-05	PIN CONNECTOR 11P	R055	RD14BB2E201J	RES. CARBON 200 5% 1/4W
			R056	RD14BB2E121J	RES. CARBON 120 5% 1/4W
Q002	ZSA1005(K)	TR. SI, PNP	R057	NO USE	
Q003	ZSA1005(K)	TR. SI, PNP	R058	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q004	ZSC2786(K)	TR. SI, NPN	R059	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q005	ZSC2786(K)	TR. SI, NPN	R060	RNI4BB3F681J	RES. METAL FILM 680 5% 3W
Q006	ZSC2786(K)	TR. SI, NPN	R061	RNI4BB3F681J	RES. METAL FILM 680 5% 3W
Q007	ZSC2786(K)	TR. SI, NPN	R062	RNI4BB3F681J	RES. METAL FILM 680 5% 3W
Q008	ZSA1005(K)	TR. SI, PNP	R063	RNI4BB3F681J	RES. METAL FILM 680 5% 3W
Q009	ZSC2786(K)	TR. SI, NPN	R064	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
Q010	ZSC2786(K)	TR. SI, NPN	R065	RD14BB2E201J	RES. CARBON 200 5% 1/4W
Q011	ZSC2786(K)	TR. SI, NPN	R066	RD14BB2E511J	RES. CARBON 510 5% 1/4W
Q012	ZSC2786(K)	TR. SI, NPN	R067	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
Q013	ZSC2786(K)	TR. SI, NPN	R068	RD14BB2E104J	RES. CARBON 100K 5% 1/4W

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R069	RD14BB2E2223J	RES. CARBON 22K 5% 1/4W	U101	M47F(B)	FET
R101	RD14BB2E105J	RES. CARBON 1M 5% 1/4W	U301	UPC7805H	IC
R102	RD14BB2E220J	RES. CARBON 22 5% 1/4W	U302	UPC7915HA	IC
R103	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	U303	NJM7815	IC
R104	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	U304	NJM4558D	IC
R105	RD14BB2E120J	RES. CARBON 12 5% 1/4W	VR001	R05-3506-05	V.R. 20K B
R106	RD14BB2E510J	RES. CARBON 51 5% 1/4W	VR002	NO USE	
R107	RD14BB2E510J	RES. CARBON 51 5% 1/4W	VR003	R12-0539-05	RES. SEMI FIXED 200 B
R108	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	VR004	R12-0421-05	RES. SEMI FIXED 100 B
R109	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR005	R12-0421-05	RES. SEMI FIXED 100 B
R110	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	VR006	R12-0421-05	RES. SEMI FIXED 100 B
R111	RD14BB2E220J	RES. CARBON 22 5% 1/4W	VR101	R05-3506-05	V.R. 20K B
R112	RD14BB2E243J	RES. CARBON 24K 5% 1/4W	VR102	R12-3523-05	RES. SEMI FIXED 20K B
R113	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	VR103	R12-0541-05	RES. SEMI FIXED 100 B
R114	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W	VR104	R12-0543-05	RES. SEMI FIXED 500 B
R115	RD14BB2E104J	RES. CARBON 100K 5% 1/4W			
R116	RN14BK2E1301F	RES. METAL FILM 1.3K 1% 1/4W			
R117	RD14BB2E320J	RES. CARBON 22 5% 1/4W			
R118	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R119	RD14BB2E223J	RES. CARBON 22K 5% 1/4W			
R120	RD14BB2E220J	RES. CARBON 22 5% 1/4W			
R121	RD14BB2E561J	RES. CARBON 560 5% 1/4W			
R122	NO USE				
R123	RD14BB2E333J	RES. CARBON 33K 5% 1/4W			
R124	RD14BB2E151J	RES. CARBON 150 5% 1/4W			
R125	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R126	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R127	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R128	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R129	RN14BK2E22001F	RES. METAL FILM 2.2K 1% 1/4W			
R130	RN14BK2E22001F	RES. METAL FILM 2.2K 1% 1/4W			
R131	RD14BB2E750J	RES. CARBON 75 5% 1/4W			
R132	RD14BB2E2001F	RES. METAL FILM 2K 1% 1/4W			
R133	RN14BK2E2001F	RES. METAL FILM 2K 1% 1/4W			
R134	RD14BB2E510J	RES. CARBON 51 5% 1/4W			
R135	RD14BB2E511J	RES. CARBON 510 5% 1/4W			
R136	RD14BB2E123J	RES. CARBON 12K 5% 1/4W			
R137	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R138	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W			
R139	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W			
R140	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R141	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R142	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R143	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R144	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W			
R145	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R146	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R147	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W			
R148	RD14BB2E223J	RES. CARBON 22K 5% 1/4W			
R149	RD14BB2E682J	RES. CARBON 6.8K 5% 1/4W			
R150	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C301	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
R151	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C302	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
R152	RD14BB2E151J	RES. CARBON 150 5% 1/4W	C303	CE04W1E222M	CAP. ELECTRO 2200 20% 25V
R153	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C304	C90-0910-05	CAP. ELECTRO 100 20% 200V
R154	NO USE		C305	CE04W2E470M	CAP. ELECTRO 47 20% 250V
R155	RD14BB2E470J	RES. CARBON 47 5% 1/4W	C306	CE04W1A101M	CAP. ELECTRO 100 20% 10V
R156	NO USE		C307	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R157	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C308	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R158	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	C309	CE04W2C100M	CAP. ELECTRO 10 20% 160V
R159	RD14BB2E662J	RES. CARBON 6.8K 5% 1/4W	C310	CE04W2E010M	CAP. ELECTRO 1 20% 250V
R301	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	C311	CE04BW1H010M	CAP. ELECTRO 1 20% 50V
R302	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C312	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R303	RD14BB2E3R3J	RES. CARBON 3.3 5% 1/4W	C313	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R304	RD14BB2E100J	RES. CARBON 10 5% 1/4W	C314	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R305	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	C315	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R306	RD14BB2E622J	RES. CARBON 6.2K 5% 1/4W	C316	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R307	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	C317	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R308	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	C318	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
R309	RN14BK2E1502F	RES. METAL FILM 15K 1% 1/4W	C319	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
R310	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W	C320	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V
R311	RN14BK2E1602F	RES. METAL FILM 16K 1% 1/4W	D001	DS442X	DIODE
R312	RN14BK2E1503F	RES. METAL FILM 150K 1% 1/4W	D002	DS442X	DIODE
R313	RD14BY2H104J	RES. CARBON 100K 5% 1/2W	D003	DS442X	DIODE
R314	RD14BY2H104J	RES. CARBON 100K 5% 1/2W	D301	S2VB40F	DIODE, BRIDGE
S101	S42-4509-05	PUSH SWITCH	D302	S2VB40F	DIODE, BRIDGE
TC001	C05-0425-05	CAP. TRIMMER 70P	D303	S10860	DIODE
TC002	C05-0425-05	CAP. TRIMMER 70P	D304	S10860	DIODE
TC101	C05-0434-05	CAP. TRIMMER 20P	D305	DS442X	DIODE
TC102	C05-0434-05	CAP. TRIMMER 20P	D306	DS442X	DIODE
TP001	E23-0046-04	TERMINAL	D307	V06B	DIODE
TP002	E23-0046-04	TERMINAL	L001	L40-1025-03	FERRI INDUCTOR
TP003	E23-0046-04	TERMINAL	L002	L40-1025-03	FERRI INDUCTOR
TP004	E23-0046-04	TERMINAL	P001	E40-0473-05	PIN CONNECTOR 4P
TP101	E23-0046-04	TERMINAL	P002	E40-0273-05	PIN CONNECTOR 2P
TP102	E23-0046-04	TERMINAL	P003	E04-0154-05	BNC RECEPTACLE
TP103	E23-0046-04	TERMINAL	P301	E40-0930-05	PIN CONNECTOR 9P
TP104	E23-0046-04	TERMINAL	P302	E40-1116-05	PIN CONNECTOR 11P
TP105	E23-0046-04	TERMINAL	P303	E40-1116-05	PIN CONNECTOR 11P
U001	M47F(B)	FET			

## VERTICAL AMP & POWER UNIT

**(X73-1490-01)**

REF. NO	PARTS NO	NAME & DESCRIPTION
E33-4032-00		WIRE ASSY
F01-0835-05		HEAT SINK
F01-0836-04		HEAT SINK
J25-2999-03		PCB (UNMOUNTED)
J61-0517-05		STADOFF CLIP
N19-0191-05		WASHER NONMETAL
N30-3008-46		SCREW, PAN HD M 3X8
R92-0150-05		JUMPING RES. ZERO OHM
212-2014-05		TUBE (PLASTIC)
C002	CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V
C006	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V
C007	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C008	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C009	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C010	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C011	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C012	NO USE	
C013	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C014	CE04W1E220M	CAP. ELECTRO 22 20% 25V
C015	NO USE	
C016	CE04W1E220M	CAP. ELECTRO 22 20% 25V
C017	CE04W1E220M	CAP. ELECTRO 22 20% 25V
C020	CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V
C301	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
C302	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
C303	CE04W1E222M	CAP. ELECTRO 2200 20% 25V
C304	C90-0910-05	CAP. ELECTRO 100 20% 200V
C305	CE04W2E470M	CAP. ELECTRO 47 20% 250V
C306	CE04W1A101M	CAP. ELECTRO 100 20% 10V
C307	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C308	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C309	CE04W2C100M	CAP. ELECTRO 10 20% 160V
C310	CE04W2E010M	CAP. ELECTRO 1 20% 250V
C311	CE04BW1H010M	CAP. ELECTRO 1 20% 50V
C312	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C313	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C314	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C315	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C316	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C317	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C318	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
C319	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
C320	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V
D001	DS442X	DIODE
D002	DS442X	DIODE
D003	DS442X	DIODE
D301	S2VB40F	DIODE, BRIDGE
D302	S2VB40F	DIODE, BRIDGE
D303	S10860	DIODE
D304	S10860	DIODE
D305	DS442X	DIODE
D306	DS442X	DIODE
D307	V06B	DIODE
L001	L40-1025-03	FERRI INDUCTOR
L002	L40-1025-03	FERRI INDUCTOR
P001	E40-0473-05	PIN CONNECTOR 4P
P002	E40-0273-05	PIN CONNECTOR 2P
P003	E04-0154-05	BNC RECEPTACLE
P301	E40-0930-05	PIN CONNECTOR 9P
P302	E40-1116-05	PIN CONNECTOR 11P
P303	E40-1116-05	PIN CONNECTOR 11P

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
Q002	2SA1005(K)	TR. SI, PNP	R302	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
Q003	2SA1005(K)	TR. SI, PNP	R303	RD14BB2E3R3J	RES. CARBON 3.3 5% 1/4W
Q004	2SC2786(K)	TR. SI, NPN	R304	RD14BB2E100J	RES. CARBON 10 5% 1/4W
Q005	2SC2786(K)	TR. SI, NPN	R305	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
Q006	2SC2786(K)	TR. SI, NPN	R306	RD14BB2E822J	RES. CARBON 8.2K 5% 1/4W
Q007	2SC2786(K)	TR. SI, NPN	R307	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
Q008	2SA1005(K)	TR. SI, PNP	R308	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
Q009	2SC2786(K)	TR. SI, NPN	R309	RN14BK2E1502F	RES. METAL FILM 15K 1% 1/4W
Q010	2SC2786(K)	TR. SI, NPN	R310	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
Q011	2SC2786(K)	TR. SI, NPN	R311	RN14BK2E1602F	RES. METAL FILM 16K 1% 1/4W
Q012	2SC2786(K)	TR. SI, NPN	R312	RN14BK2E1503F	RES. METAL FILM 150K 1% 1/4W
Q013	2SC2786(K)	TR. SI, NPN	R313	RD14BY2H104J	RES. CARBON 100K 5% 1/2W
Q014	2SC2786(K)	TR. SI, NPN	R314	RD14BY2H104J	RES. CARBON 100K 5% 1/2W
Q015	2SC2407	TR. SI, NPN	TC001	C05-0425-05	CAP. TRIMMER 70P
Q016	2SC2407	TR. SI, NPN	TC002	C05-0425-05	CAP. TRIMMER 70P
Q017	2SC2912(R,S)	TR. SI, NPN	TC101	C05-0434-05	CAP. TRIMMER 20P
Q018	2SC2912(R,S)	TR. SI, NPN	TP001	E23-0046-04	TERMINAL
Q301	2SA1009(L,K)	TR. SI, PNP	TP002	E23-0046-04	TERMINAL
Q302	2SA1009(L,K)	TR. SI, PNP	TP003	E23-0046-04	TERMINAL
Q303	2SA1175(F)	TR. SI, PNP	TP004	E23-0046-04	TERMINAL
Q304	2SA1175(F)	TR. SI, PNP	TP005	E23-0046-04	TERMINAL
Q305	2SC2271(E)	TR. SI, NPN	U001	M47F(B)	FET
Q306	2SC2271(E)	TR. SI, NPN	U301	#PC7805H	IC
R001	RD14BB2E105J	RES. CARBON 1M 5% 1/4W	U302	#PC7915HA	IC
R002	RD14BB2E220J	RES. CARBON 22 5% 1/4W	U303	NJM7815	IC
R003	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	U304	NJM4558D	IC DUAL OP AMP.
R004	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	VR001	R05-3506-05	V.R. 10K B
R005	RD14BB2E120J	RES. CARBON 12 5% 1/4W	VR002	NO USE	
R006	RD14BB2E510J	RES. CARBON 51 5% 1/4W	VR003	R12-0539-05	RES. SEMI FIXED 200 B
R007	RD14BB2E510J	RES. CARBON 51 5% 1/4W	VR004	R12-0421-05	RES. SEMI FIXED 100 B
R008	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	VR005	R12-0421-05	RES. SEMI FIXED 100 B
R009	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR006	R12-0421-05	RES. SEMI FIXED 100 B
R010	RD14BB2E302J	RES. CARBON 3K 5% 1/4W			
R011	RD14BB2E220J	RES. CARBON 22 5% 1/4W			
R012	RD14BB2E243J	RES. CARBON 24K 5% 1/4W			
R013	RD14BB2E302J	RES. CARBON 3K 5% 1/4W			
R014	RN14BK2E1000F	RES. METAL FILM 100 1X 1/4W			
R015	RN14BK2E1301F	RES. METAL FILM 1.3K 1X 1/4W			
R016	RD14BB2E220J	RES. CARBON 22 5% 1/4W			
R017	RD14BB2E302J	RES. CARBON 3K 5% 1/4W			
R018	RD14BB2E104J	RES. CARBON 100K 5% 1/4W			
R019	RD14BB2E220J	RES. CARBON 22 5% 1/4W			
R020	RD14BB2E331J	RES. CARBON 330 5% 1/4W			
R021	RD14BB2E331J	RES. CARBON 330 5% 1/4W			
R022	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R023	RD14BB2E220J	RES. CARBON 22 5% 1/4W			
R024	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R025	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R026	RD14BB2E152J	RES. CARBON 1.5K 1/4W			
R027	RD14BB2E152J	RES. CARBON 1.5K 1/4W			
R028	RD14BB2E270J	RES. CARBON 27 5% 1/4W			
R029	RD14BB2E270J	RES. CARBON 27 5% 1/4W			
R030	RD14BB2E100J	RES. CARBON 10 5% 1/4W			
R031	RD14BB2E221J	RES. CARBON 220 5% 1/4W			
R032	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R033	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R034	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R035	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R036	RN14BK2E2201F	RES. METAL FILM 2.2K 1X 1/4W			
R037	RN14BK2E2201F	RES. METAL FILM 2.2K 1X 1/4W			
R038	RD14BB2E750J	RES. CARBON 75 5% 1/4W			
R039	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R040	RD14BB2E682J	RES. CARBON 6.8K 5% 1/4W			
R041	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W			
R042	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R043	RD14BB2E471J	RES. CARBON 470 5% 1/4W			
R044	RN14BK2E8200F	RES. METAL FILM 820 1X 1/4W			
R045	RN14BK2E8200F	RES. METAL FILM 820 1X 1/4W			
R046	RD14BB2E162J	RES. CARBON 1.6K 5% 1/4W			
R047	NO USE				
R048	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C021	CC45CH1H050C	CAP. CERAMIC 5P 0.25P 50V
R049	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	C103	CC45CH1H150J	CAP. CERAMIC 15P 5% 50V
R050	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	C104	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R051	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C105	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R052	RD14BB2E220J	RES. CARBON 22 5% 1/4W	C106	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R053	RD14BB2E220J	RES. CARBON 22 5% 1/4W	C107	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R054	RD14BB2E201J	RES. CARBON 200 5% 1/4W	C108	NO USE	
R055	RD14BB2E201J	RES. CARBON 200 5% 1/4W	C109	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V
R056	RD14BB2E121J	RES. CARBON 120 5% 1/4W	C110	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V
R057	NO USE		C111	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R058	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C112	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R059	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C116	CC45CH1H050C	CAP. CERAMIC 5P 0.25P 50V
R060	RS14GB3F681J	RES. METAL FILM 680 5% 3W	C301	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
R061	RS14GB3F681J	RES. METAL FILM 680 5% 3W	C302	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
R062	RS14GB3F681J	RES. METAL FILM 680 5% 3W	C303	CE04W1E222M	CAP. ELECTRO 2200 20% 25V
R063	RS14GB3F681J	RES. METAL FILM 680 5% 3W	C304	C90-0910-05	CAP. ELECTRO 100 20% 200V
R064	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	C305	CE04W1E2470	CAP. ELECTRO 47 250V
R065	RD14BB2E201J	RES. CARBON 200 5% 1/4W	C306	CE04W1A101M	CAP. ELECTRO 100 20% 10V
R066	RD14BB2E511J	RES. CARBON 510 5% 1/4W	C307	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R067	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	C308	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R068	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	C309	CE04W2C100	CAP. ELECTRO 10 160V
R069	RD14BB2E223J	RES. CARBON 22K 5% 1/4W	C310	CE04W2E010	CAP. ELECTRO 1 250V
R301	RD14BB2E473J	RES. CARBON 47K 5% 1/4W			

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
C311	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R010	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
C312	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R011	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C313	CK45E1H103K	CAP. CERAMIC 0.01 10% 50V	R012	RD14BB2E223J	RES. CARBON 22K 5% 1/4W
C314	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R013	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
C315	CK45E1H103K	CAP. CERAMIC 0.01 10% 50V	R014	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W
C316	CE04W1H010M	CAP. ELECTRO 1 20% 50V	R015	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W
C317	CK45E1H103K	CAP. CERAMIC 0.01 10% 50V	R016	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C318	CK45E1H102K	CAP. CERAMIC 1000P 10% 50V	R017	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
C319	CK45E1H102K	CAP. CERAMIC 1000P 10% 50V	R018	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
C320	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V	R019	RD14BB2E220J	RES. CARBON 22 5% 1/4W
*			R020	RD14BB2E331J	RES. CARBON 330 5% 1/4W
D001	DS442X	DIODE	R021	RD14BB2E331J	RES. CARBON 330 5% 1/4W
D002	DS442X	DIODE	R022	NO USE	
D003	DS442X	DIODE	R023	RD14BB2E220J	RES. CARBON 22 5% 1/4W
D101	DS442X	DIODE	R024	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
D102	DS442X	DIODE	R025	RD14BB2E101J	RES. CARBON 100 5% 1/4W
D103	DS442X	DIODE	R026	RD14BB2E152J	RES. CARBON 1.5K 5% 1/4W
D104	DS442X	DIODE	R027	RD14BB2E152J	RES. CARBON 1.5K 5% 1/4W
D105	DS442X	DIODE	R028	RD14BB2E270J	RES. CARBON 27 5% 1/4W
D106	DS442X	DIODE	R029	RD14BB2E270J	RES. CARBON 27 5% 1/4W
D107	DS442X	DIODE	R030	RD14BB2E220J	RES. CARBON 22 5% 1/4W
D108	MTZ10JC	DIODE, ZENER 10V	R031	RD14BB2E470J	RES. CARBON 47 5% 1/4W
D301	S2VB40F	DIODE, BRIDGE	R032	RD14BB2E101J	RES. CARBON 100 5% 1/4W
D302	S2VB40F	DIODE, BRIDGE	R033	RD14BB2E101J	RES. CARBON 100 5% 1/4W
D303	S1VB60	DIODE	R034	RD14BB2E223J	RES. CARBON 2.2K 5% 1/4W
D304	S1VB60	DIODE	R035	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
D305	DS442X	DIODE	R036	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
D306	DS442X	DIODE	R037	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
D307	V06B	DIODE	R038	RD14BB2E750J	RES. CARBON 75 5% 1/4W
L001	L40-1025-03	FERRI INDUCTOR	R039	RD14BB2E431J	RES. CARBON 430 5% 1/4W
L002	L40-1025-03	FERRI INDUCTOR	R040	RD14BB2E682J	RES. CARBON 6.8K 5% 1/4W
P001	E40-0473-05	PIN CONNECTOR 4 P	R041	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
P002	E40-0273-05	PIN CONNECTOR 2 P	R042	RD14BB2E471J	RES. CARBON 470 5% 1/4W
P003	E04-0154-05	BNC RECEPTACLE	R043	RD14BB2E471J	RES. CARBON 470 5% 1/4W
P004	E23-0046-04	TERMINAL	R044	RN14BK2E8200F	RES. METAL FILM 820 1% 1/4W
P005	E23-0046-04	TERMINAL	R045	RN14BK2E8200F	RES. METAL FILM 820 1% 1/4W
P101	E40-0473-05	PIN CONNECTOR 4 P	R046	RN14BK2E8200F	RES. METAL FILM 820 1% 1/4W
P301	E40-0930-05	PIN CONNECTOR 9P	R047	RN14BK2E8200F	RES. METAL FILM 820 1% 1/4W
P302	E40-1116-05	PIN CONNECTOR 11P	R048	RD14BB2E101J	RES. CARBON 100 5% 1/4W
P303	E40-1116-05	PIN CONNECTOR 11P	R049	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
Q002	ZSA1005(K)	TR. SI, PNP	R050	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
Q003	ZSA1005(K)	TR. SI, PNP	R051	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q004	ZSC2786(K)	TR. SI, NPN	R052	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q005	ZSC2785(F)	TR. SI, NPN	R053	RD14BB2E221J	RES. CARBON 220 5% 1/4W
Q006	ZSC2785(F)	TR. SI, NPN	R054	RD14BB2E221J	RES. CARBON 220 5% 1/4W
Q007	ZSC2785(F)	TR. SI, NPN	R055	RD14BB2E221J	RES. CARBON 220 5% 1/4W
Q008	ZSA1005(K)	TR. SI, PNP	R056	RD14BB2E750J	RES. CARBON 75 5% 1/4W
Q009	ZSC2785(F)	TR. SI, NPN	R057	RD14BB2E121J	RES. CARBON 120 5% 1/4W
Q010	ZSC2785(F)	TR. SI, NPN	R058	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q011	ZSC2785(F)	TR. SI, NPN	R059	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q012	ZSC2785(F)	TR. SI, NPN	R060	RN14GB3F681J	RES. METAL FILM 680 5% 3W
Q013	ZSC2785(F)	TR. SI, NPN	R061	RN14GB3F681J	RES. METAL FILM 680 5% 3W
Q014	ZSC2785(F)	TR. SI, NPN	R062	RN14GB3F681J	RES. METAL FILM 680 5% 3W
Q015	ZSC2785(F)	TR. SI, NPN	R063	RN14GB3F681J	RES. METAL FILM 680 5% 3W
Q016	ZSC1973	TR. SI, NPN	R064	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
Q017	ZSC2912(R,S)	TR. SI, NPN	R065	RD14BB2E201J	RES. CARBON 200 5% 1/4W
Q018	ZSC2912(R,S)	TR. SI, NPN	R066	RD14BB2E471J	RES. CARBON 470 5% 1/4W
Q102	ZSA1005(K)	TR. SI, PNP	R067	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W
Q103	ZSA1005(K)	TR. SI, PNP	R068	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
Q104	ZSC2786(K)	TR. SI, NPN	R101	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
Q105	ZSC2785(F)	TR. SI, NPN	R102	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q106	ZSC2785(F)	TR. SI, NPN	R103	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
Q107	ZSC2785(F)	TR. SI, NPN	R104	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
Q108	ZSC2785(F)	TR. SI, NPN	R105	RD14BB2E120J	RES. CARBON 12 5% 1/4W
Q109	ZSC2785(F)	TR. SI, NPN	R106	RD14BB2E510J	RES. CARBON 51 5% 1/4W
Q110	ZSC2785(F)	TR. SI, NPN	R107	RD14BB2E510J	RES. CARBON 51 5% 1/4W
Q111	ZSC2785(F)	TR. SI, NPN	R108	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
Q112	ZSC2785(F)	TR. SI, NPN	R109	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
Q113	ZSA1175(F)	TR. SI, PNP	R110	RD14BB2E502J	RES. CARBON 3K 5% 1/4W
Q114	ZSC2785(F)	TR. SI, NPN	R111	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q115	ZSC2785(F)	TR. SI, NPN	R112	RD14BB2E223J	RES. CARBON 22K 5% 1/4W
Q301	ZSA1009(L,K)	TR. SI, PNP	R113	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
Q302	ZSA1009(L,K)	TR. SI, PNP	R114	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W
Q303	ZSA1175(F)	TR. SI, PNP	R115	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
Q304	ZSA1175(F)	TR. SI, PNP	R116	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W
Q305	ZSC2271(E)	TR. SI, NPN	R117	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q306	ZSC2271(E)	TR. SI, NPN	R118	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W
R001	RD14BB2E105J	RES. CARBON 1M 5% 1/4W	R119	RD14BB2E NO USE	
R002	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R120	RD14BB2E220J	RES. CARBON 22 5% 1/4W
R003	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	R121	RD14BB2E561J	RES. CARBON 560 5% 1/4W
R004	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	R122	RD14BB2E NO USE	
R005	RD14BB2E120J	RES. CARBON 12 5% 1/4W	R123	RD14BB2E333J	RES. CARBON 33K 5% 1/4W
R006	RD14BB2E510J	RES. CARBON 51 5% 1/4W	R124	RD14BB2E470J	RES. CARBON 47 5% 1/4W
R007	RD14BB2E510J	RES. CARBON 51 5% 1/4W	R125	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R008	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	R126	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R009	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	R127	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
			R128	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
			R129	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
			R130	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
			R131	RN14BB2E750J	RES. CARBON 75 5% 1/4W
			R132	RN14BK2E2001F	RES. METAL FILM 2K 1% 1/4W
			R133	RN14BK2E2001F	RES. METAL FILM 2K 1% 1/4W
			R134	RD14BB2E510J	RES. CARBON 51 5% 1/4W
			R135	RD14BB2E511J	RES. CARBON 510 5% 1/4W
			R136	RD14BB2E123J	RES. CARBON 12K 5% 1/4W
			R137	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R138	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	C007	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R139	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	C008	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R140	RD14BB2E471J	RES. CARBON 470 5% 1/4W	C009	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R141	RD14BB2E471J	RES. CARBON 470 5% 1/4W	C010	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R142	RD14BB2E471J	RES. CARBON 470 5% 1/4W	C011	CE04W1E470M	CAP. ELECTRO 47 20% 25V
R143	RD14BB2E471J	RES. CARBON 470 5% 1/4W	C012	NO USE	
R144	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W	C013	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R145	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	C014	CE04W1E220M	CAP. ELECTRO 22 20% 25V
R146	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	C015	NO USE	
R147	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W	C016	CE04W1E220M	CAP. ELECTRO 22 20% 25V
R148	RD14BB2E223J	RES. CARBON 22K 5% 1/4W	C017	CE04W1E220M	CAP. ELECTRO 22 20% 25V
R149	RD14BB2E682J	RES. CARBON 6.8K 5% 1/4W	C021	CC45CH1H050C	CAP. CERAMIC 5P 0.25P 50V
R150	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C301	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
R151	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C302	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
R152	RD14BB2E151J	RES. CARBON 150 5% 1/4W	C303	CE04W1E222M	CAP. ELECTRO 2200 20% 25V
R153	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C304	C90-0910-05	CAP. ELECTRO 100 20% 200V
R154	NO USE		C305	CE04W2E470	CAP. ELECTRO 47 250V
R155	RD14BB2E470J	RES. CARBON 47 5% 1/4W	C306	CE04W1A101M	CAP. ELECTRO 100 20% 10V
R156	NO USE		C307	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R157	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	C308	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R158	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	C309	CE04W2C100	CAP. ELECTRO 10 1600
R159	RD14BB2E223J	RES. CARBON 22K 5% 1/4W	C310	CE04W2E010	CAP. ELECTRO 1 250V
R301	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	C311	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R302	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C312	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R303	RD14BB2E3R3J	RES. CARBON 3.3 5% 1/4W	C313	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R304	RD14BB2E100J	RES. CARBON 10 5% 1/4W	C314	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R305	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	C315	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R306	RD14BB2E822J	RES. CARBON 8.2K 5% 1/4W	C316	CE04W1H010M	CAP. ELECTRO 1 20% 50V
R307	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	C317	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
R308	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	C318	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
R309	RN14BK2E1502F	RES. METAL FILM 15K 1% 1/4W	C319	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
R310	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W	C320	CK45B2H103K	CAP. CERAMIC 0.01 10% 50V
R311	RN14BK2E1602F	RES. METAL FILM 16K 1% 1/4W			
R312	RN14BK2E1503F	RES. METAL FILM 150K 1% 1/4W			
R313	RD14BY2H104J	RES. CARBON 100K 5% 1/2W	D001	DS442X	DIODE
R314	RD14BY2H104J	RES. CARBON 100K 5% 1/2W	D002	DS442X	DIODE
			D003	DS442X	DIODE
S101	S42-4509-05	PUSH SWITCH	D301	S2VB40F	DIODE BR104F
TC001	C05-0425-05	CAP. TRIMMER 70P	D302	S2VB40F	DIODE BR104F
TC002	C05-0425-05	CAP. TRIMMER 70P	D303	S1VB60	DIODE
TC101	C05-0434-05	CAP. TRIMMER 20P	D304	S1VB60	DIODE
TC102	C05-0434-05	CAP. TRIMMER 20P	D305	DS442X	DIODE
			D306	DS442X	DIODE
			D307	V068	DIODE
TP001	E23-0046-04	TERMINAL	L001	L40-1025-03	FERRI INDUCTOR
TP002	E23-0046-04	TERMINAL	L002	L40-1025-03	FERRI INDUCTOR
TP003	E23-0046-04	TERMINAL			
TP004	E23-0046-04	TERMINAL	P001	E40-0473-05	PIN CONNECTOR 4P
TP101	E23-0046-04	TERMINAL	P002	E40-0273-05	PIN CONNECTOR 2P
TP102	E23-0046-04	TERMINAL	P003	E04-0154-05	BNC RECEPTACLE
TP103	E23-0046-04	TERMINAL	P301	E40-0930-05	PIN CONNECTOR 9P
TP104	E23-0046-04	TERMINAL	P302	E40-1116-05	PIN CONNECTOR 11P
U001	M47F(B)	FET	P303	E40-1116-05	PIN CONNECTOR 11P
U101	M47F(B)	FET			
U301	UFC7805H	IC	Q002	ZSA1005(K)	TR. SI. PNP
U302	UFC7915HA	IC	Q003	ZSA1005(K)	TR. SI. PNP
U303	NJM7815	IC	Q004	ZSC2786(K)	TR. SI. NPN
U304	NJM4558D	IC	Q005	ZSC2785(F)	TR. SI. NPN
VR001	R05-3506-05	V.R. 20K B	Q006	ZSC2785(F)	TR. SI. NPN
VR002	NO USE		Q007	ZSC2785(F)	TR. SI. NPN
VR003	R12-0539-05	RES. SEMI FIXED 200 B	Q008	ZSA1005(K)	TR. SI. PNP
VR004	R12-0421-05	RES. SEMI FIXED 100 B	Q009	ZSC2785(F)	TR. SI. NPN
VR005	R12-0421-05	RES. SEMI FIXED 100 B	Q010	ZSC2785(F)	TR. SI. NPN
VR006	R12-0421-05	RES. SEMI FIXED 100 B	Q011	ZSC2785(F)	TR. SI. NPN
VR101	R05-3506-05	V.R. 20K B	Q012	ZSC2785(F)	TR. SI. NPN
VR102	R12-3523-05	RES. SEMI FIXED 20K B	Q013	ZSC2785(F)	TR. SI. NPN
VR103	R12-0541-05	RES. SEMI FIXED 100 B	Q014	ZSC2785(F)	TR. SI. NPN
VR104	R12-0543-05	RES. SEMI FIXED 500 B	Q015	ZSC1973	TR. SI. NPN
			Q016	ZSC1973	TR. SI. NPN
			Q017	ZSC2912(R,S)	TR. SI. NPN
			Q018	ZSC2912(R,S)	TR. SI. NPN
			Q301	ZSA1009(L,K)	TR. SI. PNP
			Q302	ZSA1009(L,K)	TR. SI. PNP
			Q303	ZSA1175(F)	TR. SI. PNP
			Q304	ZSA1175(F)	TR. SI. PNP
			Q305	ZSC2271(E)	TR. SI. NPN
			Q306	ZSC2271(E)	TR. SI. NPN

## VERTICAL AMP & POWER UNIT

**(X73-1490-03)**

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
E23-0526-04	EARTH PLATE		R001	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
E33-4032-00	WIRE ASSY		R002	RD14BB2E220J	RES. CARBON 22 5% 1/4W
F01-0835-05	HEAT SINK		R003	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
F01-0836-04	HEAT SINK		R004	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
J25-2999-13	PCB (UNMOUNTED)		R005	RD14BB2E120J	RES. CARBON 12 5% 1/4W
J61-0517-05	STADOFF CLIP		R006	RD14BB2E2510J	RES. CARBON 51 5% 1/4W
N19-0191-05	WASHER NONMETAL		R007	RD14BB2E2510J	RES. CARBON 51 5% 1/4W
N19-0702-04	WASHER		R008	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
N30-3008-46	SCREW, PAN HD M 3X8		R009	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R92-0150-05	JUMPING RES. ZERO OHM		R010	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
212-2014-05	TUBE (PLASTIC)		R011	RD14BB2E220J	RES. CARBON 22 5% 1/4W
C006	CC45CH1H471J	CAP. CERAMIC 470P 5% 50V	R012	RD14BB2E223J	RES. CARBON 22K 5% 1/4W
			R013	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
			R014	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W

## PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION		
R015	RN14BK2E1201F	RES. METAL FILM 1.2K	1X	1/4W
R016	RD14BB2E220J	RES. CAREON	22	5%
R017	RD14BB2E302J	RES. CAREON	3K	5%
R018	RD14BB2E104J	RES. CAREON	100K	5%
R019	RD14BB2E220J	RES. CAREON	22	5%
R020	RD14BB2E331J	RES. CAREON	330	5%
R021	RD14BB2E331J	RES. CAREON	330	5%
R022	RD14BB2E222J	RES. CAREON	2.2K	5%
R023	RD14BB2E220J	RES. CAREON	22	5%
R024	RD14BB2E222J	RES. CAREON	2.2K	5%
R025	RD14BB2E101J	RES. CARBON	100	5%
R026	RD14BB2E152J	RES. CARBON	1.5K	5%
R027	RD14BB2E152J	RES. CARBON	1.5K	5%
R028	RD14BB2E270J	RES. CARBON	27	5%
R029	RD14BB2E270J	RES. CARBON	27	5%
R030	RD14BB2E220J	RES. CAREON	22	5%
R031	RD14BB2E470J	RES. CARBON	47	5%
R032	RD14BB2E101J	RES. CARBON	100	5%
R033	RD14BB2E101J	RES. CARBON	100	5%
R034	RD14BB2E222J	RES. CARBON	2.2K	5%
R035	RD14BB2E222J	RES. CARBON	2.2K	5%
R036	RN14BK2E2201F	RES. METAL FILM 2.2K	1X	1/4W
R037	RN14BK2E2201F	RES. METAL FILM 2.2K	1X	1/4W
R038	RD14BB2E750J	RES. CARBON	75	5%
R039	RD14BB2E471J	RES. CARBON	470	5%
R040	RD14BB2E682J	RES. CARBON	6.8K	5%
R041	RD14BB2E332J	RES. CARBON	3.3K	5%
R042	RD14BB2E471J	RES. CARBON	470	5%
R043	RD14BB2E471J	RES. CARBON	470	5%
R044	RN14BK2E8200F	RES. METAL FILM 820	1X	1/4W
R045	RN14BK2E8200F	RES. METAL FILM 820	1X	1/4W
R046	RD14BB2E162J	RES. CARBON	1.6K	5%
R047	NO USE			
R048	RD14BB2E101J	RES. CARBON	100	5%
R049	RD14BB2E302J	RES. CARBON	3K	5%
R050	RD14BB2E302J	RES. CARBON	3K	5%
R051	RD14BB2E101J	RES. CARBON	100	5%
R052	RD14BB2E220J	RES. CARBON	22	5%
R053	RD14BB2E220J	RES. CARBON	22	5%
R054	RD14BB2E221J	RES. CARBON	220	5%
R055	RD14BB2E221J	RES. CARBON	220	5%
R056	RD14BB2E750J	RES. CARBON	75	5%
R057	RD14BB2E121J	RES. CARBON	120	5%
R058	RD14BB2E101J	RES. CARBON	100	5%
R059	RD14BB2E101J	RES. CARBON	100	5%
R060	RS14GB3F681J	RES. METAL FILM 680	5%	3W
R061	RS14GB3F681J	RES. METAL FILM 680	5%	3W
R062	RS14GB3F681J	RES. METAL FILM 680	5%	3W
R063	RS14GB3F681J	RES. METAL FILM 680	5%	3W
R064	RD14BB2E104J	RES. CARBON	100K	5%
R065	RD14BB2E201J	RES. CAREON	200	5%
R066	RD14BB2E112J	RES. CAREON	1.1K	5%
R067	RD14BB2E272J	RES. CARBON	2.7K	5%
R068	RD14BB2E104J	RES. CARBON	100K	5%
R301	RD14BB2E473J	RES. CARBON	47K	5%
R302	RD14BB2E102J	RES. CAREON	1K	5%
R303	RD14BB2E3R3J	RES. CARBON	3.3	5%
R304	RD14BB2E100J	RES. CAREON	10	5%
R305	RD14BB2E562J	RES. CARBON	5.6K	5%
R306	RD14BB2E282J	RES. CARBON	8.2K	5%
R307	RD14BB2E222J	RES. CARBON	2.2K	5%
R308	RD14BB2E222J	RES. CARBON	2.2K	5%
R309	RN14BK2E1502F	RES. METAL FILM 15K	1X	1/4W
R310	RN14BK2E1003F	RES. METAL FILM 100K	1X	1/4W
R311	RN14BK2E1602F	RES. METAL FILM 16K	1X	1/4W
R312	RN14BK2E1503F	RES. METAL FILM 150K	1X	1/4W
R313	RD14BY2H104J	RES. CARBON	100K	5%
R314	RD14BY2H104J	RES. CARBON	100K	5%
TC001	C05-0425-05	CAP. TRIMMER	70P	
TC002	C05-0425-05	CAP. TRIMMER	70P	
TC101	C05-0434-05	CAP. TRIMMER	20P	
TP001	E23-0046-04	TERMINAL		
TP002	E23-0046-04	TERMINAL		
TP003	E23-0046-04	TERMINAL		
TP004	E23-0046-04	TERMINAL		
TP005	E23-0046-04	TERMINAL		
U001	M47F(B)	FET		
U301	UPC7805H	IC		
U302	UPC7915HA	IC		
U303	NJM7815	IC		
U304	NJM4558D	IC		
VR001	R05-3506-05	V.R.	20K B	
VR002	NO USE			
VR003	R12-0539-05	RES. SEMI FIXED	200 B	
VR004	R12-0421-05	RES. SEMI FIXED	100 B	
VR005	R12-0421-05	RES. SEMI FIXED	100 B	
VR006	R12-0421-05	RES. SEMI FIXED	100 B	

**HORIZONTAL & HIGH VOLTAGE UNIT**  
**(X74-1340-00)**

REF.NO	PARTS NO	NAME & DESCRIPTION
E23-0015-04	EARTH LUG	
E23-0046-04	TERMINAL	
E31-2170-05	JUMPING WIRE	
E33-4028-00	WIRE ASSY	
F01-0230-04	HEAT SINK	
F01-0820-04	HEAT SINK	
F01-0835-05	HEAT SINK	
F15-0727-04	HOLDER (NEON TUBE)	
F20-0622-05	INSULATOR	
J25-2998-13	PCB (UNMOUNTED)	
J31-0604-04	COLLAR	
N19-0191-05	WASHER NONMETAL	
N30-3008-46	SCREW, PAN HD M 3X8	
R92-0150-05	JUMPING RES. ZERO OHM	
W02-0406-05	HIGH VOLTAGE POWER BLOCK	
002-0001-05	BRAIDED WIRE	
212-1018-05	TUBE (PLASTIC)	
212-3013-05	TUBE (PLASTIC)	
C001	CC45CH1H330J	CAP. CERAMIC 33P 5% 50V
C002	CC45CH2H010C	CAP. CERAMIC 1P 0.25P 500V
C003	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
C004	CE04W1H100R	CAP. ELECTRO 10 20% 50V
C005	CE04W2E100	CAP. ELECTRO 10 20% 250V
C006	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V
C007	CQ93FM1H153K	CAP. MYLAR 0.015 10% 50V
C008	CE04W1V471M	CAP. ELECTRO 470 20% 35V
C009	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V
C010	CQ93FM1H223K	CAP. MYLAR 0.022 10% 50V
C011	CK45B2H102K	CAP. CERAMIC 1000P 10% 500V
C012	CK45E3D103P	CAP. CERAMIC 0.01 2K
C013	CK45E3D103P	CAP. CERAMIC 0.01 2K
C014	NO USE	
C015	CE04W2E010	CAP. ELECTRO 1 250V
C016	CE04W2E4R7	CAP. ELECTRO 4.7 250V
C017	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
C018	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C019	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V
C020	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C021	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V
C022	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C023	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C024	C90-0912-05	CAP. ELECTRO 220 20% 35V
C025	C90-0912-05	CAP. ELECTRO 220 20% 35V
C026	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C027	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
C028	CE04W2A3R3M	CAP. ELECTRO 3.3 20% 100V
C029	C91-0571-05	CAP. CERAMIC 0.01 2KV
C030	CK45E3D102P	CAP. CERAMIC 1000P 2K
C031	CC45CH1H180J	CAP. CERAMIC 18P 5% 50V
C101	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V
C102	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V
C103	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C104	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C105	CC45CH1H121J	CAP. CERAMIC 120P 5% 50V
C106	CE04W1H100M	CAP. ELECTRO 10 20% 50V
C107	NO USE	
C108	C90-0298-05	CAP. CERAMIC 0.1 20% 12V
C109	CK45B1H472K	CAP. CERAMIC 4700P 10% 50V
C110	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C111	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V
C112	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C113	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V
C114	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C115	CE04W1A101M	CAP. ELECTRO 100 20% 10V
C116	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C117	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C118	CC45CH2H100D	CAP. CERAMIC 10P 0.5P 500V
C119	CC45CH2H040C	CAP. CERAMIC 4P 0.25P 500V
C120	CF93AN2A105J	CAP. POLYESTHETL 1 5% 100V
C121	CQ93EP2A103F	CAP. MYLAR 0.01 1% 100V
C122	CM93ED2A990U	CAP. MICA 90P 5% 100V
C123	CQ93FM1H102K	CAP. MYLAR 1000P 10% 50V
C124	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C125	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C126	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C127	CC45FCH1H330J	CAP. CERAMIC 33P 5% 50V
C128	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C129	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C130	NO USE	
C131	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C132	NO USE	
C133	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C134	CC45FCH1H270J	CAP. CERAMIC 27P 5% 50V
C135	CC45CH2H010C	CAP. CERAMIC 1P 0.25P 500V
C136	CM93ED2A151J	CAP. MICA 150P 5% 100V
C137	CC45CH1H680J	CAP. CERAMIC 68P 5% 50V
C138	NO USE	
C139	CC45CH2H060D	CAP. CERAMIC 6P 0.5P 500V
C140	CK45F1H103Z	CAP. CERAMIC 0.01 50V
C141	CK45FR1H102K	CAP. CERAMIC 1000P 10% 50V

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
C142	CC45CH1H221J	CAP. CERAMIC 220P 5%	50V	Q005	ZSC2271(D)
C143	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q101	ZSK117(Y)	FET. N-CHANNEL
C144	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q102	ZSK117(Y)	FET. N-CHANNEL
C145	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	Q103	ZSC2785(F)	TR. SI, NPN
C146	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q104	ZSC2785(F)	TR. SI, NPN
C147	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q105	ZSC2785(F)	TR. SI, NPN
C148	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q106	ZSC2785(F)	TR. SI, NPN
C149	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q107	ZSA1175(F)	TR. SI, PNP
C150	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q108	ZSA1175(F)	TR. SI, PNP
C151	CE04W1A221M	CAP. ELECTRO 220 20% 10V	Q109	ZSA838(C)	TR. SI, PNP
C152	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q110	ZSA838(C)	TR. SI, PNP
C153	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q111	ZSA1175(F)	TR. SI, PNP
C154	CE04W2E4R7	CAP. ELECTRO 4.7 250V	Q112	ZSA1175(F)	TR. SI, PNP
C155	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	Q113	ZSC2785(F)	TR. SI, NPN
C158	CC45FCH1H150J	CAP. CERAMIC 15P 5% 50V	Q114	ZSC2785(F)	TR. SI, NPN
C159	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q115	ZSK117(Y)	FET. N-CHANNEL
C160	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q116	ZSC2785(F)	TR. SI, NPN
C161	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q117	ZSC2785(F)	TR. SI, NPN
C162	NO USE		Q118	ZSC2785(F)	TR. SI, NPN
C163	CC45FCH1H1000	CAP. CERAMIC 10P 0.5P 50V	Q119	ZSC2785(F)	TR. SI, NPN
C164	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q120	ZSC2785(F)	TR. SI, NPN
C165	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	Q121	ZSA1175(F)	TR. SI, PNP
C166	NO USE		Q122	ZSA1175(F)	TR. SI, PNP
C167	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	Q123	ZSA1175(F)	TR. SI, PNP
C168	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q124	ZSC2912(S)	TR. SI, NPN
C169	NO USE		Q125	ZSA1210(S)	TR. SI, PNP
C170	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q126	ZSC2785(F)	TR. SI, NPN
C171	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q127	ZSC2912(S)	TR. SI, NPN
C172	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q128	ZSC2785(F)	TR. SI, NPN
C173	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	Q129	ZSC2785(F)	TR. SI, NPN
C174	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	R001	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W
C175	NO USE		R002	RD14BK2E221J	RES. CARBON 220 5% 1/4W
C176	CK45B1H152K	CAP. CERAMIC 1500P 10% 50V	R003	RD14BK2E183J	RES. CARBON 18K 5% 1/4W
D001	DS442X	DIODE, SILICON SWITCHING	R004	RD14BK2E104J	RES. CARBON 100K 5% 1/4W
D002	DS442X	DIODE, SILICON SWITCHING	R005	RN14BK2E4702F	RES. METAL FILM 47K 1% 1/4W
D003	NO USE		R006	RD14BK2E101J	RES. CARBON 100 5% 1/4W
D004	W06C	DIODE, SILICON RECTIFIER	R007	RN14BK2E3303F	RES. METAL FILM 550K 1% 1/4W
D005	W06C	DIODE, SILICON RECTIFIER	R008	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
D006	1SS83	DIODE, SILICON SWITCHING	R009	RD14BK2E104J	RES. CARBON 100K 5% 1/4W
D007	1SS83	DIODE, SILICON SWITCHING	R010	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
D008	DS442X	DIODE, SILICON SWITCHING	R011	RD14BK2E221J	RES. CARBON 220 5% 1/4W
D009	DS442X	DIODE, SILICON SWITCHING	R012	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
D010	DS442X	DIODE, SILICON SWITCHING	R013	R92-1033-05	RES. FIXED 33M
D011	DS442X	DIODE, SILICON SWITCHING	R014	RD14BK2E334J	RES. CARBON 330K 5% 1/4W
D012	DS442X	DIODE, SILICON SWITCHING	R015	R92-1034-05	RES. METAL FILM 47M
D013	DS442X	DIODE, SILICON SWITCHING	R016	R92-1031-05	RES. FIXED 4.7M
D014	DS442X	DIODE, SILICON SWITCHING	R017	R92-0800-05	RES. FIXED 10M
D015	DS442X	DIODE, SILICON SWITCHING	R018	RD14BK2E823J	RES. CARBON 82K 5% 1/4W
D016	DS442X	DIODE, SILICON SWITCHING	R019	R91-28-393J	RES. CARBON 39K 5% 1/4W
D017	DS442X	DIODE, SILICON SWITCHING	R020	RD14BK2E333J	RES. CARBON 33K 5% 1/4W
D018	DS442X	DIODE, SILICON SWITCHING	R021	RD14BK2E473J	RES. CARBON 47K 5% 1/4W
D019	DS442X	DIODE, SILICON SWITCHING	R022	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
D020	DS442X	DIODE, SILICON SWITCHING	R023	RD14BK2E223J	RES. CARBON 2.2K 5% 1/4W
D021	DS442X	DIODE, SILICON SWITCHING	R024	RN14BK2E6800F	RES. METAL FILM 680 1% 1/4W
D022	DS442X	DIODE, SILICON SWITCHING	R025	RN14BK2E2402F	RES. METAL FILM 24K 1% 1/4W
D023	DS442X	DIODE	R026	RD14BK2E1302F	RES. METAL FILM 13K 1% 1/4W
D024	DS442X	DIODE	R027	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
D025	DS442X	DIODE	R028	RD14BK2E562J	RES. CARBON 5.0K 5% 1/4W
D026	DS442X	DIODE	R029	RD14BK2E4R7J	RES. CARBON 4.7 5% 1/4W
D027	MTZ5.1JB	DIODE, ZENER 5V	R030	NO USE	
D028	DS442X	DIODE, SILICON SWITCHING	R031	RD14BK2E470J	RES. CARBON 47 5% 1/4W
D029	DS442X	DIODE, SILICON SWITCHING	R032	RD14BK2E324J	RES. CARBON 220K 5% 1/4W
D030	DS442X	DIODE	R033	RD14BK2E563J	RES. CARBON 56K 5% 1/4W
D124	DS442X	DIODE	R101	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
D125	DS442X	DIODE	R102	RD14BK2E104J	RES. CARBON 100K 5% 1/4W
L001	L40-1011-13	FERRI INDUCTOR 100UH	R103	RD14BK2E153J	RES. CARBON 15K 5% 1/4W
L002	L40-1011-13	FERRI INDUCTOR 100UH	R104	RD14BK2E153J	RES. CARBON 15K 5% 1/4W
L003	L40-1021-03	FERRI INDUCTOR	R105	RD14BK2E201J	RES. CARBON 200 5% 1/4W
L004	L40-1021-13	FERRI INDUCTOR	R106	RD14BK2E302J	RES. CARBON 3K 5% 1/4W
L005	L40-1021-13	FERRI INDUCTOR	R107	RN14BK2E3301F	RES. METAL FILM 3.3K 1% 1/4W
L006	L40-1021-13	FERRI INDUCTOR	R108	RN14BK2E3300F	RES. METAL FILM 330 1% 1/4W
L007	L40-1021-13	FERRI INDUCTOR	R109	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W
L008	L40-4791-02	FERRI INDUCTOR 4.7UH	R110	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W
L101	L40-1011-13	FERRI INDUCTOR 100UH	R111	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W
NL001	NE-2B	NEON LAMP	R112	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
NL002	NE-2B	NEON LAMP	R113	RD14BK2E183J	RES. CARBON 18K 5% 1/4W
P001	E40-0274-05	PIN CONNECTOR 2P	R114	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
P002	E40-0374-05	PIN CONNECTOR 3P	R115	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
P003	E40-0335-05	PIN CONNECTOR 3P	R116	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
P004	E40-0535-05	PIN CONNECTOR 5P	R117	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
P005	E40-0233-05	PIN CONNECTOR 2P	R118	RD14BK2E105J	RES. CARBON 1M 5% 1/4W
P101	E40-1116-05	PIN CONNECTOR 11P	R119	RD14BK2E622J	RES. CARBON 6.2K 5% 1/4W
P102	E40-1116-05	PIN CONNECTOR 11P	R120	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
P103	E40-0273-05	PIN CONNECTOR 2P	R121	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
R001	ZSC2912(S)	TR. SI, NPN	R122	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W
Q002	ZSA1210(S)	TR. SI, PNP	R123	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W
Q003	2SD613(E)	TR. SI, NPN	R124	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W
Q004	ZSC2785(F)	TR. SI, NPN	R125	RD14BK2E202J	RES. CARBON 1K 5% 1/4W
R126	RN14BK2E1002F	RES. METAL FILM 10K 1% 1/4W			
R127	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W			
R128	RD14BK2E102J	RES. CARBON 1K 5% 1/4W			
R129	RD14BK2E561J	RES. CARBON 560 5% 1/4W			
R130	RD14BK2E182J	RES. CARBON 1.6K 5% 1/4W			

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R131	RD14BB2E681J	RES. CARBON 680 5% 1/4W	T001	L19-0412-05	CONVERTOR TRANSFORMER
R132	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	TC101	C05-0422-05	CAP. TRIMMER- 20P
R133	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	TC102	C05-0421-05	CAP. TRIMMER 10P
R134	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	U001	NJM4558D	IC
R135	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	U101	MC10103L	IC, QUAD 2-INPUT OR GATE
R136	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	U102	SN74LS11CN	IC
R137	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	U103	SN74LS0CN	IC, QUAD 2-INPUT NOR GATE
R138	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	U104	SN74LS00N	IC
R139	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	U105	SN74LS08N	IC, QUAD 2-INPUT AND GATE
R140	RD14BB2E221J	RES. CARBON 220 5% 1/4W	UR001	R12-5516-05	RES. SEMI FIXED 100K B
R141	RD14BB2E221J	RES. CARBON 220 5% 1/4W	VR101	R01-3510-05	V.R. WITH SW. 10K B
R142	RD14BB2C220J	RES. CARBON 22 5% 1/6W	VR102	R01-3510-05	V.R. WITH SW. 10K B
R143	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	VR103	S02-2505-15	ROTARY SWITCH WITH VR.2KB
R144	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	VR104	R12-5520-05	RES. SEMI FIXED 10K B
R145	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W	VR105	R12-1518-05	RES. SEMI FIXED 2K B
R146	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	VR106	R1-0421-05	RES. SEMI FIXED 100 B
R147	RN14BK2E3502F	RES. METAL FILM 33K 1% 1/4W	VR107	R12-1517-05	RES. SEMI FIXED 1K B
R148	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR109	R12-5518-05	RES. SEMI FIXED 200K OHM B
R149	RN14BK2E3602F	RES. METAL FILM 36K 1% 1/4W	VR110	NO USE	
R150	RS14GB30183J	RES. METAL FILM 18K 5% 2W	VR111	R12-0540-05	RES. SEMI FIXED 500 B
R151	RD14BB2E102J	RES. CARBON 1K 5% 1/4W			
R152	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R153	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R154	RD14BB2E132J	RES. CARBON 13K 5% 1/4W			
R155	RD14BB2C132J	RES. CARBON 1.3K 5% 1/6W			
R156	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W			
R157	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W			
R158	RN14BK2E4301F	RES. METAL FILM 4.3K 1% 1/4W			
R159	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W			
R160	RN14BK2E3004F	RES. METAL FILM 3M 1% 1/4W			
R161	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W			
R162	RN14BK2E5003F	RES. METAL FILM 500K 1% 1/4W			
R163	RN14BK2E5003F	RES. METAL FILM 500K 1% 1/4W			
R164	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W			
R165	RN14BK2E5002F	RES. METAL FILM 50K 1% 1/4W			
R166	RN14BK2E3002F	RES. METAL FILM 30K 1% 1/4W			
R167	RN14BK2E2002F	RES. METAL FILM 20K 1% 1/4W			
R168	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R169	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R170	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R171	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W			
R172	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R173	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R174	RD14BB2E391J	RES. CARBON 390 5% 1/4W			
R175	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W			
R176	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W			
R177	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R178	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R179	RD14BB2E103J	RES. CARBON 10K 5% 1/4W			
R180	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W			
R181	RD14BB2E103J	RES. CARBON 10K 5% 1/4W			
R182	RD14BB2E103J	RES. CARBON 10K 5% 1/4W			
R183	RD14BB2E683J	RES. CARBON 68K 5% 1/4W	C001	CC45FC1H330J	CAP. CERAMIC 33P 5% 50V
R184	RD14BB2E621J	RES. CARBON 620 5% 1/4W	C002	CC45CH2H010C	CAP. CERAMIC 1P 0.25P 500V
R185	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C003	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
R186	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	C004	CE04FW1H100M	CAP. ELECTRO 10 20% 50V
R187	RD14BB2E183J	RES. CARBON 18K 5% 1/4W	C005	CE04W2E100M	CAP. ELECTRO 10 20% 250V
R188	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	C006	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V
R189	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C007	CQ93FM1H153K	CAP. MYLAR 0.015 10% 50V
R190	RS14GB30103J	RES. METAL FILM 10K 5% 2W	C008	CE04W1U471M	CAP. ELECTRO 470 20% 35V
R191	RD14BB2E683J	RES. CARBON 68K 5% 1/4W	C009	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V
R192	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	C010	CQ93FM1H223K	CAP. MYLAR 0.022 10% 50V
R193	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W	C011	CK45B2H102K	CAP. CERAMIC 1000P 10% 500V
R194	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W	C012	CK45E3D103P	CAP. CERAMIC 0.01 2K
R195	RD14BB2E821J	RES. CARBON 820 5% 1/4W	C013	CK45E3D103P	CAP. CERAMIC 0.01 2K
R196	RD14BB2E821J	RES. CARBON 820 5% 1/4W	C014	NO USE	
R197	NO USE		C015	CE04W2E010M	CAP. ELECTRO 1 20% 250V
R198	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	C016	CE04W2E477M	CAP. ELECTRO 4.7 20% 250V
R199	RD14BB2E221J	RES. CARBON 220 5% 1/4W	C017	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
R205	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C018	CE04FW1E470M	CAP. ELECTRO 47 20% 25V
R206	RD14BB2E363J	RES. CARBON 36K 5% 1/4W	C019	CC45FC1H1000D	CAP. CERAMIC 10P 0.5P 50V
R207	RN14BK2F1700F	RES. METAL FILM 10K 1% 1/4W	C020	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R210	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C021	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V
R211	RD14BB2E470J	RES. CARBON 47 5% 1/4W	C022	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R212	RD14BB2E101J	RES. CARBON 100 5% 1/4W	C023	CE04W1E101M	CAP. ELECTRO 100 20% 25V
R213	NO USE		C024	C90-0912-05	CAP. ELECTRO 220 20% 35V
R214	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W	C025	C90-0912-05	CAP. ELECTRO 220 20% 35V
R217	RD14BB2E183J	RES. CARBON 18K 5% 1/4W	C026	CK45F1H103Z	CAP. CERAMIC 0.01 50V
R221	RD14BB2E133J	RES. CARBON 13K 5% 1/4W	C027	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
R222	RD14BB2C102J	RES. CARBON 1K 5% 1/6W	C028	CE04FW2A3R3M	CAP. ELECTRO 3.3 20% 100V
R225	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	C029	C91-0571-05	CAP. CERAMIC 0.01 2KV
R226	NO USE		C030	CK45E3D102P	CAP. CERAMIC 1000P 2K
R227	RD14BB2E101J	RES. CARBON 1K 5% 1/6W	C031	CC45FC1H180J	CAP. CERAMIC 18P 5% 50V
R228	RD14BB2C133J	RES. CARBON 13K 5% 1/6W	C101	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V
S101	R01-3510-05	V.R. WITH SW. 10K B	C102	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V
S102	R01-3510-05	V.R. WITH SW. 10K B	C103	CK45F1H103Z	CAP. CERAMIC 0.01 50V
S103	S02-2505-15	ROTARY SWITCH WITH VR.2KB	C104	CK45F1H103Z	CAP. CERAMIC 0.01 50V
S104	S33-2501-05	LEVER SWITCH	C105	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V
S105	S32-2012-05	LEVER SWITCH	C106	CE04FW1H100M	CAP. ELECTRO 10 20% 50V
S106	S32-4007-05	SLIDE SWITCH	C107	NO USE	
			C108	CE04HW1H010M	CAP. ELECTRO 1 20% 50V
			C109	CK45B1H472K	CAP. CERAMIC 4700P 10% 50V
			C110	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C111	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V
			C112	CK45F1H103Z	CAP. CERAMIC 0.01 50V

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
C113	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	L001	L40-1011-13	FERRI INDUCTOR
C114	CE04HW1H010M	CAP. ELECTRO 1 20% 50V	L002	L40-1011-13	FERRI INDUCTOR
C115	CE04FW1A101M	CAP. ELECTRO 100 20% 10V	L003	L40-1021-03	FERRI INDUCTOR
C116	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L004	L40-1021-13	FERRI INDUCTOR
C117	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L005	L40-1021-13	FERRI INDUCTOR
C118	CC45CH2H100D	CAP. CERAMIC 10P 0.5P 500V	L006	L40-1021-13	FERRI INDUCTOR
C119	CC45CH2H040C	CAP. CERAMIC 4P 0.25P 500V	L007	L40-1021-13	FERRI INDUCTOR
C120	CF93AN2A105J	CAP. POLYESTHER 1 5% 100V	L008	L40-4791-02	FERRI INDUCTOR
C121	CQ93BP2A103F	CAP. MYLAR 0.01 1% 100V	L101	L40-1011-13	FERRI INDUCTOR
C122	CM93BD2A900J	CAP. MICA 90P 5% 100V	NL001	NE-2B	NEON LAMP
C123	CQ93FM1H102K	CAP. MYLAR 1000P 10% 50V	NL002	NE-2B	NEON LAMP
C124	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P001	E40-0274-05	PIN CONNECTOR 2P
C125	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P002	E40-0374-05	PIN CONNECTOR 3P
C126	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P003	E40-0355-05	PIN CONNECTOR 3P
C127	CC45FC1H330J	CAP. CERAMIC 33P 5% 50V	P004	E40-0355-05	PIN CONNECTOR 5P
C128	CE04FW1E470M	CAP. ELECTRO 47 20% 25V	P005	E40-0233-05	PIN CONNECTOR 2P
C129	CE04FW1H010M	CAP. ELECTRO 1 20% 50V	P101	E40-1116-05	PIN CONNECTOR 11P
C130	NO USE		P102	E40-1116-05	PIN CONNECTOR 11P
C131	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P103	E40-0273-05	PIN CONNECTOR 2 CONTACT
C132	NO USE		Q001	ZSC2912(S)	TR. SI, NPN
C133	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q002	ZSA1210(S)	TR. SI, PNP
C134	CC45FC1H270J	CAP. CERAMIC 27P 5% 50V	Q003	ZSD613(E)	TR. SI, NPN
C135	CC45CH2H010C	CAP. CERAMIC 1P 0.25P 500V	Q004	ZSC2785(F)	TR. SI, NPN
C136	CC45CH2H030C	CAP. CERAMIC 3P 0.25P 500V	Q005	ZSC2271(D)	TR. SI, NPN
C137	CM93BD2A151J	CAP. MICA 150P 5% 100V	Q101	ZSK117(Y)	FET. N-CHANNEL
C138	CC45CH1H680J	CAP. CERAMIC 68P 5% 50V	Q102	ZSK117(Y)	FET. N-CHANNEL
C139	CC45CH2H060D	CAP. CERAMIC 6P 0.5P 500V	Q103	ZSC2785(F)	TR. SI, NPN
C140	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q104	ZSC2785(F)	TR. SI, NPN
C143	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q105	ZSC2785(F)	TR. SI, NPN
C144	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q106	ZSC2785(F)	TR. SI, NPN
C145	C91-0572-05	CAP. CERAMIC 0.1 12V	Q107	ZSA1175(F)	TR. SI, NPN
C146	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q108	ZSA1175(F)	TR. SI, PNP
C147	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q109	ZSA038(C)	TR. SI, PNP
C148	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q110	ZSA636(C)	TR. SI, PNP
C149	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q111	ZSA1175(F)	TR. SI, PNP
C150	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q112	ZSA1175(F)	TR. SI, PNP
C151	CE04W1A221M	CAP. ELECTRO 220 20% 10V	Q113	ZSC2785(F)	TR. SI, NPN
C152	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q114	ZSC2785(F)	TR. SI, NPN
C153	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q115	ZSK117(Y)	FET. N-CHANNEL
C154	CE04W2E4R7M	CAP. ELECTRO 4.7 20% 250V	Q116	ZSC2785(F)	TR. SI, NPN
C155	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	Q117	ZSC2785(F)	TR. SI, NPN
C156	NO USE		Q118	ZSC2785(F)	TR. SI, NPN
C157	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V	Q119	ZSC2785(F)	TR. SI, NPN
C158	CC45FC1H150J	CAP. CERAMIC 15P 5% 50V	Q120	ZSC2785(F)	TR. SI, NPN
C159	CE04FW1E470M	CAP. ELECTRO 47 20% 25V	Q121	ZSA1175(F)	TR. SI, PNP
C160	CE04FW1E470M	CAP. ELECTRO 47 20% 25V	Q122	ZSA1175(F)	TR. SI, PNP
C161	CE04FW1E470M	CAP. ELECTRO 47 20% 25V	Q123	ZSA1175(F)	TR. SI, PNP
C162	NO USE		Q124	ZSC2912(S)	TR. SI, NPN
C163	CC45FC1H100D	CAP. CERAMIC 10P 0.5P 50V	Q125	ZSA1210(S)	TR. SI, PNP
C164	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q126	ZSC2785(F)	TR. SI, NPN
C165	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	Q127	ZSC2912(S)	TR. SI, NPN
C166	CC45FC1H100D	CAP. CERAMIC 10P 0.5P 50V	Q128	ZSC2785(F)	TR. SI, NPN
C167	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	Q129	ZSC2785(F)	TR. SI, NPN
C168	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q130	ZSK117(Y)	FET. N-CHANNEL
C169	NO USE		Q131	ZSA1175(F)	TR. SI, PNP
C170	CK45F1H103Z	CAP. CERAMIC 0.01 50V	R001	RN14BK2E4701F	RES. METAL FILM 4.7K 1x 1/4W
C171	CK45F1H103Z	CAP. CERAMIC 0.01 50V	R002	RD14BB2E221J	RES. CARBON 220 5x 1/4W
C172	NO USE		R003	RD14BB2E183J	RES. CARBON 18K 5x 1/4W
C173	C91-0572-05	CAP. CERAMIC 0.1 12V	R004	RD14BB2E104J	RES. CARBON 100K 5x 1/4W
C174	C91-0572-05	CAP. CERAMIC 0.1 12V	R005	RD14BK2E4702F	RES. METAL FILM 47K 1x 1/4W
D001	DS442X	DIODE	R006	RD14BB2E101J	RES. CARBON 100 5x 1/4W
D002	DS442X	DIODE	R007	RD14BK2E3303F	RES. METAL FILM 330K 1x 1/4W
D003	NO USE		R008	RD14BB2E102J	RES. CARBON 1K 5x 1/4W
D004	W06C	DIODE SILICON RECTIFIER	R009	RD14BB2E104J	RES. CARBON 100K 5x 1/4W
D005	W06C	DIODE SILICON RECTIFIER	R010	RD14BB2E472J	RES. CARBON 4.7K 5x 1/4W
D006	1S583	DIODE SILICON SWITCHING	R011	RD14BB2E221J	RES. CARBON 220 5x 1/4W
D007	1S583	DIODE SILICON SWITCHING	R012	RD14BB2E103J	RES. CARBON 10K 5x 1/4W
D008	DS442X	DIODE	R013	R92-1033-05	RES. FIXED 33M
D009	DS442X	DIODE	R014	RD14BB2E334J	RES. CARBON 330K 5x 1/4W
D101	DS442X	DIODE	R015	R92-1034-05	RES. METAL FILM 47M 1x 1/4W
D102	NO USE		R016	R92-1031-05	RES. FIXED 4.7M
D103	DS442X	DIODE	R017	R92-0800-05	RES. FIXED 10M
D104	DS442X	DIODE	R018	RD14BB2E823J	RES. CARBON 82K 5x 1/4W
D105	DS442X	DIODE	R019	RD14BB2E393J	RES. CARBON 39K 5x 1/4W
D106	DS442X	DIODE	R020	RD14BB2E333J	RES. CARBON 33K 5x 1/4W
D107	DS442X	DIODE	R021	RD14BB2E473J	RES. CARBON 47K 5x 1/4W
D108	DS442X	DIODE	R022	RD14BB2E103J	RES. CARBON 10K 5x 1/4W
D109	DS442X	DIODE	R023	RD14BB2E222J	RES. CARBON 2.2K 5x 1/4W
D110	DS442X	DIODE	R024	RD14BK2E6800F	RES. METAL FILM 680 1x 1/4W
D111	DS442X	DIODE	R025	RD14BK2E2402F	RES. METAL FILM 24K 1x 1/4W
D112	DS442X	DIODE	R026	RD14BK2E1302F	RES. METAL FILM 13K 1x 1/4W
D113	DS442X	DIODE	R027	RD14BB2E102J	RES. CARBON 1K 5x 1/4W
D114	DS442X	DIODE	R028	RD14BB2E562J	RES. CARBON 5.6K 5x 1/4W
D115	DS442X	DIODE	R029	RD14BB2E4R7J	RES. CARBON 4.7 5x 1/4W
D116	DS442X	DIODE	R030	NO USE	
D117	WZ-050	DIODE, ZENER 5V	R031	RD14BB2E470J	RES. CARBON 47 5x 1/4W
D118	DS442X	DIODE	R032	RD14BB2E224J	RES. CARBON 220K 5x 1/4W
D119	NO USE		R033	RD14BB2E563J	RES. CARBON 56K 5x 1/4W

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R101	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	R197	NO USE	
R102	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	R198	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R103	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	R199	RD14BB2E221J	RES. CARBON 220 5% 1/4W
R104	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	R200	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
R105	RD14BB2E152J	RES. CARBON 1.5K 5% 1/4W	R201	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
R106	RD14BB2E223J	RES. CARBON 22K 5% 1/4W	R202	RD14BB2E153J	RES. CARBON 15K 5% 1/4W
R107	RN14BK2E3301F	RES. METAL FILM 3.3K 1% 1/4W	R203	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W
R108	RN14BK2E3300F	RES. METAL FILM 330 1% 1/4W	R204	RD14BB2E751J	RES. CARBON 750 5% 1/4W
R109	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	R205	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R110	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W	R206	RD14BB2E363J	RES. CARBON 36K 5% 1/4W
R111	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W	R207	RN14BK2E1202F	RES. METAL FILM 12K 1% 1/4W
R112	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	R210	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R113	RD14BB2E163J	RES. CARBON 18K 5% 1/4W	R211	RD14BB2E470J	RES. CARBON 47 5% 1/4W
R114	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R212	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R115	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R213	NO USE	
R116	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R214	RN14BK2E3601F	RES. METAL FILM 3.6K 1% 1/4W
R117	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	R217	RD14BB2E183J	RES. CARBON 18K 5% 1/4W
R118	RD14BB2E105J	RES. CARBON 1M 5% 1/4W	R221	RD14BB2E133J	RES. CARBON 13K 5% 1/4W
R119	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W	R222	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R120	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	S103	S02-2506-05	ROTARY SWITCH
R121	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	S104	S32-2012-05	LEVER SWITCH
R122	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W	S105	S32-2012-05	LEVER SWITCH
R123	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	S106	S32-4007-05	SLIDE SWITCH
R124	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	T001	L19-0412-05	CONVERTOR TRANSFORMER
R125	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	TC101	C05-0422-05	CAP. TRIMMER 20P
R126	RN14BK2E1801F	RES. METAL FILM 1.8K 1% 1/4W	U001	NJM4558D	IC, DUAL OP-AMP
R127	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W	U101	MC10103L	IC, QUAD 2-INPUT OR GATE
R128	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	U102	SN74LS112N	IC, DUAL J-K FLIP-FLOP
R129	RD14BB2E561J	RES. CARBON 560 5% 1/4W	U103	SN74LS02N	IC, QUAD 2-INPUT NOR GATE
R130	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W	VR001	R12-5516-05	RES. SEMI FIXED 100 OHM B
R131	RD14BB2E681J	RES. CARBON 680 5% 1/4W	VR101	R01-3510-05	V.R. WITH SW. 10K B
R132	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	VR102	R01-3510-05	V.R. WITH SW. 10K B
R133	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	VR103	S02-2506-15	ROTARY SWITCH WITH VR.2K,10KB
R134	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR104	R12-3520-05	RES. SEMI FIXED 10K OHM B
R135	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	VR105	R12-1518-05	RES. SEMI FIXED 2K B
R136	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	VR106	R12-0421-05	RES. SEMI FIXED 100 B
R137	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR107	R12-1517-05	RES. SEMI FIXED 1KB
R138	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR108	NO USE	
R139	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	VR109	R12-5518-05	RES. SEMI FIXED 200K OHM B
R140	RD14BB2E221J	RES. CARBON 220 5% 1/4W	VR110	R12-1517-05	RES. SEMI FIXED 1KB
R141	RD14BB2E221J	RES. CARBON 220 5% 1/4W	VR111	R12-0540-05	RES. SEMI FIXED 500 B
R142	RD14BB2E220J	RES. CARBON 22 5% 1/4W			
R143	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R144	RD14BB2E103J	RES. CARBON 10K 5% 1/4W			
R145	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R146	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R147	RN14BK2E3302F	RES. METAL FILM 33K 1% 1/4W			
R148	RD14BB2E102J	RES. CARBON 1K 5% 1/4W			
R149	RN14BK2E3602F	RES. METAL FILM 36K 1% 1/4W			
R150	RS14GB3018J	RES. METAL FILM 18K 5% 2W			
R151	RD14BB2E102J	RES. CARBON 1K 5% 1/4W			
R152	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R153	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R154	RD14BB2E133J	RES. CARBON 13K 5% 1/4W			
R155	RD14BB2C152J	RES. CARBON 1.5K 5% 1/6W			
R156	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W			
R157	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W			
R158	RN14BK2E6801F	RES. METAL FILM 6.8K 1% 1/4W			
R159	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W			
R160	RN14BK2E3004F	RES. METAL FILM 3M 1% 1/4W			
R161	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W			
R162	RD14BK2E5003F	RES. METAL FILM 500K 1% 1/4W			
R163	RN14BK2E3003F	RES. METAL FILM 300K 1% 1/4W			
R164	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W			
R165	RN14BK2E5002F	RES. METAL FILM 50K 1% 1/4W			
R166	RN14BK2E3002F	RES. METAL FILM 30K 1% 1/4W			
R167	RN14BK2E2002F	RES. METAL FILM 20K 1% 1/4W			
R168	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R169	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R170	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R171	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W			
R172	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R173	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R174	RD14BB2E391J	RES. CARBON 390 5% 1/4W			
R175	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W			
R176	RD14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W			
R177	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R178	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R179	RD14BB2E103J	RES. CARBON 10K 5% 1/4W			
R180	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W	C001	CC45CH1H330J	CAP. CERAMIC 33P 5% 50V
R181	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	C002	CC45CH2H010C	CAP. CERAMIC 1P 0.25P 500V
R182	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	C003	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
R183	RD14BB2E683J	RES. CARBON 68K 5% 1/4W	C004	CE04W1H100M	CAP. ELECTRO 10 20% 50V
R184	RD14BB2E621J	RES. CARBON 620 5% 1/4W	C005	CE04W2E100	CAP. ELECTRO 10 20% 250V
R185	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C006	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V
R186	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	C007	CQ93FM1H153K	CAP. MYLAR 0.015 10% 50V
R187	RD14BB2E183J	RES. CARBON 18K 5% 1/4W	C008	CE04W1U471M	CAP. ELECTRO 470 20% 35V
R188	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	C009	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V
R189	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	C010	CQ93FM1H223K	CAP. MYLAR 0.022 10% 50V
R190	RS14GB30103J	RES. METAL FILM 10K 5% 2W	C011	CK45B2H102K	CAP. CERAMIC 1000P 10% 500V
R191	RD14BB2E683J	RES. CARBON 68K 5% 1/4W	C012	CK45E3F332P	CAP. CERAMIC 3300P 3.1K
R192	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	C013	CK45E3F332P	CAP. CERAMIC 3300P 3.1K
R193	RD14BB2E821J	RES. CARBON 820 5% 1/4W	C014	NO USE	
R194	RD14BB2E821J	RES. CARBON 820 5% 1/4W	C015	CE04W2E010	CAP. ELECTRO 1 250V
R195	RD14BB2E821J	RES. CARBON 820 5% 1/4W	C016	CE04W2E4R7	CAP. ELECTRO 4.7 250V
R196	RD14BB2E821J	RES. CARBON 820 5% 1/4W	C017	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
			C018	CE04W1E470M	CAP. ELECTRO 47 20% 25V
			C019	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
C020	CE04W1E101M	CAP. ELECTRO 100 20% 25V	D103	DS442X	DIODE, SILICON SWITCHING
C021	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V	D104	DS442X	DIODE, SILICON SWITCHING
C022	CE04W1E101M	CAP. ELECTRO 100 20% 25V	D105	DS442X	DIODE, SILICON SWITCHING
C023	CE04W1E101M	CAP. ELECTRO 100 20% 25V	D106	DS442X	DIODE, SILICON SWITCHING
C024	C90-0912-05	CAP. ELECTRO 220 50% 35V	D107	DS442X	DIODE, SILICON SWITCHING
C025	C90-0912-05	CAP. ELECTRO 220 20% 35V	D108	DS442X	DIODE, SILICON SWITCHING
C026	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D109	DS442X	DIODE, SILICON SWITCHING
C027	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	D110	DS442X	DIODE, SILICON SWITCHING
C028	CE04W2A3R3M	CAP. ELECTRO 3.3 20% 100V	D111	DS442X	DIODE, SILICON SWITCHING
C029	C91-0570-05	CAP. CERAMIC 4700P 3KV	D112	DS442X	DIODE, SILICON SWITCHING
C030	CK45E3F102P	CAP. CERAMIC 1600P 3.1K	D113	DS442X	DIODE
C031	CC45CH1H180J	CAP. CERAMIC 18P 5% 50V	D114	NO USE	
			D115	DS442X	DIODE
C101	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V	D116	1SS83	DIODE, SILICON SWITCHING
C102	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V	D117	MTZ5.1JB	DIODE, ZENER 5V
C103	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D121	DS442X	DIODE, SILICON SWITCHING
C104	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D122	NO USE	
C105	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V	D123	1SS83	DIODE, SILICON SWITCHING
C106	CEO4W1H100M	CAP. ELECTRO 10 20% 50V	D124	DS442X	DIODE
C107	NO USE		D125	DS442X	DIODE
C108	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	L001	L40-1011-13	FERRI INDUCTOR 100UH
C109	CK45B1H472K	CAP. CERAMIC 4700P 10% 50V	L002	L40-1011-13	FERRI INDUCTOR 100UH
C110	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L003	L40-1021-03	FERRI INDUCTOR
C111	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	L004	L40-1021-13	FERRI INDUCTOR
C112	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L005	L40-1021-13	FERRI INDUCTOR
C113	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	L006	L40-1021-13	FERRI INDUCTOR
C114	CEO4W1H101M	CAP. ELECTRO 1 20% 50V	L007	L40-1021-13	FERRI INDUCTOR
C115	CE04W1A101M	CAP. ELECTRO 100 20% 10V	L008	L40-4791-02	FERRI INDUCTOR 4.7UH
C116	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L101	L40-1011-13	FERRI INDUCTOR 100UH
C117	CK45F1H103Z	CAP. CERAMIC 0.01 50V			
C118	CC45CH2H100D	CAP. CERAMIC 10P 0.5P 500V			
C119	CC45CH2H100D	CAP. CERAMIC 10P 0.5P 500V			
C120	CF93AN2A105J	CAP. POLYESTHET 1 5% 100V	NL001	NE-28	NEON LAMP
C121	C93BP2A103F	CAP. MYLAR 0.01 1% 100V	NL002	NE-28	NEON LAMP
C122	CM93E02A900J	CAP. MICA 90P 5% 100V			
C123	CQ93FM1H102K	CAP. MYLAR 1000P 10% 50V			
C124	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P001	E40-0274-05	PIN CONNECTOR 2P
C125	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P002	E40-0374-05	PIN CONNECTOR 3P
C126	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P003	E40-0335-05	PIN CONNECTOR 3P
C127	NO USE		P004	E40-0535-05	PIN CONNECTOR 5P
C128	CE04W1E470M	CAP. ELECTRO 47 20% 25V	P005	E40-0233-05	PIN CONNECTOR 2P
C129	CEO4W1H010M	CAP. ELECTRO 1 20% 50V			
C130	NO USE		P101	E40-1116-05	PIN CONNECTOR 11P
C131	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P102	E40-1116-05	PIN CONNECTOR 11P
C132	NO USE		P103	E40-0273-05	PIN CONNECTOR 2P
C133	CK45F1H103Z	CAP. CERAMIC 0.01 50V			
C134	CC45FC1H1470J	CAP. CERAMIC 47P 5% 50V	Q001	ZSC2912(S)	TR. SI, NPN
C135	CC45CH2H030C	CAP. CERAMIC 3P 0.25P 500V	Q002	ZSA1210(S)	TR. SI, PNP
C136	CM93B02A151J	CAP. MICA 150P 5% 100V	Q003	ZSD613(E)	TR. SI, NPN
C137	CC45CH2H020C	CAP. CERAMIC 2P 0.25P 500V	Q004	ZSC2785(F)	TR. SI, NPN
C138	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q005	ZSU2271(D)	TR. SI, NPN
C139	CK45F1H103Z	CAP. CERAMIC 0.01 50V			
C140	CK45F1H103Z	CAP. CERAMIC 0.01 50V			
C141	CK45FB1H102K	CAP. CERAMIC 1000P 10% 50V	Q101	ZSK117(Y)	FET, N-CHANNEL
C142	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V	Q102	ZSK117(Y)	FET, N-CHANNEL
C143	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q103	ZSC2785(F)	TR. SI, NPN
C144	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q104	ZSC2785(F)	TR. SI, NPN
C145	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	Q105	ZSC2785(F)	TR. SI, NPN
C146	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q106	ZSC2785(F)	TR. SI, NPN
C147	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q107	ZSA1175(F)	TR. SI, PNP
C148	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q108	ZSA1175(F)	TR. SI, PNP
C149	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q109	ZSA1175(F)	TR. SI, PNP
C150	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q110	ZSA1175(F)	TR. SI, PNP
C151	CE04W1A221M	CAP. ELECTRO 220 20% 10V	Q111	ZSA1175(F)	TR. SI, PNP
C152	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q112	ZSA1175(F)	TR. SI, PNP
C153	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q113	ZSC2785(F)	TR. SI, NPN
C154	CE04W2E4R7	CAP. ELECTRO 4.7 250V	Q114	ZSC2785(F)	TR. SI, NPN
C155	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	Q115	ZSK117(Y)	FET, N-CHANNEL
C156	CC45FC1H150J	CAP. CERAMIC 15P 5% 50V	Q116	ZSC2785(F)	TR. SI, NPN
C157	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q117	ZSC2785(F)	TR. SI, NPN
C158	CC45FC1H1470J	CAP. CERAMIC 15P 5% 50V	Q118	ZSC2785(F)	TR. SI, NPN
C159	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q119	ZSC2785(F)	TR. SI, NPN
C160	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q120	ZSC2785(F)	TR. SI, NPN
C161	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q121	ZSA1175(F)	TR. SI, PNP
C162	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q122	ZSA1175(F)	TR. SI, PNP
C163	CC45FC1H100D	CAP. CERAMIC 10P 0.5P 50V	Q123	ZSA1175(F)	TR. SI, PNP
C164	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q124	ZSC2912(S)	TR. SI, PNP
C165	CC45CH1H151J	CAP. CERAMIC 150P 5% 50V	Q125	ZSA1210(S)	TR. SI, PNP
C166	NO USE		Q126	ZSC2785(F)	TR. SI, NPN
C167	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V	Q127	ZSC2912(S)	TR. SI, NPN
C168	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q128	ZSC2785(F)	TR. SI, NPN
C169	CC45FC1H105NC	CAP. CERAMIC 5P 0.25P 50V	Q129	ZSC2785(F)	TR. SI, NPN
C170	C90-0298-05	CAP. CERAMIC 0.1 20% 12V			
C171	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	R001	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W
C172	NO USE		R002	R014BB2E221J	RES. CARBON 220 5% 1/4W
C173	CK45B1H152K	CAP. CERAMIC 1500P 10% 50V	R003	R014BB2E183J	RES. CARBON 18K 5% 1/4W
D001	DS442X	DIODE, SILICON SWITCHING	R004	R014BB2E104J	RES. CARBON 100K 5% 1/4W
D002	DS442X	DIODE, SILICON SWITCHING	R005	RN14BK2E4702F	RES. METAL FILM 47K 1% 1/4W
D003	NO USE		R006	R014BB2E101J	RES. CARBON 100 5% 1/4W
D004	W06C	DIODE, SILICON RECTIFIER	R007	RN14BK2E2403F	RES. METAL FILM 240K 1% 1/4W
D005	W06C	DIODE, SILICON RECTIFIER	R008	R014BB2E102J	RES. CARBON 1K 5% 1/4W
D006	1SS83	DIODE, SILICON SWITCHING	R009	R014BB2E104J	RES. CARBON 100K 5% 1/4W
D007	1SS83	DIODE, SILICON SWITCHING	R010	R014BB2E332J	RES. CARBON 3.3K 5% 1/4W
D008	DS442X	DIODE, SILICON SWITCHING	R011	RD14BB2E221J	RES. CARBON 220 5% 1/4W
D009	DS442X	DIODE, SILICON SWITCHING	R012	R014BB2E103J	RES. CARBON 10K 5% 1/4W
D101	DS442X	DIODE, SILICON SWITCHING	R013	R92-1033-05	RES. FIXED 35M
D102	NO USE		R014	RD14BB2E334J	RES. CARBON 330K 5% 1/4W
			R015	R92-1034-05	RES. METAL FILM 47M

# PARTS LIST

REF.NO	PARTS NO	NAME & DESCRIPTION	REF.NO	PARTS NO	NAME & DESCRIPTION
R016	R92-1026-05	RES. METAL FILM 3.3M	R179	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R017	R92-1032-05	RES. FIXED 22M	R180	RN14BK2E12102F	RES. METAL FILM 12K 1% 1/4W
R018	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	R181	RD14BB2E822J	RES. CARBON 8.2K 5% 1/4W
R019	RD14BB2E393J	RES. CARBON 39K 5% 1/4W	R182	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R020	RD14BB2E333J	RES. CARBON 33K 5% 1/4W	R183	RD14BB2E124J	RES. CARBON 120K 5% 1/4W
R021	RD14BB2E473J	RES. CARBON 47K 5% 1/4W	R184	RD14BB2E621J	RES. CARBON 620 5% 1/4W
R022	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	R185	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R023	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R186	RD14BB2E473J	RES. CARBON 47K 5% 1/4W
R024	RN14BK2E6600F	RES. METAL FILM 660 1% 1/4W	R187	RD14BB2E203J	RES. CARBON 20K 5% 1/4W
R025	RN14BK2E2402F	RES. METAL FILM 24K 1% 1/4W	R188	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R026	RN14BK2E1302F	RES. METAL FILM 13K 1% 1/4W	R189	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R027	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	R190	R314GB3D103J	RES. METAL FILM 10K 5% 2W
R028	RD14BB2E563J	RES. CARBON 5.6K 5% 1/4W	R191	RD14BB2E124J	RES. CARBON 120K 5% 1/4W
R029	RD14BB2E4R7J	RES. CARBON 4.7 5% 1/4W	R192	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R030	NO USE		R193	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W
R031	RD14BB2E470J	RES. CARBON 47 5% 1/4W	R194	RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W
R032	RD14BB2E234J	RES. CARBON 220K 5% 1/4W	R195	RD14BB2E621J	RES. CARBON 820 5% 1/4W
R033	RD14BB2E563J	RES. CARBON 56K 5% 1/4W	R196	RD14BB2E621J	RES. CARBON 820 5% 1/4W
R101	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	R197	NO USE	
R102	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	R198	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R103	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	R199	RD14BB2E271J	RES. CARBON 220 5% 1/4W
R104	RD14BB2E153J	RES. CARBON 15K 5% 1/4W	R205	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R105	RD14BB2E201J	RES. CARBON 200 5% 1/4W	R206	NO USE	
R106	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	R207	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W
R107	RN14BK2E3301F	RES. METAL FILM 3.3K 1% 1/4W	R210	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R108	RN14BK2E3300F	RES. METAL FILM 330 1% 1/4W	R211	RD14BB2E470J	RES. CARBON 47 5% 1/4W
R109	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	R212	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R110	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W	R213	RD14BB2E152J	RES. CARBON 1.5K 5% 1/4W
R111	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W	R214	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W
R112	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	R217	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
R113	RD14BB2E183J	RES. CARBON 18K 5% 1/4W	R221	RD14BB2E133J	RES. CARBON 13K 5% 1/4W
R114	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R222	RD14BB2C102J	RES. CARBON 1K 5% 1/6W
R115	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R223	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R116	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R224	NO USE	
R117	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	R225	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R118	RD14BB2E105J	RES. CARBON 1M 5% 1/4W	R226	NO USE	
R119	RD14BB2E622J	RES. CARBON 6.2K 5% 1/4W	R227	RD14BB2C102J	RES. CARBON 1K 5% 1/6W
R120	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	R228	RD14BB2C133J	RES. CARBON 13K 5% 1/6W
R121	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	S101	R01-3510-05	V.R. WITH SW. 10K B
R122	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W	S102	R01-3510-05	V.R. WITH SW. 10K B
R123	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	S103	S02-2507-15	ROTARY SWITCH WITH VR.2KB
R124	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	S104	S33-2501-05	LEVER SWITCH
R125	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	S105	S32-2012-05	LEVER SWITCH
R126	RN14BK2E1002F	RES. METAL FILM 10K 1% 1/4W	S106	S32-4007-05	SLIDE SWITCH
R127	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W	T001	L19-0413-05	CONVERTOR TRANSFORMER
R128	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	TC101	C05-0422-05	CAP. TRIMMER 20P
R129	RD14BB2E561J	RES. CARBON 560 5% 1/4W	TC102	C05-0420-05	CAP. TRIMMER 6P
R130	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W	U001	NJM4558D	IC
R131	RD14BB2E661J	RES. CARBON 660 5% 1/4W	U101	MC10103L	IC, QUAD 2-INPUT OR GATE
R132	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	U102	SN74LS112N	IC
R133	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	U103	SN74LS02N	IC, QUAD 2-INPUT NOR GATE
R134	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	U104	SN74LS00N	IC
R135	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	U105	SN74LS08N	IC, QUAD 2-INPUT AND GATE
R136	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	VR001	R12-5516-05	RES. SEMI FIXED 100K B
R137	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR101	R01-3510-05	V.R. WITH SW. 10K B
R138	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	VR102	R01-3510-05	V.R. WITH SW. 10K B
R139	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	VR103	S02-2507-15	ROTARY SWITCH WITH VR.2KB
R140	RD14BB2E221J	RES. CARBON 220 5% 1/4W	VR104	R12-3520-05	RES. SEMI FIXED 10K B
R141	RD14BB2E221J	RES. CARBON 220 5% 1/4W	VR105	R12-1518-05	RES. SEMI FIXED 2K B
R142	RD14BB2C202J	RES. CARBON 22 5% 1/4W	VR106	R12-0421-05	RES. SEMI FIXED 100 B
R143	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	VR107	R12-1517-05	RES. SEMI FIXED 1K B
R144	RD14BB2E103J	RES. CARBON 10K 5% 1/4W	VR108	NO USE	
R145	RD14BB2E181J	RES. CARBON 1.8K 5% 1/4W	VR109	R12-5516-05	RES. SEMI FIXED 200K OHM B
R146	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	VR110	NO USE	
R147	RN14BK2E3302F	RES. METAL FILM 33K 1% 1/4W	VR111	R12-0540-05	RES. SEMI FIXED 500 B
R148	RD14BB2E102J	RES. CARBON 1K 5% 1/4W			
R149	RN14BK2E3600F	RES. METAL FILM 36K 1% 1/4W			
R150	RN14GB30183J	RES. METAL FILM 18K 5% 2W			
R151	RD14BB2E102J	RES. CARBON 1K 5% 1/4W			
R152	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R153	RD14BB2E153J	RES. CARBON 15K 5% 1/4W			
R154	RD14BB2E133J	RES. CARBON 13K 5% 1/4W			
R155	RD14BB2C132J	RES. CARBON 1.3K 5% 1/4W			
R156	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W			
R157	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W			
R158	RN14BK2E4501F	RES. METAL FILM 4.5K 1% 1/4W			
R159	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W			
R160	RN14BK2E3004F	RES. METAL FILM 3M 1% 1/4W			
R161	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W			
R162	RN14BK2E5000F	RES. METAL FILM 500K 1% 1/4W			
R163	RN14BK2E3003F	RES. METAL FILM 300K 1% 1/4W			
R164	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W			
R165	RN14BK2E5002F	RES. METAL FILM 50K 1% 1/4W			
R166	RN14BK2E3002F	RES. METAL FILM 30K 1% 1/4W			
R167	RN14BK2E2002F	RES. METAL FILM 20K 1% 1/4W			
R168	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R169	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W			
R170	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R171	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W			
R172	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W			
R173	RD14BB2E101J	RES. CARBON 100 5% 1/4W			
R174	RD14BB2E391J	RES. CARBON 390 5% 1/4W			
R175	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W			
R176	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W			
R177	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			
R178	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W			

## HORIZONTAL & HIGH VOLTAGE UNIT

**(X74-1340-03)**

REF.NO	PARTS NO	NAME & DESCRIPTION
E23-0015-04	EARTH LUG	
E23-0046-04	TERMINAL	
E31-2170-05	JUMPING WIRE	
E33-4029-00	WIRE ASSY	
F01-0230-04	HEAT SINK	
F01-0620-04	HEAT SINK	
F01-0835-05	HEAT SINK	
F15-0727-04	HOLDER (NEON TUBE)	
F20-0622-05	INSULATOR	
J25-2998-13	PCB (UNMOUNTED)	
J31-0604-04	COLLAR	
N19-0191-05	WASHER NONMETAL	
N30-3006-46	SCREW, PAN HD M 3X8	

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R92-0150-05	JUMPING RES. ZERO OHM		C163	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V
W02-0409-05	HIGH VOLTAGE POWER BLOCK		C164	CK45F1H103Z	CAP. CERAMIC 0.01 50V
002-0001-05	BRAIDED WIRE		C165	CC45CH1H151J	CAP. CERAMIC 150P 5% 50V
212-1018-05	TUBE (PLASTIC)		C166	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V
212-3013-05	TUBE (PLASTIC)		C167	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V
C001	CC45CH1H330J	CAP. CERAMIC 33P 5% 500V	C168	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C002	CC45CH2H010C	CAP. CERAMIC 1P 0.25P 500V	C169	CC45FCH1H050C	CAP. CERAMIC 5P 0.25P 50V
C003	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V			
C004	CE04W1H100M	CAP. ELECTRO 10 20% 50V	C173	C90-0298-05	CAP. CERAMIC 0.1 20% 12V
C005	CE04W2E100	CAP. ELECTRO 10 250V	C174	C90-0298-05	CAP. CERAMIC 0.1 20% 12V
C006	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V	C175	NO USE	
C007	CQ93FM1H153K	CAP. MYLAR 0.015 10% 50V	C176	CK45B1H152K	CAP. CERAMIC 1500P 10% 50V
C008	CE04W1U471M	CAP. ELECTRO 470 20% 35V			
C009	CQ93FM1H104K	CAP. MYLAR 0.1 10% 50V	D001	DS442X	DIODE, SILICON SWITCHING
C010	CQ93FM1H223K	CAP. MYLAR 0.022 10% 50V	D002	DS442X	DIODE, SILICON SWITCHING
C011	CK45B2H102K	CAP. CERAMIC 1000P 10% 500V	D003	W06C	DIODE, SILICON RECTIFIER
C012	CK45E3F332P	CAP. CERAMIC 3300P 3.1K	D004	W06C	DIODE, SILICON RECTIFIER
C013	CK45E3F332P	CAP. CERAMIC 3300P 3.1K	D005	W06C	DIODE, SILICON SWITCHING
C014	NO USE		D006	1SS83	DIODE, SILICON SWITCHING
C015	CE04W2E010	CAP. ELECTRO 1 250V	D007	1SS83	DIODE, SILICON SWITCHING
C016	CE04W2E4R7	CAP. ELECTRO 4.7 250V	D008	DS442X	DIODE, SILICON SWITCHING
C017	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	D009	DS442X	DIODE, SILICON SWITCHING
C018	CE04W1E470M	CAP. ELECTRO 47 20% 25V			
C019	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V	D010	DS442X	DIODE, SILICON SWITCHING
C020	CE04W1E101M	CAP. ELECTRO 100 20% 25V	D012	NO USE	
C021	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V	D013	DS442X	DIODE, SILICON SWITCHING
C022	CE04W1E101M	CAP. ELECTRO 100 20% 25V	D014	DS442X	DIODE, SILICON SWITCHING
C023	CE04W1E101M	CAP. ELECTRO 100 20% 25V	D015	DS442X	DIODE, SILICON SWITCHING
C024	C90-0912-05	CAP. ELECTRO 220 20% 35V	D016	DS442X	DIODE, SILICON SWITCHING
C025	C90-0912-05	CAP. ELECTRO 220 20% 35V	D017	DS442X	DIODE, SILICON SWITCHING
C026	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D018	DS442X	DIODE, SILICON SWITCHING
C027	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	D019	DS442X	DIODE, SILICON SWITCHING
C028	CE04W2A3R3M	CAP. ELECTRO 3.3 20% 100V	D010	DS442X	DIODE, SILICON SWITCHING
C029	C91-0570-05	CAP. CERAMIC 4700P 3KV	D011	DS442X	DIODE, SILICON SWITCHING
C030	CK45E3F102P	CAP. CERAMIC 1000P 3.1K			
C031	CC45CH1H160J	CAP. CERAMIC 10P 5% 50V	D116	1SS83	DIODE, SILICON SWITCHING
			D117	MT25.1JB	DIODE, ZENER 5V
C101	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V	D118	DS442X	DIODE
C102	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V	D119	NO USE	
C103	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D120	DS442X	DIODE
C104	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D121	DS442X	DIODE, SILICON SWITCHING
C105	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V	D122	NO USE	
C106	CE04W1H100M	CAP. ELECTRO 10 20% 50V	D123	1SS83	DIODE, SILICON SWITCHING
C107	NO USE		D124	DS442X	DIODE
C108	C90-0298-05	CAP. CERAMIC 0.1 20% 1.1V	D125	DS442X	DIODE
C109	CK45B1H472K	CAP. CERAMIC 4700P 10% 50V			
C110	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L001	L40-1011-13	FERRI INDUCTOR 100UH
C111	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	L002	L40-1011-13	FERRI INDUCTOR 100UH
C112	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L003	L40-1021-03	FERRI INDUCTOR
C113	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	L004	L40-1021-13	FERRI INDUCTOR
C114	CE04W1H101M	CAP. ELECTRO 1 20% 50V	L005	L40-1021-13	FERRI INDUCTOR
C115	CE04W1A101M	CAP. ELECTRO 100 20% 10V	L006	L40-1021-13	FERRI INDUCTOR
C116	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L007	L40-1021-13	FERRI INDUCTOR
C117	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L008	L40-4791-02	FERRI INDUCTOR 4.7UH
C118	CC45CH2H100D	CAP. CERAMIC 10P 0.5P 500V	L101	L40-1011-13	FERRI INDUCTOR 100UH
C119	CC45CH2H100D	CAP. CERAMIC 10P 0.5P 500V			
C120	CF93AN2A105J	CAP. POLYESTHETEL 1 5% 100V	NL001	NE-2B	NEON LAMP
C121	CF93EP2A103F	CAP. MYLAR 0.01 1% 100V	NL002	NE-2B	NEON LAMP
C122	CM93BD2A900J	CAP. MICA 90P 5% 100V			
C123	CQ93FM1H102K	CAP. MYLAR 1000P 10% 50V	P001	E40-0274-05	PIN CONNECTOR 2 P
C124	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P002	E40-0374-05	PIN CONNECTOR 3P
C125	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P003	E40-0335-05	PIN CONNECTOR 3P
C126	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P004	E40-0353-05	PIN CONNECTOR 5P
C127	NO USE		P005	E40-0233-05	PIN CONNECTOR 2P
C128	CE04W1E470M	CAP. ELECTRO 47 20% 25V			
C129	CE04W1H101M	CAP. ELECTRO 1 20% 50V	P101	E40-1116-05	PIN CONNECTOR 11P
C130	NO USE		P102	E40-1116-05	PIN CONNECTOR 11P
C131	CK45F1H103Z	CAP. CERAMIC 0.01 50V	P103	E40-0273-05	PIN CONNECTOR 2 P
C132	NO USE				
C133	CK45F1H103Z	CAP. CERAMIC 0.01 50V			
C134	CC45FCH1H470J	CAP. CERAMIC 47P 5% 50V	Q001	2SC2912(S)	TR. SI, NPN
C135	CC45CH2H030C	CAP. CERAMIC 3P 0.25P 500V	Q002	2SA1210(S)	TR. SI, PNP
C136	CM93BD2A151J	CAP. MICA 150P 5% 100V	Q003	2SD613(E)	TR. SI, NPN
C137	CC45CH2H020C	CAP. CERAMIC 2P 0.25P 500V	Q004	2SC2785(F)	TR. SI, NPN
C138	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q005	2SC2271(D)	TR. SI, NPN
C139	CC45CH2H020C	CAP. CERAMIC 2P 0.25P 500V			
C140	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q101	2SK117(Y)	FET. N-CHANNEL
C143	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q102	2SK117(Y)	FET. N-CHANNEL
C144	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q103	2SC2785(F)	TR. SI, NPN
C145	C90-0298-05	CAP. CERAMIC 0.1 20% 12V	Q104	2SC2785(F)	TR. SI, NPN
C146	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q105	2SC2785(F)	TR. SI, NPN
C147	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q106	2SC2785(F)	TR. SI, NPN
C148	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q107	2SA1175(F)	TR. SI, PNP
C149	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q108	2SA1175(F)	TR. SI, PNP
C150	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q109	2SA1175(F)	TR. SI, PNP
C151	CE04W1A221M	CAP. ELECTRO 220 20% 10V	Q110	2SA1175(F)	TR. SI, PNP
C152	CE04W1E101M	CAP. ELECTRO 100 20% 25V	Q111	2SA1175(F)	TR. SI, PNP
C153	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q112	2SA1175(F)	TR. SI, PNP
C154	CE04W2E4R7	CAP. ELECTRO 4.7 250V	Q113	2SC2785(F)	TR. SI, NPN
C155	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	Q114	2SC2785(F)	TR. SI, NPN
C156	NO USE		Q115	2SK117(Y)	FET. N-CHANNEL
C157	CQ93FM1H103K	CAP. MYLAR 0.01 10% 50V	Q116	2SC2785(F)	TR. SI, NPN
C158	CC45FCH1H150J	CAP. CERAMIC 15P 5% 50V	Q117	2SC2785(F)	TR. SI, NPN
C159	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q118	2SC2785(F)	TR. SI, NPN
C160	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q119	2SC2785(F)	TR. SI, NPN
C161	CE04W1E470M	CAP. ELECTRO 47 20% 25V	Q120	2SC2785(F)	TR. SI, NPN
C162	CK45F1H103Z	CAP. CERAMIC 0.01 50V	Q121	2SA1175(F)	TR. SI, PNP

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
Q122	ZSA1175(F)	TR. SI, PNP	R153	RD148B2E153J	RES. CARBON 15K 5% 1/4W
Q123	ZSA1175(F)	TR. SI, PNP	R154	RD148B2E133J	RES. CARBON 13K 5% 1/4W
Q124	ZSC2912(S)	TR. SI, NPN	R155	RD148B2C152J	RES. CARBON 1.5K 5% 1/6W
Q125	ZSA1210(S)	TR. SI, PNP	R156	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W
Q126	ZSC2785(F)	TR. SI, NPN	R157	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W
Q127	ZSC2912(S)	TR. SI, NPN	R158	RN14BK2E6801F	RES. METAL FILM 6.8K 1% 1/4W
Q128	ZSC2785(F)	TR. SI, NPN	R159	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W
Q129	ZSC2785(F)	TR. SI, NPN	R160	RN14BK2E3004F	RES. METAL FILM 3M 1% 1/4W
Q130	ZSK117(Y)	FET: N-CHANNEL	R161	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
Q131	ZSA1175(F)	TR. SI, PNP	R162	RN14BK2E5003F	RES. METAL FILM 500K 1% 1/4W
			R163	RN14BK2E3003F	RES. METAL FILM 300K 1% 1/4W
R001	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W	R164	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R002	RD148B2E221J	RES. CARBON 220 5% 1/4W	R165	RN14BK2E5002F	RES. METAL FILM 50K 1% 1/4W
R003	RD148B2E183J	RES. CARBON 18K 5% 1/4W	R166	RN14BK2E3002F	RES. METAL FILM 30K 1% 1/4W
R004	RD148B2E104J	RES. CARBON 100K 5% 1/4W	R167	RN14BK2E2002F	RES. METAL FILM 20K 1% 1/4W
R005	RN14BK2E4702F	RES. METAL FILM 47K 1% 1/4W	R168	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W
R006	RD148B2E101J	RES. CARBON 100 5% 1/4W	R169	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W
R007	RN14BK2E2403F	RES. METAL FILM 240K 1% 1/4W	R170	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W
R008	RD148B2E102J	RES. CARBON 1K 5% 1/4W	R171	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W
R009	RD148B2E104J	RES. CARBON 100K 5% 1/4W	R172	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W
R010	RD148B2E332J	RES. CARBON 3.3K 5% 1/4W	R173	RD148B2E101J	RES. CARBON 100 5% 1/4W
R011	RD148B2E221J	RES. CARBON 220 5% 1/4W	R174	RD148B2E391J	RES. CARBON 390 5% 1/4W
R012	RD148B2E103J	RES. CARBON 10K 5% 1/4W	R175	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
R013	R92-1033-05	RES. FIXED 33M	R176	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
R014	RD148B2E334J	RES. CARBON 330K 5% 1/4W	R177	RD148B2E182J	RES. CARBON 1.8K 5% 1/4W
R015	R92-1034-05	RES. METAL FILM 47M	R178	RD148B2E182J	RES. CARBON 1.8K 5% 1/4W
R016	R92-1026-05	RES. METAL FILM 3.3M	R179	RD148B2E103J	RES. CARBON 10K 5% 1/4W
R017	R92-1032-05	RES. FIXED 22M	R180	RN14BK2E1202F	RES. METAL FILM 12K 1% 1/4W
R018	RD148B2E473J	RES. CARBON 47K 5% 1/4W	R181	RD148B2E822J	RES. CARBON 8.2K 5% 1/4W
R019	RD148B2E393J	RES. CARBON 39K 5% 1/4W	R182	RD148B2E103J	RES. CARBON 10K 5% 1/4W
R020	RD148B2E333J	RES. CARBON 33K 5% 1/4W	R183	RD148B2E124J	RES. CARBON 120K 5% 1/4W
R021	RD148B2E473J	RES. CARBON 47K 5% 1/4W	R184	RD148B2E621J	RES. CARBON 620 5% 1/4W
R022	RD148B2E103J	RES. CARBON 10K 5% 1/4W	R185	RD148B2E102J	RES. CARBON 1K 5% 1/4W
R023	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W	R186	RD148B2E473J	RES. CARBON 47K 5% 1/4W
R024	RN14BK2E6800F	RES. METAL FILM 680 1% 1/4W	R187	RD148B2E203J	RES. CARBON 20K 5% 1/4W
R025	RN14BK2E2402F	RES. METAL FILM 24K 1% 1/4W	R188	RD148B2E103J	RES. CARBON 10K 5% 1/4W
R026	RN14BK2E1302F	RES. METAL FILM 13K 1% 1/4W	R189	RD148B2E102J	RES. CARBON 1K 5% 1/4W
R027	RD148B2E102J	RES. CARBON 1K 5% 1/4W	R190	RS14GB3D103J	RES. METAL FILM 10K 5% 2W
R028	RD148B2E562J	RES. CARBON 5.6K 5% 1/4W	R191	RD148B2E124J	RES. CARBON 120K 5% 1/4W
R029	RD148B2E4R7J	RES. CARBON 4.7 5% 1/4W	R192	RD148B2E103J	RES. CARBON 10K 5% 1/4W
R030	ND USE				
R031	RD148B2E470J	RES. CARBON 47 5% 1/4W	R195	RD148B2E821J	RES. CARBON 820 5% 1/4W
R032	RD148B2E224J	RES. CARBON 220K 5% 1/4W	R196	RD148B2E821J	RES. CARBON 820 5% 1/4W
R033	RD148B2E563J	RES. CARBON 56K 5% 1/4W	R197	NO USE	
			R198	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W
R101	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	R199	RD148B2E221J	RES. CARBON 220 5% 1/4W
R102	RD148B2E104J	RES. CARBON 100K 5% 1/4W	R200	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
R103	RD148B2E153J	RES. CARBON 15K 5% 1/4W	R201	RD148B2E104J	RES. CARBON 100K 5% 1/4W
R104	RD148B2E153J	RES. CARBON 15K 5% 1/4W	R202	RD148B2E153J	RES. CARBON 15K 5% 1/4W
R105	RD148B2E201J	RES. CARBON 200 5% 1/4W	R203	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W
R106	RD148B2E302J	RES. CARBON 3K 5% 1/4W	R204	RD148B2E751J	RES. CARBON 750 5% 1/4W
R107	RN14BK2E3301F	RES. METAL FILM 3.3K 1% 1/4W	R205	RD148B2E102J	RES. CARBON 1K 5% 1/4W
R108	RN14BK2E3300F	RES. METAL FILM 330 1% 1/4W	R206	NO USE	
R109	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	R207	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W
R110	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W	R210	RD148B2E101J	RES. CARBON 100 5% 1/4W
R111	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W	R211	RD148B2E470J	RES. CARBON 47 5% 1/4W
R112	RD148B2E103J	RES. CARBON 10K 5% 1/4W	R212	RD148B2E101J	RES. CARBON 100 5% 1/4W
R113	RD148B2E183J	RES. CARBON 18K 5% 1/4W	R213	RD148B2E152J	RES. CARBON 1.5K 5% 1/4W
R114	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W	R214	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W
R115	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W	R217	RD148B2E562J	RES. CARBON 5.6K 5% 1/4W
R116	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W	R221	RD148B2E133J	RES. CARBON 13K 5% 1/4W
R117	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W	R222	RD148B2C102J	RES. CARBON 1K 5% 1/6W
R118	RD148B2E105J	RES. CARBON 1M 5% 1/4W	R223	NO USE	
R119	RD148B2E622J	RES. CARBON 6.2K 5% 1/4W	R224	RD148B2E103J	RES. CARBON 10K 5% 1/4W
R120	RD148B2E102J	RES. CARBON 1K 5% 1/4W	R227	RD148B2C102J	RES. CARBON 1K 5% 1/6W
R121	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W	R228	RD148B2C133J	RES. CARBON 13K 5% 1/6W
R122	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W			
R123	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	S101	R01-3510-05	V.R. WITH SW. 10K B
R124	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W	S102	R01-3510-05	V.R. WITH SW. 10K B
R125	RD148B2E102J	RES. CARBON 1K 5% 1/4W	S103	S02-2508-15	ROTARY SWITCH WITH VR.2K,10KB
R126	RD148B2E1002F	RES. METAL FILM 10K 1% 1/4W	S104	S32-2012-05	LEVER SWITCH
R127	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W	S105	S32-2012-05	LEVER SWITCH
R128	RD148B2E102J	RES. CARBON 1K 5% 1/4W	S106	S32-4007-05	SLIDE SWITCH
R129	RD148B2E561J	RES. CARBON 560 5% 1/4W	T001	L19-0413-05	CONVERTOR TRANSFORMER
R130	RD148B2E182J	RES. CARBON 1.8K 5% 1/4W	TC101	C05-0422-05	CAP. TRIMMER 20P
R131	RD148B2E681J	RES. CARBON 680 5% 1/4W	TC102	C05-0420-05	CAP. TRIMMER 6P
R132	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W	U001	NJM4558D	IC
R133	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W	U101	MC10103L	IC, QUAD 2-INPUT OR GATE
R134	RD148B2E102J	RES. CARBON 1K 5% 1/4W	U102	SN74LS112N	IC
R135	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W	U103	SN74LS02N	IC, QUAD 2-INPUT NOR GATE
R136	RD148B2E222J	RES. CARBON 2.2K 5% 1/4W	VR001	R12-5516-05	RES. SEMI FIXED 100 K
R137	RD148B2E102J	RES. CARBON 1K 5% 1/4W	VR101	R01-3510-05	V.R. WITH SW. 10K B
R138	RD148B2E102J	RES. CARBON 1K 5% 1/4W	VR102	R01-3510-05	V.R. WITH SW. 10K B
R139	RD148B2E562J	RES. CARBON 5.6K 5% 1/4W	VR103	S02-2508-15	ROTARY SWITCH WITH VR.2K,10KB
R140	RD148B2E221J	RES. CARBON 220 5% 1/4W	VR104	R12-3520-05	RES. SEMI FIXED 10K B
R141	RD148B2E221J	RES. CARBON 220 5% 1/4W	VR105	R12-1518-05	RES. SEMI FIXED 2K B
R142	RD148B2C220J	RES. CARBON 22 5% 1/6W	VR106	R12-0421-05	RES. SEMI FIXED 100 B
R143	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W			
R144	RD148B2E103J	RES. CARBON 10K 5% 1/4W			
R145	RD148B2E182J	RES. CARBON 1.8K 5% 1/4W			
R146	RD148B2E472J	RES. CARBON 4.7K 5% 1/4W			
R147	RN14BK2E3302F	RES. METAL FILM 33K 1% 1/4W			
R148	RD148B2E102J	RES. CARBON 1K 5% 1/4W			
R149	RN14BK2E3602F	RES. METAL FILM 36K 1% 1/4W			
R150	RS14GB3D183J	RES. METAL FILM 18K 5% 2W			
R151	RD148B2E102J	RES. CARBON 1K 5% 1/4W			
R152	RD148B2E153J	RES. CARBON 15K 5% 1/4W			

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION
VR107	R12-1517-05	RES. SEMI FIXED 1K 8
VR108	NO USE	
VR109	R12-5518-05	RES. SEMI FIXED 200K OHM 8
VR110	R12-1517-05	RES. SEMI FIXED 1K 8
VR111	R12-0540-05	RES. SEMI FIXED 500 8

REF. NO	PARTS NO	NAME & DESCRIPTION
P013	E40-0273-05	PIN CONNECTOR 2P
P014	E40-0273-05	PIN CONNECTOR 2P
P015	E40-0673-05	PIN CONNECTOR 6P
Q001	2SC1384	TR. SI. NPN
Q002	2SA684	TR. SI. PNP
R001	RD14BB2E331J	RES. CARBON 330 5% 1/4W
R005	RD14BB2E330J	RES. CARBON 33 5% 1/4W
R006	RN14BK2E1300F	RES. METAL FILM 130 1% 1/4W
R007	RN14BK2E4302F	RES. METAL FILM 43K 1% 1/4W
R008	RN14BK2E9102F	RES. METAL FILM 91K 1% 1/4W
R009	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R010	RN14BK2E3601F	RES. METAL FILM 3.6K 1% 1/4W
R011	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
R012	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R013	RD14BY2H100J	RES. CARBON 10 5% 1/2W
U001	NJM4558D	IC DUAL OP AMP.

## CONNECTION UNIT

### (X77-1260-00)

REF. NO	PARTS NO	NAME & DESCRIPTION
E33-4037-00	WIRE ASSY	
J25-2995-03	PCB (UNMOUNTED)	
R92-0150-05	JUMPING RES. ZERO OHM	
C001	C093M1H103J	CAP. MYLAR 0.01 5% 50V
C002	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
D001	DS442X	DIODE
D002	DS442X	DIODE
D003	S10B40	DIODE
J001	E31-2374-05	LEAD WIRE WITH CONNECTOR

REF. NO	PARTS NO	NAME & DESCRIPTION
P001	E40-7203-05	PIN CONNECTOR 3P
P002	E40-7204-05	PIN CONNECTOR 4P
P003	E40-0604-05	PIN CONNECTOR 6P
P004	E40-0804-05	PIN CONNECTOR 8P
P005	E40-0804-05	PIN CONNECTOR 8P
P006	E40-1111-05	PIN CONNECTOR 11P
P007	E40-1111-05	PIN CONNECTOR 11P
P008	E40-1111-05	PIN CONNECTOR 11P
P009	E40-1111-05	PIN CONNECTOR 11P
P010	E40-0273-05	PIN CONNECTOR 2 P
P011	E40-0373-05	PIN CONNECTOR 3 P
P012	E40-0273-05	PIN CONNECTOR 2 P
P013	E40-0273-05	PIN CONNECTOR 2 P
P014	E40-0273-05	PIN CONNECTOR 2 P
P015	E40-0673-05	PIN CONNECTOR 6 P

REF. NO	PARTS NO	NAME & DESCRIPTION
Q001	2SC1384	TR. SI. NPN
Q002	2SA684	TR. SI. PNP
R001	RD14BB2E331J	RES. CARBON 330 5% 1/4W
R002	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R003	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R004	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R005	RD14BB2E330J	RES. CARBON 33 5% 1/4W
R006	RN14BK2E1300F	RES. METAL FILM 130 1% 1/4W
R007	RN14BK2E4302F	RES. METAL FILM 43K 1% 1/4W
R008	RN14BK2E9102F	RES. METAL FILM 91K 1% 1/4W
R009	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R010	RN14BK2E3601F	RES. METAL FILM 3.6K 1% 1/4W
R011	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
R012	NO USE	
R013	RD14BY2H100J	RES. CARBON 10 5% 1/2W
R014	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R015	RD14BB2E101J	RES. CARBON 100 5% 1/4W
U001	NJM4558D	IC

## CONNECTION UNIT

### (X77-1260-01)

REF. NO	PARTS NO	NAME & DESCRIPTION
E33-4037-00	WIRE ASSY	
J25-2995-03	PCB (UNMOUNTED)	
R92-0150-05	JUMPING RES. ZERO OHM	
C001	C093M1H103J	CAP. MYLAR 0.01 5% 50V
C002	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V

REF. NO	PARTS NO	NAME & DESCRIPTION
D001	DS442X	DIODE
D002	DS442X	DIODE
D003	S10B40	DIODE
D004	WZ-120	DIODE

REF. NO	PARTS NO	NAME & DESCRIPTION
J001	E31-2374-05	LEAD WIRE WITH CONNECTOR

REF. NO	PARTS NO	NAME & DESCRIPTION
P001	E40-0373-05	PIN CONNECTOR 3P
P002	E40-7203-05	PIN CONNECTOR 3P
P003	E40-7204-05	PIN CONNECTOR 4P
P004	E40-0604-05	PIN CONNECTOR 6P
P005	E40-0804-05	PIN CONNECTOR 8P
P006	E40-1111-05	PIN CONNECTOR 11P
P007	E40-1111-05	PIN CONNECTOR 11P
P008	E40-1111-05	PIN CONNECTOR 11P
P009	E40-1111-05	PIN CONNECTOR 11P
P010	E40-0273-05	PIN CONNECTOR 2P
P011	NO USE	
P012	E40-0273-05	PIN CONNECTOR 2P

REF. NO	PARTS NO	NAME & DESCRIPTION
E33-4037-00	WIRE ASSY	
J25-2995-03	PCB (UNMOUNTED)	
R92-0150-05	JUMPING RES. ZERO OHM	
C001	C093M1H103J	CAP. MYLAR 0.01 5% 50V
C002	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
D001	DS442X	DIODE
D002	DS442X	DIODE
D003	S10B40	DIODE
J001	E31-2374-05	LEAD WIRE WITH CONNECTOR

REF. NO	PARTS NO	NAME & DESCRIPTION
R001	RD14BB2E331J	RES. CARBON 330 5% 1/4W
R002	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R003	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R004	RD14BB2E103J	RES. CARBON 10K 5% 1/4W
R005	RD14BB2E221J	RES. CARBON 220 5% 1/4W
R006	RN14BK2E1300F	RES. METAL FILM 130 1% 1/4W
R007	RN14BK2E4302F	RES. METAL FILM 43K 1% 1/4W
R008	RN14BK2E9102F	RES. METAL FILM 91K 1% 1/4W
R009	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R010	RN14BK2E3601F	RES. METAL FILM 3.6K 1% 1/4W
R011	RN14BB2E392J	RES. CARBON 3.9K 5% 1/4W
R012	NO USE	
R013	RD14BY2H100J	RES. CARBON 10 5% 1/2W
R014	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R015	RD14BB2E101J	RES. CARBON 100 5% 1/4W
U001	NJM4558D	IC

REF. NO	PARTS NO	NAME & DESCRIPTION
E33-4037-00	WIRE ASSY	
J25-2995-03	PCB (UNMOUNTED)	
R92-0150-05	JUMPING RES. ZERO OHM	
C001	C093M1H103J	CAP. MYLAR 0.01 5% 50V
C002	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
D001	DS442X	DIODE
D002	DS442X	DIODE
D003	S10B40	DIODE
D004	WZ-120	DIODE
J001	E31-2374-05	LEAD WIRE WITH CONNECTOR

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	CS-1021	Y70-1530-61
P001	E40-0373-05	PIN CONNECTOR 3P		
P001	E40-7203-05	PIN CONNECTOR 3P	A01-0697-22	CASE
P002	E40-7204-05	PIN CONNECTOR 4P	A01-0898-12	CASE
P003	E40-0604-05	PIN CONNECTOR 6P	A10-1444-02	CHASSIS
P004	E40-0804-05	PIN CONNECTOR 8P	A20-2761-02	PANEL (MOLDED)
P005	E40-0804-05	PIN CONNECTOR 8P	A21-1076-02	DECORATIVE PANEL
P006	E40-1111-05	PIN CONNECTOR 11P	A22-0826-02	SUB PANEL
P007	E40-1111-05	PIN CONNECTOR 11P	A22-0827-13	SUB PANEL
P008	E40-1111-05	PIN CONNECTOR 11P	A23-1643-02	REAR PANEL
P009	E40-1111-05	PIN CONNECTOR 11P	B07-0712-13	ESCUTCHEON FOR FILTER
P010	E40-0273-05	PIN CONNECTOR 2P	B19-0726-04	FILTER
P011	NO USE		B30-0903-15	LED LAMP (RED)
P012	E40-0273-05	PIN CONNECTOR 2P	B39-0407-04	SPACER
P013	E40-0273-05	PIN CONNECTOR 2P	B40-2765-04	NAME PLATE (SERIAL NO)
P014	E40-0273-05	PIN CONNECTOR 2P	B41-0774-03	CAUTION LABEL
P015	E40-0673-05	PIN CONNECTOR 6P	B50-7570-00	INSTRUCTION MANUAL
Q001	ZSC1384	TR. SI. NPN	E04-0251-05	BNC RECEPTACLE
Q002	2SA684	TR. SI. PNP	E21-0657-04	TERMINAL (GND)
R001	RD14BB2E331J	RES. CARBON 330 5% 1/4W	E21-0660-04	TERMINAL (CAL)
R005	RD14BB2E221J	RES. CARBON 220 5% 1/4W	E23-0043-04	EARTH LUG
R006	RN14BK2E1300F	RES. METAL FILM 130 1% 1/4W	E23-0513-05	EARTH LUG
R007	RN14BK2E4302F	RES. METAL FILM 43K 1% 1/4W	E23-0524-04	EARTH PLATE
R008	RN14BK2E9102F	RES. METAL FILM 91K 1% 1/4W	E30-1826-05	POWER CORD ASS'Y (CEE)
R009	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W	E31-2370-05	LEAD WIRE WITH CONNECTOR
R010	RN14BK2E3601F	RES. METAL FILM 3.6K 1% 1/4W	E31-2384-15	LEAD WIRE WITH CONNECTOR
R011	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	F05-5013-05	FUSE 0.5A
R012	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	F05-8015-05	FUSE 0.8A
R013	RD14BY2H100J	RES. CARBON 10 5% 1/2W	F10-1956-04	SHIELDING PLATE
U001	NJM4558D	IC DUAL OP AMP.	F11-0995-03	SHIELD CASE
			F15-0733-04	FELT
			G02-0607-04	SPRING FOR CRT
			G13-0716-04	CUSHION
			H01-5769-04	CARTON BOX
			H10-2815-02	FOAMED STYRENE PAD
			H10-2816-02	FOAMED STYRENE PAD
			H20-1719-04	VINYL COVER
			H25-0029-04	POLYETHYLENE BAG
			J02-0089-05	RUBBER LEG
			J02-0510-14	SUB LEG
			J10-0100-22	BEZEL
			J11-0046-05	CABLE CLAMP
			J13-0033-15	FUSE HOLDER
			J19-1634-04	HOLDER FOR LEAD
			J19-1635-04	HOLDER FOR LED
			J21-2573-04	HOLDER FOR LEG
			J21-2970-23	BLACKET FOR CRT
			J21-2973-14	AC VOLTAGE PLATE 220V
			J21-4512-04	BLACKET FOR CRT
			J31-0603-04	COLLAR
			J42-0085-05	BUSHING (FOR AC CORD)
			J42-0523-04	BUSHING
			J61-0038-05	FREE UP BELT (FOR CABLE TIE)
			J61-0408-05	WIRE WRAPPING BAND
			J61-0515-05	SUPPORT (I TYPE)
			J61-0516-05	SUPPORT (T TYPE)
			K01-0518-05	HANDLE
			K21-0851-03	KNOB
			K21-0853-23	KNOB
			K21-0854-23	KNOB
			K21-0855-14	KNOB
			K21-0856-23	KNOB
			K27-0526-04	KNOB FOR LEVER
			K27-0528-04	KNOB FOR PUSH
			L01-9344-15	POWER TRANSFORMER
			L39-0518-05	ROTATOR COIL
			N06-0611-04	DRESSED SCREW
			N09-0715-04	SCREW, PAN HD M 4X31
			N09-0716-05	SCREW M 4X10
			N09-0717-05	SCREW, TRUSS HD M 3X12
			N09-0720-05	SCREW, SEMS PAN HD
			N10-2030-46	NUT, HEX
			N10-2070-46	NUT, HEX
			N15-1030-41	WASHER, FLAT FOR M3
			N15-1040-41	WASHER
			N17-1030-46	TOOTHED LOCK WASHER FOR M3
			N30-3004-41	SCREW, PAN HD M 3X4
			N30-3006-41	SCREW, PAN HD M 3X6
			N30-3008-41	SCREW, PAN HD M 3X8
			N88-3006-41	SCREW, FLAT HD TAP TITE
			N89-3006-41	SCREW, BINDING TAP TITE
			R05-3504-05	V.R. 10K B
			R05-3505-05	V.R. 20K B
			R05-6001-05	V.R. 3M B
			S59-2503-05	SWITCH
			W01-0503-04	CORD WRAP
			X73-1490-04	AMPLIFIER UNIT
			X73-1630-00	AMPLIFIER UNIT
			X74-1340-04	SWEEP CIRCUIT UNIT
			X75-1140-04	ATTENUATOR UNIT
			X77-1261-61	CONNECTION UNIT
			X81-1250-04	CRT SOCKET UNIT
			Y87-1840-00	PROBE PC-20
			150STM31A	CRT
			212-2014-05	TUBE (PLASTIC)
			212-3017-05	TUBE (PLASTIC)
			R100 RD14BB2E431J	RES. CARBON 430 5% 1/4W

# PARTS LIST

## VERTICAL ATTENUATOR UNIT

**(X75-1140-04)**

REF. NO	PARTS NO	NAME & DESCRIPTION
A22-0828-03	SUB PANEL	
E04-0251-05	BNC RECEPTACLE	
E31-2367-15	LEAD WIRE WITH CONNECTOR	
F10-1504-04	SHIELD PLATE	
F10-1566-04	SHIELD PLATE	
J25-2997-13	PCB (UNMOUNTED)	
K21-0852-03	KNOB	
K21-0855-14	KNOB	
N30-3006-46	SCREW, PAN HD M 3X6	
N89-3006-41	SCREW, BINDING TAP TITE	
R92-0150-05	JUMPING RES. ZERO OHM	
C001 C91-0501-05	CAP. METAL FILM 0.047 10% 630V	
C002 CM93BD24470J	CAP. MICA 47P 5% 100V	
C003 CM93BD24471J	CAP. MICA 470P 5% 100V	
C004 C91-0502-05	CAP. METAL FILM 0.01 20% 630V	
C005 NO USE		
C006 CC45CH1H0R5C	CAP. CERAMIC 0.5P 0.25P 50V	
C009 CC45CH1H470J	CAP. CERAMIC 47P 5% 50V	
C010 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C011 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C012 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
C013 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C014 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C015 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C016 CE04W1E470M	CAP. ELECTRO 47 20% 25V	
C017 NO USE		
C018 CC45CH1H010C	CAP. CERAMIC 1P 0.25P 50V	
C019 CE04B1H101M	CAP. ELECTRO 1 20% 50V	
C020 CK45B1H152K	CAP. CERAMIC 1500P 10% 50V	
C023 CK45B1H103K	CAP. CERAMIC 0.01 10% 50V	
D001 MTZ9.1JC	DIODE ZENER 9V	
D002 MTZ9.1JC	DIODE ZENER 9V	
Q001 ZSK30A(0)	FET, N-CHANNEL	
Q002 ZSA1005(K)	TR. SI, PNP	
Q003 ZSA1005(K)	TR. SI, PNP	
Q004 ZSC2786(K)	TR. SI, NPN	
Q005 ZSC2786(K)	TR. SI, NPN	
R001 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R002 RD14BB2E105J	RES. CARBON 1M 5% 1/4W	
R003 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R004 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R005 RN14BK2E9903F	RES. METAL FILM 900K 1% 1/4W	
R006 RN14BK2E1113F	RES. METAL FILM 111K 1% 1/4W	
R007 RD14BB2E820J	RES. CARBON 82 5% 1/4W	
R008 RN14BK2E9903F	RES. METAL FILM 990K 1% 1/4W	
R009 RN14BK2E1012F	RES. METAL FILM 10.1K 1% 1/4W	
R010 RD14BB2E100J	RES. CARBON 10 5% 1/4W	
R011 RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	
R012 RD14BB2E104J	RES. CARBON 100K 5% 1/4W	
R013 RN14BK2E27R0F	RES. METAL FILM 27.0 1% 1/4W	
R014 RD14BB2E101J	RES. CARBON 100 5% 1/4W	
R015 RN14BK2E27R0F	RES. METAL FILM 27.0 1% 1/4W	
R016 RD14BB2C101J	RES. CARBON 100 5% 1/4W	
R017 NO USE		
R018 RD14BB2C101J	RES. CARBON 100 5% 1/4W	
R019 RD14BB2E121J	RES. CARBON 120 5% 1/4W	
R020 RD14BB2E473J	RES. CARBON 47K 5% 1/4W	
R021 RD14BB2E474J	RES. CARBON 470K 5% 1/4W	
R022 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R023 RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	
R024 RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W	
R025 RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W	
R026 RD14BB2E753J	RES. CARBON 75K 5% 1/4W	
R027 RD14BB2E754J	RES. CARBON 750K 5% 1/4W	
R028 RD14BB2E122J	RES. CARBON 1.2K 5% 1/4W	
R029 RD14BB2C332J	RES. CARBON 3.3K 5% 1/4W	
R030 RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	
R031 RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	
R032 NO USE		
R033 RN14BK2E9100F	RES. METAL FILM 910 1% 1/4W	
R034 RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W	
R035 RD14BB2E220J	RES. CARBON 22 5% 1/4W	
R036 RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W	
R037 RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W	
R038 RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W	
R039 RD14BB2E151J	RES. CARBON 150 5% 1/4W	
R040 RD14BB2E560J	RES. CARBON 56 5% 1/4W	
R041 RN14BK2E3000F	RES. METAL FILM 300 1% 1/4W	
R042 RN14BK2E1800F	RES. METAL FILM 180 1% 1/4W	
R043 RN14BK2E1200F	RES. METAL FILM 120 1% 1/4W	
R044 RD14BB2E151J	RES. CARBON 150 5% 1/4W	
R045 RD14BB2E560J	RES. CARBON 56 5% 1/4W	
R046 RD14BB2E333J	RES. CARBON 33K 5% 1/4W	
R047 RD14BB2E473J	RES. CARBON 47K 5% 1/4W	
R048 RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W	
R049 RD14BB2C163J	RES. CARBON 16K 5% 1/4W	
R050 NO USE		
R051 RD14BB2E361J	RES. CARBON 360 5% 1/4W	

REF. NO	PARTS NO	NAME & DESCRIPTION
R052	RD14BB2C910J	RES. CARBON 91 5% 1/6W
R053	RD14BB2C111J	RES. CARBON 110 5% 1/6W
S001	S32-4007-05	LEVER SWITCH
S002	S02-3501-15	ROTARY SW. W/V.R500 B
TC001	C05-0427-05	CAP. TRIMMER 10P
TC002	C05-0428-05	CAP. TRIMMER 20P
TC003	C05-0427-05	CAP. TRIMMER 10P
TC004	C05-0426-05	CAP. TRIMMER 20P
TC005	C05-0427-05	CAP. TRIMMER 10P
U001	M47F(C)	FET
U002	NO USE	
U003	M47F(B)	FET
VR001	R12-3502-05	RES. SEMI FIXED 33K B
VR002	R12-3502-05	RES. SEMI FIXED 33K B
VR003	R12-3502-05	RES. SEMI FIXED 33K B
VR004	R12-3502-05	RES. SEMI FIXED 33K B

## VERTICAL AMP & POWER UNIT

**(X73-1490-04)**

REF. NO	PARTS NO	NAME & DESCRIPTION
E23-0526-04	EARTH PLATE	
E31-2584-05	LEAD WIRE WITH CONNECTOR	
E31-2585-05	LEAD WIRE WITH CONNECTOR	
E33-4031-00	WIRE ASSY	
F01-0836-04	HEAT SINK	
J25-2999-13	PCB (UNMOUNTED)	
N19-0191-05	WASHER NONMETAL	
N19-0702-04	WASHER	
N30-3008-46	SCREW, PAN HD M 3X8	
R92-0150-05	JUMPING RES. ZERO OHM	
Z12-1018-05	TUBE (PLASTIC)	
Z12-2014-05	TUBE (PLASTIC)	
C002	CC45CH1H010C	CAP. CERAMIC 1P 0.25P 50V
C006	CC45CH1H151J	CAP. CERAMIC 150P 5% 50V
C007	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C008	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C009	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C013	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V
C014	CE04W1E220M	CAP. ELECTRO 22 20% 25V
C015	NO USE	
C016	CE04W1E220M	CAP. ELECTRO 22 20% 25V
C020	CC45CH1H1R5C	CAP. CERAMIC 1.5P 0.25P 50V
C102	CC45CH1H010C	CAP. CERAMIC 1P 0.25P 50V
C103	NO USE	
C104	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C105	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C106	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C107	CE04W1E470M	CAP. ELECTRO 47 20% 25V
C108	NO USE	
C109	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V
C110	CC45CH1H470J	CAP. CERAMIC 47P 5% 50V
C111	CE04B1H101M	CAP. ELECTRO 1 20% 50V
C112	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C115	CC45CH1H020C	CAP. CERAMIC 2P 0.25P 50V
C301	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
C302	CE04W1V222M	CAP. ELECTRO 2200 20% 35V
C303	CE04W1E222M	CAP. ELECTRO 2200 20% 25V
C304	C90-0910-05	CAP. ELECTRO 100 20% 2000
C305	CE04W2E470	CAP. ELECTRO 47 250W
C306	CE04W1A101M	CAP. ELECTRO 100 20% 100V
C307	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C308	CE04W1E101M	CAP. ELECTRO 100 20% 25V
C309	CE04W2C100	CAP. ELECTRO 10 1600W
C310	CE04W2E010	CAP. ELECTRO 1 250W
C311	CE04B1H101M	CAP. ELECTRO 1 20% 50V
C312	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C313	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C314	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C315	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C316	CE04W1H010M	CAP. ELECTRO 1 20% 50V
C317	CK45B1H103K	CAP. CERAMIC 0.01 10% 50V
C318	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
C319	CK45B1H102K	CAP. CERAMIC 1000P 10% 50V
C320	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V
D001	DS442X	DIODE
D101	DS442X	DIODE
D102	DS442X	DIODE
D103	DS442X	DIODE
D104	DS442X	DIODE
D105	DS442X	DIODE
D106	DS442X	DIODE

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
R0107	DS442X	DIODE	R051	RD14BB2E101J	RES. CARBON 100 5% 1/4W
D108	MTZ10JC	DIODE, ZENER 10V	R052	RD14BB2E220J	RES. CARBON 22 5% 1/4W
D301	S2VB40F	DIODE, BRIDGE	R053	RD14BB2E220J	RES. CARBON 22 5% 1/4W
D302	S2VB40F	DIODE, BRIDGE	R054	RD14BB2E331J	RES. CARBON 330 5% 1/4W
D303	S1VB60	DIODE	R055	RD14BB2E331J	RES. CARBON 330 5% 1/4W
D304	S1VB60	DIODE	R056	RD14BB2E750J	RES. CARBON 75 5% 1/4W
D305	DS442X	DIODE	R065	RD14BB2E201J	RES. CARBON 200 5% 1/4W
D306	DS442X	DIODE	R066	RD14BB2E471J	RES. CARBON 470 5% 1/4W
D307	V06B	DIODE	R067	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W
F001	E40-0473-05	PIN CONNECTOR 4 P	R068	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
F002	E40-0273-05	PIN CONNECTOR 2 P	R069	RD14BB2E223J	RES. CARBON 22K 5% 1/4W
P101	E40-0473-05	PIN CONNECTOR 4 P	R101	RD14BB2E105J	RES. CARBON 1M 5% 1/4W
P301	E40-0930-05	PIN CONNECTOR 9P	R102	RD14BB2E220J	RES. CARBON 22 5% 1/4W
P302	E40-1116-05	PIN CONNECTOR 11 P	R103	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
P303	E40-1116-05	PIN CONNECTOR 11 P	R104	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
Q002	ZSA1005(K)	TR. SI, PNP	R105	RD14BB2E120J	RES. CARBON 12 5% 1/4W
Q003	ZSA1005(K)	TR. SI, PNP	R106	RD14BB2E2510J	RES. CARBON 51 5% 1/4W
Q004	ZSC2786(K)	TR. SI, NPN	R107	RD14BB2E2510J	RES. CARBON 51 5% 1/4W
Q005	ZSC2786(K)	TR. SI, NPN	R108	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
Q009	ZSC2786(K)	TR. SI, NPN	R109	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
Q010	ZSC2786(K)	TR. SI, NPN	R110	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
Q011	ZSC2786(K)	TR. SI, NPN	R111	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q012	ZSC2786(K)	TR. SI, NPN	R112	RD14BB2E243J	RES. CARBON 24K 5% 1/4W
Q013	ZSC2786(K)	TR. SI, NPN	R113	RD14BB2E302J	RES. CARBON 3K 5% 1/4W
Q014	ZSC2786(K)	TR. SI, NPN	R114	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W
Q015	ZSC2407	TR. SI, NPN	R115	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
Q016	ZSC2407	TR. SI, NPN	R116	RN14BK2E1401F	RES. METAL FILM 1.4K 1% 1/4W
Q102	ZSA1005(K)	TR. SI, PNP	R117	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q103	ZSA1005(K)	TR. SI, PNP	R118	RD14BB2E182J	RES. CARBON 1.8K 5% 1/4W
Q104	ZSC2786(K)	TR. SI, NPN	R119	RD14BB2E223J	RES. CARBON 22K 5% 1/4W
Q105	ZSC2786(K)	TR. SI, NPN	R120	RD14BB2E220J	RES. CARBON 22 5% 1/4W
Q106	ZSC2785(F)	TR. SI, NPN	R121	RD14BB2E561J	RES. CARBON 560 5% 1/4W
Q107	ZSC2786(K)	TR. SI, NPN	R122	NO USE	
Q108	ZSC2786(K)	TR. SI, NPN	R123	RD14BB2E333J	RES. CARBON 33K 5% 1/4W
Q109	ZSC2786(K)	TR. SI, NPN	R124	RD14BB2E151J	RES. CARBON 150 5% 1/4W
Q110	ZSC2786(K)	TR. SI, NPN	R125	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q111	ZSC2786(K)	TR. SI, NPN	R126	RD14BB2E101J	RES. CARBON 100 5% 1/4W
Q112	ZSC2786(K)	TR. SI, NPN	R127	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
Q113	ZSA1175(F)	TR. SI, PNP	R128	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
Q114	ZSC2785(F)	TR. SI, NPN	R129	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
Q115	ZSC2786(K)	TR. SI, NPN	R130	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
Q301	ZSA1009(L,K)	TR. SI, PNP	R131	RD14BB2E750J	RES. CARBON 75 5% 1/4W
Q302	ZSA1009(L,K)	TR. SI, PNP	R132	RN14BK2E2001F	RES. METAL FILM 2K 1% 1/4W
Q303	ZSA1175(F)	TR. SI, PNP	R133	RN14BK2E2001F	RES. METAL FILM 2K 1% 1/4W
Q304	ZSA1175(F)	TR. SI, PNP	R134	RD14BB2E510J	RES. CARBON 51 5% 1/4W
Q305	ZSC2271(E)	TR. SI, NPN	R135	RD14BB2E511J	RES. CARBON 510 5% 1/4W
Q306	ZSC2271(E)	TR. SI, NPN	R136	RD14BB2E123J	RES. CARBON 12K 5% 1/4W
R001	RD14BB2E105J	RES. CARBON 1M 5% 1/4W	R137	RD14BB2E472J	RES. CARBON 4.7K 5% 1/4W
R002	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R138	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
R003	RD14BB2E562J	RES. CARBON 9.6K 5% 1/4W	R139	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W
R004	RD14BB2E562J	RES. CARBON 9.6K 5% 1/4W	R140	RD14BB2E471J	RES. CARBON 470 5% 1/4W
R005	RD14BB2E120J	RES. CARBON 12 5% 1/4W	R141	RD14BB2E471J	RES. CARBON 470 5% 1/4W
R006	RD14BB2E2510J	RES. CARBON 91 5% 1/4W	R142	RD14BB2E471J	RES. CARBON 470 5% 1/4W
R007	RD14BB2E510J	RES. CARBON 91 5% 1/4W	R143	RD14BB2E471J	RES. CARBON 470 5% 1/4W
R008	RD14BB2E392J	RES. CARBON 5.9K 5% 1/4W	R144	RD14BB2E272J	RES. CARBON 2.7K 5% 1/4W
R009	RD14BB2E102J	RES. CARBON 1K 5% 1/4W	R145	RD14BB2E153J	RES. CARBON 15K 5% 1/4W
R010	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	R146	RD14BB2E153J	RES. CARBON 15K 5% 1/4W
R011	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R147	RD14BB2E772J	RES. CARBON 2.7K 5% 1/4W
R012	RD14BB2E243J	RES. CARBON 24K 5% 1/4W	R148	RD14BB2E223J	RES. CARBON 22K 5% 1/4W
R013	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	R149	RD14BB2E662J	RES. CARBON 6.8K 5% 1/4W
R014	RN14BK2E1000F	RES. METAL FILM 100 1% 1/4W	R150	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R015	RN14BK2E1401F	RES. METAL FILM 1.4K 1% 1/4W	R151	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R016	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R152	RD14BB2E151J	RES. CARBON 150 5% 1/4W
R017	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	R153	RD14BB2E101J	RES. CARBON 100 5% 1/4W
R018	RD14BB2E104J	RES. CARBON 100K 5% 1/4W	R154	NO USE	
R019	RD14BB2E220J	RES. CARBON 22 5% 1/4W	R155	RD14BB2E470J	RES. CARBON 47 5% 1/4W
R020	NO USE		R156	NO USE	
R021	RD14BB2E331J	RES. CARBON 330 5% 1/4W	R157	RD14BB2E331J	RES. CARBON 330 5% 1/4W
R031	RD14BB2E151J	RES. CARBON 150 5% 1/4W	R158	RD14BB2E104J	RES. CARBON 100K 5% 1/4W
R032	RD14BB2E101J	RES. CARBON 100 5% 1/4W	R159	RD14BB2E662J	RES. CARBON 6.8K 5% 1/4W
R033	RD14BB2E101J	RES. CARBON 100 5% 1/4W	R301	RD14BB2E473J	RES. CARBON 47K 5% 1/4W
R034	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R302	RD14BB2E102J	RES. CARBON 1K 5% 1/4W
R035	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W	R303	RD14BB2E333J	RES. CARBON 3.3 5% 1/4W
R036	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W	R304	RD14BB2E100J	RES. CARBON 10 5% 1/4W
R037	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W	R305	RD14BB2E562J	RES. CARBON 5.6K 5% 1/4W
R038	RD14BB2E750J	RES. CARBON 75 5% 1/4W	R306	RD14BB2E822J	RES. CARBON 8.2K 5% 1/4W
R039	RD14BB2E431J	RES. CARBON 430 5% 1/4W	R307	RD14BB2E222J	RES. CARBON 2.3K 5% 1/4W
R040	RD14BB2E662J	RES. CARBON 6.8K 5% 1/4W	R308	RD14BB2E223J	RES. CARBON 2.2K 5% 1/4W
R041	RD14BB2E332J	RES. CARBON 3.3K 5% 1/4W	R309	RN14BK2E1502F	RES. METAL FILM 15K 1% 1/4W
R042	RD14BB2E471J	RES. CARBON 470 5% 1/4W	R310	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R043	RD14BB2E471J	RES. CARBON 470 5% 1/4W	R311	RN14BK2E1602F	RES. METAL FILM 16K 1% 1/4W
R044	RN14BK2E28200F	RES. METAL FILM 820 1% 1/4W	R312	RN14BK2E1503F	RES. METAL FILM 150K 1% 1/4W
R045	RN14BK2E28200F	RES. METAL FILM 820 1% 1/4W	R313	RD14BY2H104J	RES. CARBON 100K 5% 1/2W
R046	RN14BK2E28200F	RES. METAL FILM 820 1% 1/4W	R314	RD14BY2H104J	RES. CARBON 100K 5% 1/2W
R047	RN14BK2E20200F	RES. METAL FILM 820 1% 1/4W	S101	S42-4509-05	PUSH SWITCH
R048	RD14BB2E101J	RES. CARBON 100 5% 1/4W	T0001	C05-0425-05	CAP. TRIMMER 70P
R049	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	T0002	C05-0425-05	CAP. TRIMMER 70P
R050	RD14BB2E302J	RES. CARBON 3K 5% 1/4W	TP001	E23-0046-04	TERMINAL
			TP002	E23-0046-04	TERMINAL

# PARTS LIST

REF. NO	PARTS NO	NAME & DESCRIPTION	REF. NO	PARTS NO	NAME & DESCRIPTION
TP003	E23-0046-04	TERMINAL	C113	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V
TP004	E23-0046-04	TERMINAL	C114	CE04BW1H010M	CAP. ELECTRO 1 20% 50V
TP101	E23-0046-04	TERMINAL	C115	CE04W1A101M	CAP. ELECTRO 100 20% 10V
TP102	E23-0046-04	TERMINAL	C116	CK45F1H103Z	CAP. CERAMIC 0.01 50V
TP103	E23-0046-04	TERMINAL	C117	CK45F1H103Z	CAP. CERAMIC 0.01 50V
TP104	E23-0046-04	TERMINAL	C118	CC45CH2H1000	CAP. CERAMIC 10P 0.5P 500V
U001	M47F(B)	FET	C119	CC45CH2H1000	CAP. CERAMIC 10P 0.5P 500V
U101	M47F(B)	FET	C120	CF93AN2A105J	CAP. POLYESTHET 1 5% 1000V
U301	UPC7805H	IC	C121	CO93BP2A103F	CAP. MYLAR 0.01 1% 1000V
U302	UPC7915HA	IC	C122	CM93BD2A900J	CAP. MICA 90P 5% 1000V
U303	NJM7815A	IC	C123	CO93FM1H102K	CAP. MYLAR 1000P 10% 500V
U304	NJM4558D	IC	C124	CK45F1H103Z	CAP. CERAMIC 0.01 50V
VR001	R05-3509-05	V.R. 20K B	C125	CK45F1H103Z	CAP. CERAMIC 0.01 50V
VR002	NO USE		C126	CK45F1H103Z	CAP. ELECTRO 47 20% 250V
VR003	R12-0539-05	RES. SEMI FIXED 200 B	C127	NO USE	CAP. ELECTRO 1 20% 50V
VR004	R12-0421-05	RES. SEMI FIXED 100 B	C128	CE04W1E470M	CAP. ELECTRO 47 20% 250V
VR005	R12-0421-05	RES. SEMI FIXED 100 B	C129	CE04W1H010M	CAP. ELECTRO 1 20% 50V
VR006	R12-0421-05	RES. SEMI FIXED 100 B	C130	NO USE	
VR101	R05-3509-05	V.R. 20K B	C131	CK45F1H103Z	CAP. CERAMIC 0.01 50V
VR102	R12-3523-05	RES. SEMI FIXED 20K B	C132	NO USE	
VR103	R12-0541-05	RES. SEMI FIXED 100 B	C133	CK45F1H103Z	CAP. CERAMIC 0.01 50V
VR104	R12-0543-05	RES. SEMI FIXED 500 B	C134	CC45FCH1H470J	CAP. CERAMIC 47P 5% 500V
			C135	CC45CH2H030C	CAP. CERAMIC 3P 0.25P 500V
			C136	CM93BD2A151J	CAP. MICA 150P 5% 1000V
			C139	CC45CH2H020C	CAP. CERAMIC 2P 0.25P 500V
			C140	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C141	CK45FB1H102K	CAP. CERAMIC 1000P 10% 50V
			C142	CK45CH1H221J	CAP. CERAMIC 220P 5% 50V
			C143	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C144	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C145	C90-0298-05	CAP. CERAMIC 0.1 20% 120V
			C146	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C147	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C148	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C149	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C150	CE04W1E101M	CAP. ELECTRO 100 20% 250V
			C151	CE04W1A221M	CAP. ELECTRO 220 20% 100V
			C152	CE04W1E101M	CAP. ELECTRO 100 20% 250V
			C153	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C154	CE04W2E467	CAP. ELECTRO 4.7 250V
			C155	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V
			C156	CC45FCH1H150J	CAP. CERAMIC 15P 5% 50V
			C159	CE04W1E470M	CAP. ELECTRO 47 20% 250V
			C160	CE04W1E470M	CAP. ELECTRO 47 20% 250V
			C161	CE04W1E470M	CAP. ELECTRO 47 20% 250V
			C162	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C163	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V
			C164	CK45F1H103Z	CAP. CERAMIC 0.01 50V
			C165	CC45CH1H151J	CAP. CERAMIC 150P 5% 50V
			C166	NO USE	
			C167	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V
			C168	CE04W1E101M	CAP. ELECTRO 100 20% 250V
			C173	C90-0298-05	CAP. CERAMIC 0.1 20% 120V
			C174	C90-0298-05	CAP. CERAMIC 0.1 20% 120V
			C175	NO USE	
			C176	CK45B1H152K	CAP. CERAMIC 1500P 10% 50V
			C178	CE04W1E101M	CAP. ELECTRO 100 20% 250V
C001	CC45CH1H330J	CAP. CERAMIC 33P 5% 50V	D001	DS442X	DIODE, SILICON SWITCHING
C002	CC45CH2H010C	CAP. CERAMIC 1P 0.25% 500V	D002	DS442X	DIODE, SILICON SWITCHING
C003	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	D003	W02-0409-05	HIGH VOLTAGE POWER BLOCK
C004	CE04W1H100M	CAP. ELECTRO 10 20% 50V	D004	W06C	DIODE
C005	CE04W2E100	CAP. ELECTRO 10 20% 50V	D005	W06C	DIODE
C006	CO93FM1H104K	CAP. MYLAR 0.1 10% 50V	D006	1SS83	DIODE
C007	CO93FM1H153K	CAP. MYLAR 0.015 10% 50V	D007	1SS83	DIODE
C008	CE04W1E471M	CAP. ELECTRO 470 20% 350V	D008	DS442X	DIODE, SILICON SWITCHING
C009	CO93FM1H104K	CAP. MYLAR 0.1 10% 50V	D009	DS442X	DIODE, SILICON SWITCHING
C010	CO93FM1H223K	CAP. MYLAR 0.022 10% 50V	D010	DS442X	DIODE, SILICON SWITCHING
C011	CK45B2H102K	CAP. CERAMIC 1000P 10% 500V	D011	DS442X	DIODE, SILICON SWITCHING
C012	CK45E3F332P	CAP. CERAMIC 3300P 3.1K	D012	DS442X	DIODE, SILICON SWITCHING
C013	CK45E3F332P	CAP. CERAMIC 3300P 3.1K	D013	DS442X	DIODE, SILICON SWITCHING
C014	NO USE		D014	NO USE	
C015	CE04W2E010	CAP. ELECTRO 1 250V	D008	DS442X	DIODE, SILICON SWITCHING
C016	CE04W2E47	CAP. ELECTRO 4.7 250V	D009	DS442X	DIODE, SILICON SWITCHING
C017	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	D010	DS442X	DIODE, SILICON SWITCHING
C018	CE04W1E470M	CAP. ELECTRO 47 20% 250V	D011	DS442X	DIODE, SILICON SWITCHING
C019	CC45FCH1H100D	CAP. CERAMIC 10P 0.5P 50V	D012	NO USE	
C020	CE04W1E101M	CAP. ELECTRO 100 20% 250V	D013	DS442X	DIODE, SILICON SWITCHING
C021	CK45B2H103K	CAP. CERAMIC 0.01 10% 500V	D014	DS442X	DIODE, SILICON SWITCHING
C022	CE04W1E101M	CAP. ELECTRO 100 20% 250V	D015	DS442X	DIODE, SILICON SWITCHING
C023	CE04W1E101M	CAP. ELECTRO 100 20% 250V	D016	DS442X	DIODE, SILICON SWITCHING
C024	C90-0912-05	CAP. ELECTRO 220 20% 350V	D017	DS442X	DIODE, SILICON SWITCHING
C025	C90-0912-05	CAP. ELECTRO 220 20% 350V	D018	DS442X	DIODE, SILICON SWITCHING
C026	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D019	DS442X	DIODE, SILICON SWITCHING
C027	CK45B2H472K	CAP. CERAMIC 4700P 10% 500V	D0110	DS442X	DIODE, SILICON SWITCHING
C028	CE04W2A3R3M	CAP. ELECTRO 3.3 20% 1000V	D0111	DS442X	DIODE, SILICON SWITCHING
C029	C91-0570-05	CAP. CERAMIC 4700P 3KV	D0112	DS442X	DIODE, SILICON SWITCHING
C030	CK45E3F102P	CAP. CERAMIC 1000P 3.1K	D0113	DS442X	DIODE, SILICON SWITCHING
C031	CC45CH1H180J	CAP. CERAMIC 18P 5% 50V	D0114	NO USE	
C101	CO93FM1H103K	CAP. MYLAR 0.01 10% 50V	D0115	DS442X	DIODE
C102	CO93FM1H103K	CAP. MYLAR 0.01 10% 50V	D0117	MTZ5.1JB	DIODE ZENER 5V
C103	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D121	DS442X	DIODE, SILICON SWITCHING
C104	CK45F1H103Z	CAP. CERAMIC 0.01 50V	D122	NO USE	
C105	CC45CH1H221J	CAP. CERAMIC 220P 5% 50V	D123	1SS83	DIODE
C106	CE04W1H100M	CAP. ELECTRO 10 20% 50V	D124	DS442X	DIODE
C107	NO USE		D125	DS442X	DIODE
C108	C90-0298-05	CAP. CERAMIC 0.1 20% 120V	D116	1SS83	DIODE
C109	CK45B1H472K	CAP. CERAMIC 4700P 10% 50V	D117	NO USE	
C110	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L001	L40-1011-13	FERRI INDUCTOR 100UH
C111	CC45CH1H101J	CAP. CERAMIC 100P 5% 50V	L002	L40-1011-13	FERRI INDUCTOR 100UH
C112	CK45F1H103Z	CAP. CERAMIC 0.01 50V	L003	L40-1021-03	FERRI INDUCTOR 1MH
			L004	L40-1021-13	FERRI INDUCTOR 1MH

# PARTS LIST

REF. NO.	PARTS NO	NAME & DESCRIPTION	REF. NO.	PARTS NO	NAME & DESCRIPTION
L005	L40-1021-13	FERRI INDUCTOR 1MH	R107	RN14BK2E3301F	RES. METAL FILM 3.3K 1% 1/4W
L006	L40-1021-13	FERRI INDUCTOR 1MH	R108	RN14BK2E3300F	RES. METAL FILM 330 1% 1/4W
L007	L40-1021-13	FERRI INDUCTOR 1MH	R109	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W
L008	L40-4791-02	FERRI INDUCTOR 4.7UH	R110	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W
L101	L40-1011-13	FERRI INDUCTOR 100UH	R111	RN14BK2E5101F	RES. METAL FILM 5.1K 1% 1/4W
NL001	NE-2B	NEON LAMP	R112	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
NL002	NE-2B	NEON LAMP	R113	RD14BK2E183J	RES. CARBON 18K 5% 1/4W
P001	E40-0274-05	PIN CONNECTOR 2 P	R114	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
P002	E40-0374-05	PIN CONNECTOR 3 P	R115	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
P003	E40-0335-05	PIN CONNECTOR 3 P	R116	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
P004	E40-0535-05	PIN CONNECTOR 5 P	R117	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
P005	E40-0233-05	PIN CONNECTOR 2 P	R118	RD14BK2E105J	RES. CARBON 1M 5% 1/4W
P101	E40-1116-05	PIN CONNECTOR 11 P	R119	RD14BK2E622J	RES. CARBON 6.2K 5% 1/4W
P102	E40-1116-05	PIN CONNECTOR 11 P	R120	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
P103	E40-0273-05	PIN CONNECTOR 2 P	R121	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
R001	2SC2912(S)	TR. SI. NPN	R122	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W
Q002	2SA1210(S)	TR. SI. PNP	R123	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W
Q003	2SD613(E)	TR. SI. NPN	R124	RN14BK2E3600F	RES. METAL FILM 360 1% 1/4W
Q004	2SC2785(F)	TR. SI. NPN	R125	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q005	2SC2271(D)	TR. SI. NPN	R126	RN14BK2E1002F	RES. METAL FILM 10K 1% 1/4W
Q101	2SK117(Y)	FET	R127	RN14BK2E2701F	RES. METAL FILM 2.7K 1% 1/4W
Q102	2SK117(Y)	FET	R128	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q103	2SC2785(F)	TR. SI. NPN	R129	RD14BK2E561J	RES. CARBON 560 5% 1/4W
Q104	2SC2785(F)	TR. SI. NPN	R130	RD14BK2E102J	RES. CARBON 1.8K 5% 1/4W
Q105	2SC2785(F)	TR. SI. NPN	R131	RD14BK2E661J	RES. CARBON 660 5% 1/4W
Q106	2SC2785(F)	TR. SI. NPN	R132	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
Q107	2SA1175(F)	TR. SI. PNP	R133	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
Q108	2SA1175(F)	TR. SI. PNP	R134	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q109	2SA838(C)	TR. SI. PNP	R135	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
Q110	2SA838(C)	TR. SI. PNP	R136	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
Q111	2SA1175(F)	TR. SI. PNP	R137	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q112	2SA1175(F)	TR. SI. PNP	R138	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q113	2SC2785(F)	TR. SI. NPN	R139	RD14BK2E562J	RES. CARBON 5.6K 5% 1/4W
Q114	2SC2785(F)	TR. SI. NPN	R140	RD14BK2E221J	RES. CARBON 220 5% 1/4W
Q115	2SK117(Y)	FET	R141	RD14BK2E221J	RES. CARBON 220 5% 1/4W
Q116	2SC2785(F)	TR. SI. NPN	R142	RD14BK2C220J	RES. CARBON 22 5% 1/4W
Q117	2SC2785(F)	TR. SI. NPN	R143	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
Q118	2SC2785(F)	TR. SI. NPN	R144	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
Q119	2SC2785(F)	TR. SI. NPN	R145	RD14BK2E182J	RES. CARBON 1.8K 5% 1/4W
Q120	2SC2785(F)	TR. SI. NPN	R146	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
Q121	2SA1175(F)	TR. SI. PNP	R147	RN14BK2E3302F	RES. METAL FILM 33K 1% 1/4W
Q122	2SA1175(F)	TR. SI. PNP	R148	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q123	2SA1175(F)	TR. SI. PNP	R149	RN14BK2E3600F	RES. METAL FILM 36K 1% 1/4W
Q124	2SC2912(S)	TR. SI. NPN	R150	RS14BK3D183J	RES. METAL FILM 18K 5% 2W
Q125	2SA1210(S)	TR. SI. PNP	R151	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
Q126	2SC2785(F)	TR. SI. NPN	R152	RD14BK2E153J	RES. CARBON 15K 5% 1/4W
Q127	2SC2912(S)	TR. SI. NPN	R153	RD14BK2E153J	RES. CARBON 15K 5% 1/4W
Q128	2SC2785(F)	TR. SI. NPN	R154	RD14BK2E133J	RES. CARBON 13K 5% 1/4W
Q129	2SC2785(F)	TR. SI. NPN	R155	RD14BK2C132J	RES. CARBON 1.3K 5% 1/4W
R001	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W	R156	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W
R002	RD14BK2E221J	RES. CARBON 220 5% 1/4W	R157	RN14BK2E1201F	RES. METAL FILM 1.2K 1% 1/4W
R003	RD14BK2E183J	RES. CARBON 18K 5% 1/4W	R158	RN14BK2E4301F	RES. METAL FILM 4.3K 1% 1/4W
R004	RD14BK2E104J	RES. CARBON 100K 5% 1/4W	R159	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W
R005	RN14BK2E4702F	RES. METAL FILM 47K 1% 1/4W	R160	RN14BK2E3004F	RES. METAL FILM 3M 1% 1/4W
R006	RD14BK2E101J	RES. CARBON 100 5% 1/4W	R161	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W
R007	RN14BK2E403F	RES. METAL FILM 240K 1% 1/4W	R162	RN14BK2E5003F	RES. METAL FILM 500K 1% 1/4W
R008	RD14BK2E102J	RES. CARBON 1K 5% 1/4W	R163	RN14BK2E3003F	RES. METAL FILM 300K 1% 1/4W
R009	RD14BK2E104J	RES. CARBON 100K 5% 1/4W	R164	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R010	RD14BK2E352J	RES. CARBON 3.3K 5% 1/4W	R165	RN14BK2E5002F	RES. METAL FILM 50K 1% 1/4W
R011	RD14BK2E221J	RES. CARBON 220 5% 1/4W	R166	RN14BK2E3002F	RES. METAL FILM 30K 1% 1/4W
R012	RD14BK2E103J	RES. CARBON 10K 5% 1/4W	R167	RN14BK2E2002F	RES. METAL FILM 20K 1% 1/4W
R013	R92-1033-05	RES. FIXED 33M 5% 1/4W	R168	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
R014	RD14BK2E334J	RES. CARBON 330K 5% 1/4W	R169	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
R015	R92-1034-05	RES. METAL FILM 47M 5% 1/2W	R170	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
R016	R92-1026-05	RES. METAL FILM 3.3M	R171	RN14BK2E4701F	RES. METAL FILM 4.7K 1% 1/4W
R017	R92-1032-05	RES. FIXED 22M	R172	RD14BK2E472J	RES. CARBON 4.7K 5% 1/4W
R018	RD14BK2E473J	RES. CARBON 47K 5% 1/4W	R173	RD14BK2E101J	RES. CARBON 100 5% 1/4W
R019	RD14BK2E393J	RES. CARBON 39K 5% 1/4W	R174	RD14BK2E391J	RES. CARBON 390 5% 1/4W
R020	RD14BK2E353J	RES. CARBON 35K 5% 1/4W	R175	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
R021	RD14BK2E473J	RES. CARBON 47K 5% 1/4W	R176	RN14BK2E2201F	RES. METAL FILM 2.2K 1% 1/4W
R022	RD14BK2E103J	RES. CARBON 10K 5% 1/4W	R177	RD14BK2E102J	RES. CARBON 1.8K 5% 1/4W
R023	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W	R178	RD14BK2E182J	RES. CARBON 1.8K 5% 1/4W
R024	RN14BK2E6800F	RES. METAL FILM 680 1% 1/4W	R179	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
R025	RN14BK2E2402F	RES. METAL FILM 24K 1% 1/4W	R180	RN14BK2E1202F	RES. METAL FILM 12K 1% 1/4W
R026	RN14BK2E1502F	RES. METAL FILM 13K 1% 1/4W	R181	RD14BK2E022J	RES. CARBON 8.2K 5% 1/4W
R027	RD14BK2E102J	RES. CARBON 1K 5% 1/4W	R182	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
R028	RD14BK2E562J	RES. CARBON 5.6K 5% 1/4W	R183	RD14BK2E124J	RES. CARBON 120K 5% 1/4W
R029	RD14BK2E4R7J	RES. CARBON 4.7 5% 1/4W	R184	RD14BK2E621J	RES. CARBON 620 5% 1/4W
R030	NO USE		R185	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
R031	RD14BK2E470J	RES. CARBON 47 5% 1/4W	R186	RD14BK2E473J	RES. CARBON 47K 5% 1/4W
R032	RD14BK2E224J	RES. CARBON 220K 5% 1/4W	R187	RD14BK2E203J	RES. CARBON 20K 5% 1/4W
R033	RD14BK2E563J	RES. CARBON 56K 5% 1/4W	R188	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
R101	RN14BK2E1004F	RES. METAL FILM 1M 1% 1/4W	R189	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
R102	RD14BK2E104J	RES. CARBON 100K 5% 1/4W	R190	RS14BK3D103J	RES. METAL FILM 10K 5% 2W
R103	RD14BK2E153J	RES. CARBON 15K 5% 1/4W	R191	RD14BK2E124J	RES. CARBON 120K 5% 1/4W
R104	RD14BK2E153J	RES. CARBON 15K 5% 1/4W	R192	RD14BK2E103J	RES. CARBON 10K 5% 1/4W
R105	RD14BK2E201J	RES. CARBON 200 5% 1/4W	R193	RD14BK2E122J	RES. CARBON 1.2K 5% 1/4W
R106	RD14BK2E302J	RES. CARBON 3K 5% 1/4W	R194	RD14BK2E122J	RES. CARBON 1.2K 5% 1/4W
			R195	RD14BK2E621J	RES. CARBON 820 5% 1/4W
			R196	RD14BK2E621J	RES. CARBON 820 5% 1/4W
			R197	NO USE	
			R198	RD14BK2E222J	RES. CARBON 2.2K 5% 1/4W
			R199	RD14BK2E221J	RES. CARBON 220 5% 1/4W
			R205	RD14BK2E102J	RES. CARBON 1K 5% 1/4W
			R206	RD14BK2E203J	RES. METAL FILM 9.1K 1% 1/4W
			R207	RN14BK2E9101F	RES. METAL FILM 9.1K 1% 1/4W

# PARTS LIST

REF.NO	PARTS NO	NAME & DESCRIPTION				
R210	RD14BB2E101J	RES. CARBON	100	5%	1/4W	
R211	RD14BB2E470J	RES. CARBON	47	5%	1/4W	
R212	RD14BB2E101J	RES. CARBON	100	5%	1/4W	
R213	RD14BB2E152J	RES. CARBON	1.5K	5%	1/4W	
R214	RN14BK2E5101F	RES. METAL FILM	5.1K	1%	1/4W	

## V. FINAL AMP UNIT

(X73-1630-00)

REF.NO	PARTS NO	NAME & DESCRIPTION				
	F01-0821-04	HEAT SINK				
	F02-0514-04	HEAT SINK				
	J21-2950-04	BRACKET FOR P.C.B.				
	J21-2951-04	BRACKET FOR P.C.B.				
	J25-5097-04	PCB (UNMOUNTED)				
	J32-0780-04	BOSS				
	J61-0516-05	SUPPORT (T TYPE)				
	N09-0709-05	SCREW				
	N30-3004-46	SCREW, PAN HD M 3x4				
	N30-3006-46	SCREW, PAN HD M 3x6				
	N30-3008-46	SCREW, PAN HD M 3x8				
	R92-0150-05	JUMPING RES. ZERO OHM				
	C001 CK4581H472K	CAP. CERAMIC 4700P 10% 500V				
	C002 CE04W1C3R5	CAP. ELECTRO 3.3 160V				
	C003 CK4581H103K	CAP. CERAMIC 0.01 10% 50V				
	C004 CE04W1E101M	CAP. ELECTRO 100 20Z 25V				
	C005 CK4581H472K	CAP. CERAMIC 4700P 10% 500V				
	C006 CK4581H472K	CAP. CERAMIC 4700P 10% 500V				
	C007 CK4581H472K	CAP. CERAMIC 4700P 10% 500V				
	C008 CK4581H472K	CAP. CERAMIC 4700P 10% 50V				
T001	L19-0413-05	CONVERTOR TRANSFORMER				
TC101	C05-0422-05	CAP. TRIMMER 20P				
TC102	C05-0420-05	CAP. TRIMMER 6P				
U001	NJM4558D	IC				
U101	MC10105L	IC, QUAD 2-INPUT OR GATE				
U102	SN74LS112N	IC				
U103	SN74LS02N	IC				
U104	SN74LS00N	IC				
U105	SN74LS08N	IC				
VR001	R12-5516-05	RES. SEMI FIXED 100K B				
VR101	R01-3510-05	V.R. WITH SW. 10K B				
VR102	R01-3510-05	V.R. WITH SW. 10K B				
VR103	S02-2507-15	ROTARY SW. W/V.R2K B				
VR104	R12-3520-05	RES. SEMI FIXED 10K B				
VR105	R12-1518-05	RES. SEMI FIXED 2K B				
VR106	R12-0421-05	RES. SEMI FIXED 100 B				
VR107	R12-1517-05	RES. SEMI FIXED 1K B				
VR108	NO USE					
VR109	R12-5518-05	RES. SEMI FIXED 200K B				
VR110	NO USE					
VR111	R12-0540-05	RES. SEMI FIXED 500 B				
	Q001 ZSC2912(R,S)	TR. SI, NPN				
	Q002 ZSC2912(R,S)	TR. SI, NPN				
	Q003 ZSA1210(S)	TR. SI, PNP				
	Q004 ZSC2912(R,S)	TR. SI, NPN				
	Q005 ZSA1210(S)	TR. SI, PNP				
	Q006 ZSC2912(R,S)	TR. SI, NPN				
	R001 RD14BB2E101J	RES. CARBON 100 5% 1/4W				
	R002 RD14BB2E101J	RES. CARBON 100 5% 1/4W				
	R003 R92-1130-05	RES. FIXED 2.4K 3W				
	R004 R92-1130-05	RES. FIXED 2.4K 3W				
	R005 RD14BB2E470J	RES. CARBON 47 5% 1/4W				
	R006 RD14BB2E470J	RES. CARBON 47 5% 1/4W				
	R007 RD14BB2E470J	RES. CARBON 47 5% 1/4W				
	R008 RD14BB2E470J	RES. CARBON 47 5% 1/4W				
	R009 RD14BB2E150J	RES. CARBON 15 5% 1/4W				
	R010 RD14BB2E150J	RES. CARBON 15 5% 1/4W				
	R011 RD14BB2E150J	RES. CARBON 15 5% 1/4W				
	R012 RD14BB2E150J	RES. CARBON 15 5% 1/4W				

## CONNECTION UNIT

(X77-1261-61)

REF.NO	PARTS NO	NAME & DESCRIPTION				
	E33-4037-00	WIRE HASSY				
	J25-2995-03	PCB (UNMOUNTED)				
	R92-0150-05	JUMPING RES. ZERO OHM				
	C001 C093M1H103J	CAP. MYLAR 0.01 5% 50V				
	C002 CK4581H103K	CAP. CERAMIC 0.01 10% 50V				
	D001 D5442X	DIODE				
	D002 D5442X	DIODE				
	P001 E40-7203-05	PIN CONNECTOR 3 P				
	P002 E40-7204-05	PIN CONNECTOR 4 P				
	P003 E40-0604-05	PIN CONNECTOR 6 P				
	P004 E40-0804-05	PIN CONNECTOR 8 P				
	P005 E40-0804-05	PIN CONNECTOR 8 P				
	P006 E40-1111-05	PIN CONNECTOR 11P				
	P007 E40-1111-05	PIN CONNECTOR 11P				
	P008 E40-1111-05	PIN CONNECTOR 11P				
	P009 E40-1111-05	PIN CONNECTOR 11P				
	P010 E40-0273-05	PIN CONNECTOR 2 P				
	P013 E40-0273-05	PIN CONNECTOR 2 P				
	P014 E40-0273-05	PIN CONNECTOR 2 P				
	P015 E40-0673-05	PIN CONNECTOR 6 P				
	Q001 ZSC1384	TR. SI, NPN				
	Q002 ZA684	TR. SI, PNP				
	R001 RD14BB2E331J	RES. CARBON 330 5% 1/4W				
	R002 RD14BB2E103J	RES. CARBON 10K 5% 1/4W				
	R003 RD14BB2E103J	RES. CARBON 10K 5% 1/4W				
	R004 RD14BB2E103J	RES. CARBON 10K 5% 1/4W				
	R005 RD14BB2E221J	RES. CARBON 220 5% 1/4W				
	R006 RN14BK2E1500F	RES. METAL FILM 150 1% 1/4W				
	R007 RN14BK2E4302F	RES. METAL FILM 43K 1% 1/4W				
	R008 RN14BK2E9102F	RES. METAL FILM 91K 1% 1/4W				

# PARTS LIST


REF.NO	PARTS NO	NAME & DESCRIPTION
R009	RN14BK2E1003F	RES. METAL FILM 100K 1% 1/4W
R010	RN14BK2E3601F	RES. METAL FILM 3.6K 1% 1/4W
R011	RD14BB2E392J	RES. CARBON 3.9K 5% 1/4W
R014	RD14BB2E222J	RES. CARBON 2.2K 5% 1/4W
R015	RD14BB2E101J	RES. CARBON 100 5% 1/4W
U001	NJM4558D	IC

## CRT SOCKET UNIT


**(X81-1250-04)**

REF.NO	PARTS NO	NAME & DESCRIPTION
E01-0103-05	CRT SOCKET	
J25-2996-24	PCB (UNMOUNTED)	
R92-0150-05	JUMPING RES. ZERO OHM	
C001	CC45CH2H010C	CAP. CERAMIC 1P 0.025% 500V
C002	CC45SL1H050C	CAP. CERAMIC 5P 0.025% 50V
J016	E31-2390-15	LEAD WIRE WITH CONNECTOR
J017	E31-2390-15	LEAD WIRE WITH CONNECTOR
J018	NO USE	
J019	E31-2364-05	LEAD WIRE WITH CONNECTOR
J020	NO USE	
J021	E31-2363-05	LEAD WIRE WITH CONNECTOR
J022	NO USE	
J023	E31-2365-05	LEAD WIRE WITH CONNECTOR


# SEMICONDUCTORS




SN74LS112N




LS74LS02N




SN74LS00N




NJM4558D



SN74LS08N




MC10103L




M47F(B)  
M47F(C)


Bottom View




2SA684  
2SA838 (C)  
2SA1005 (K)




2SK30A (O)




2SA1175 (F)  
2SC2785 (F)  
2SC2786 (K)




2SC2407




2SK117 (Y)




μPC7805H  
NJM7815




2SA1210 (R or S)  
2SC2912 (R or S)



2SA1009 (L, K)  
2SD613E




μPC7915HA




2SA884

## DISASSEMBLY




## P.C. BOARD


VERTICAL ATTENUATOR UNIT (X75-1140-00)




CONNECTION UNIT  
(X77-1260-00)




HORIZONTAL & HIGH VOLTAGE UNIT (X74-1340-00)




VERTICAL AMP & POWER UNIT (X73-1490-00)



CRT SOCKET UNIT  
(X81-1250-00)




V. FINAL AMP UNIT  
(X73-1630-00)




## P.C. BOARD


VERTICAL ATTENUATOR UNIT (X75-1140-00)




CONNECTION UNIT  
(X77-1260-00)




HORIZONTAL & HIGH VOLTAGE UNIT (X74-1340-00)




VERTICAL AMP & POWER UNIT (X73-1490-00)




CRT SOCKET UNIT  
(X81-1250-00)




V. FINAL AMP UNIT  
(X73-1630-00)




## CS-1022 SCHEMATIC DIAGRAM




## CS-1020 SCHEMATIC DIAGRAM




## CS-1012 SCHEMATIC DIAGRAM



## CS-1010 SCHEMATIC DIAGRAM



## CS-1021 SCHEMATIC DIAGRAM



**manual produced by**

**ElectronicsAndBooks@Yahoo.com**

**PO Box 5156  
2000 GD Haarlem  
Netherlands**

**manual produced by**

**ElectronicsAndBooks@Yahoo.com**

**PO Box 5156  
2000 GD Haarlem  
Netherlands**