



NOTES:

- 1. DIMENSIONS D1 AND E1 INCLUDE MOLD MISMATCH, BUT DO NOT INCLUDE MOLD PROTRUSION; ALLOWABLE PROTRUSION IS 0.25 MM ON D1 AND E1.
- 2. DETAILS OF PIN 1 IDENTIFIER ARE OPTIONAL BUT MUST BE LOCATED WITHIN THE ZONE INDICATED.
- 3. ALLOWABLE DAMBAR PROTRUSION IS 0.08 MM TOTAL IN EXCESS OF THE b DIMENSION AT MAXIMUM MATERIAL CONDITION. PROTRUSION NOT TO BE LOCATED ON LOWER RADIUS OR FOOT OF LEAD.



DIM	MIN	NOM	MAX
Α	_	_	1.60
A1	0.05	0.10	0.15
A2	1.35	1.40	1.45
b	0.17	0.22	0.27
С	0.09	_	0.20
D	11.80	12.00	12.20
D1	10.00 BSC		
Е	11.80	12.00	12.20
E1	10.00 BSC		
е	0.50 BSC		
L	0.45	0.60	0.75



DIMENSIONS ARE IN MILLIMETERS

SIGNATURE DATE

DOC. CONTROL:

ENGR. MGR:

MFG. ENGR:

CHECKED BY:

DRAWN BY:

DO NOT SCALE DWG. SCALE N/A

Dallas Semiconductor

MARKETING OUTLINE, 64 LD. LQFP, 10X10X1.4 BODY, 1.0/0.10 FORM

SIZE FSCM NO PART NO.

SHEET 1 OF 1

REV

А