


NOTES:


1. DIMENSIONS D1 AND E1 INCLUDE MOLD MISMATCH, BUT DO NOT INCLUDE MOLD PROTRUSION; ALLOWABLE PROTRUSION IS 0.254 MM ON D1 AND E1.
2. DETAILS OF PIN 1 IDENTIFIER ARE OPTIONAL BUT MUST BE LOCATED WITHIN THE ZONE INDICATED.
3. ALLOWABLE DAMBAR PROTRUSION IS 0.08 MM TOTAL IN EXCESS OF THE B DIMENSION AT MAXIMUM MATERIAL CONDITION. PROTRUSION NOT TO BE LOCATED ON LOWER RADIUS OR FOOT OF LEAD.

DIM	MIN	NOM	MAX
A	—	—	1.20
A1	0.05	0.10	0.15
A2	0.95	1.00	1.05
b	0.17	0.22	0.27
c	0.09	—	0.20
D	11.80	12.00	12.20
D1	10.00 BSC		
E	11.80	12.00	12.20
E1	10.00 BSC		
e	0.50 BSC		
L	0.45	0.60	0.75



DETAIL A

DIMENSIONS ARE IN MILLIMETERS

SIGNATURE		DATE		 Dallas Semiconductor MARKETING OUTLINE, 64 LD. TQFP, 10X10X1.0 BODY, 1.0/0.10 FORM			
DOC. CONTROL:							
ENGR. MGR:							
MFG. ENGR:							
CHECKED BY:							
DRAWN BY:		SIZE A	FSCM NO	PART NO.	REV A		
DO NOT SCALE DWG.			SCALE N/A		SHEET 1 OF 1		