


## NOTES:

- 1. ALL DIMENSIONING AND TOLERANCING CONFORM TO ANSI Y14.5-1982.
- 2. DATUM PLANE ILLUCATED AT MOLD PARTING LINE AND COINCIDENT WITH LEAD, WHERE LEAD EXITS PLASTIC BODY AT BOTTOM OF PARTING LINE.
- 3. DIMENSIONS D1 AND E1 DO NOT INCLUDE MOLD PROTRUSION.
  ALLOWABLE MOLD PROTRUSION IS 0.254 MM ON D1 AND E1 DIMENSIONS.
- 4. THE TOP OF PACKAGE IS SMALLER THAN THE BOTTOM OF PACKAGE BY 0.15 MILLIMETERS.
- 5. DIMENSION 6 DOES NOT INCLUDE DAMBAR PROTRUSION.
  ALLOWABLE DAMBAR PROTRUSION SHALL BE 0.08mm TOTAL IN EXCESS OF THE 6 DIMENSION AT MAXIMUM MATERIAL CONDITION.
- 6. CONTROLLING DIMENSION: MILLIMETER.
- 7. THIS DUTLINE CONFORMS TO JEDEC PUBLICATION 95 REGISTRATION MD-136.
- 8. LEADS SHALL BE COPLANAR WITHIN .004 INCH.

	TQFP PACKAGE VARIATION		
S Y M B $\Box$ L	ALL DIMENSIONS IN MILLIMETERS		
	100L, 14×14×1.0		
	MIN.	MAX.	
Α	*	1.20	
A <sub>1</sub>	0.05	0.15	
Ae	0.95	1.05	
D	16.00 BSC.		
D <sub>1</sub>	14.00	BSC.	
E	16.00	BSC.	
E <sub>1</sub>	14.00	BSC.	
L	0.45	0.75	
N	100		
e	0.50 BSC.		
b	0.17	0.27	
b1	0.17	0.23	



PROPRIETARY INFOR	/XI/		
TITLE			
PKG, DUTL:	NE, 100L TQFP, 14×	14×1.0	MM
APPROVAL	DOCUMENT CONTROL NO.	REV	2/
	21-0085	Α	/2