

TX4G-JKS-20 Product Data Sheet

4G/LTE Bendable Rubber Antenna SMA-J Interface



成都亿佰特电子科技有限公司



I. Product Introduction

TX4G-JKS-20 is a 4G/LTE bendable rubber antenna. Height of the antenna is 195mm. With a SMA-J interface (SMA inner screw thread and inner needle), it can be applied to such broadband communication system, WiFi, mobile terminal devices with frequency of 4G/LTE as router, AP,radio, aircard, smart TV and so on.


II. Specification and Parameters


Physical Parameters	
Bandwidth	4G/LTE
	800-960MHz,1710-2700MHz
Gain	5dBi
SWR	≤1.5
Polarization	Vertical
Radiation Direction	Omnidirectional
Input Impedance	50 Ω
Power Capacity	20W
Other Parameters	
Height	195mm
Total Weight	20g
Coat Material	TPEE
Interface	SMA-J
	(SMA inner screw thread and inner needle)
Working Temperature	-40°C ∼+85°C
Storage Temperature	-40°C ∼+85°C





III. Testing







IV. FAQ

- Antenna frequency shall be matched with that of the wireless devices, or the communication will be affected;
- Diffraction performance will be better with lower communication frequency and longer wave;
- Communication distance will be shorter if there is any straight-line barrier;
- Please be noted of the antenna radiation direction. Incorrect direction by installation will result in short communication distance;
- As radio wave may be absorbed by the ground, result will be affected if tested close to ground. It is suggested to test at a higher place;
- As radio wave can be highly absorbed by the ocean water, result will be affected if tested close to the sea;
- Signal will be seriously weakened if the antenna is put close to metal or inside metal shell;
- Lower impedance matching of antenna and communication devices will result in bad communication.

About us

Technical support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

