


The Machlett Laboratories, Inc.
 1063 Hope Street • Stamford, Conn. 06907
 Tel. 203-348-7511 • TWX 710-474-1744

ISSUED 4-68



ML-7480A



General Purpose Triode
 80 kW CW

DESCRIPTION

The ML-7480A is a general-purpose vapor-cooled triode conservatively designed for 50-75 kW industrial heating and AM broadcasting service.

The anode is designed to dissipate 80 kilowatts, and substantially higher power during momentary overloads or intermittent operation. Efficient cooling is accomplished by vaporization of water in a jacket and transport of the vapor to a secondary cooling circuit at a temperature of about 100°C. Sturdy coaxial grid and cathode mounting structures

provide low-inductance, high-dissipation r-f terminals. The cathode consists of sturdy, self-supporting, stress-free, thoriated-tungsten filaments. Envelope insulation members are strong, low-loss, ceramic cylinders.

Maximum ratings of 16 kVdc plate voltage and 140 kW plate input apply at frequencies up to 40 MHz. Useful power output can be obtained at frequencies up to 80 MHz at reduced plate voltage and plate input.

GENERAL CHARACTERISTICS

Electrical

Filament Voltage	13.0 Volts
Filament Current	205 Amps
Filament Starting Current, maximum	800 Amps
Filament Cold Resistance	0.007 Ohm
Amplification Factor	20
Interelectrode Capacitances	
Grid-Plate	55 pf
Grid-Filament	75 pf
Plate-Filament, maximum	3.2 pf

Mechanical

Mounting Position	Vertical, Anode Down
Type of Cooling, Anode	Vaporization of water
Air Flow on Bulb and Seals, approximate	100 cfm*
Maximum Envelope Temperature	200 °C
Net Weight, approximate	44 lb.

* At frequencies up to 15 MHz, air flow should be directed primarily on filament seals and the main ceramic bulb; at higher frequencies or high ambient temperatures, additional air flow may be required on the grid seals. Air flow should be distributed to maintain uniform temperature, not greater than 200 °C, around the circumference of the seals.

WARNING: This electron tube when operating at peak voltages in excess of 15 kv may give off x rays, which can be harmful unless adequately shielded by the enclosure within which the tube is used. Instructions for protective installation are given in National Bureau of Standards Handbook 93, "Safety Standards for Non-Medical X-Ray and Sealed Gamma-Ray Sources."

**Audio-Frequency Power Amplifier and Modulator
Class B**

Maximum Ratings, Absolute Values

D-C Plate Voltage	16000	volts
Max.-Signal D-C Plate Current*	11	amps
Max.-Signal Plate Input*	120	kW
Plate Dissipation	80	kW

Typical Operation (Values are for two tubes)

D-C Plate Voltage	10000	12000	volts
D-C Grid Voltage	-450	-600	volts
Peak A-F Grid-to-Grid Voltage	1750	2120	volts
Peak A-F Plate-to-Plate Voltage	16000	19200	volts
Zero Signal D-C Plate Current	3.0	2.0	amps
Max.-Signal D-C Plate Current	17.4	20.0	amps
Effective Load Resistance, Plate-to-Plate	1170	1230	ohms
Max.-Signal Driving Power, approx.	550	600	watts
Max.-Signal Power Output, approx.	110	152	kW

*Average over any audio-frequency cycle of sine-wave form.

**Radio-Frequency Power Amplifier
Class B**

Carrier conditions per tube for use with a maximum modulation factor of 1.0.

Maximum Ratings, Absolute Values

D-C Plate Voltage	16000	volts
D-C Plate Current	9	amps
Plate Input	100	kW
Plate Dissipation	80	kW

Typical Operation

D-C Plate Voltage	12000	12000	volts
D-C Grid Voltage	-550	-550	volts
Peak R-F Grid Voltage	510	640	volts
Peak R-F Plate Voltage	5300	5300	volts
D-C Plate Current	4.3	6.8	amps
D-C Grid Current	0	0	mA
R-F Load Resistance	780	500	ohms
Driving Power, approx.†	450	1500	watts
Power Output, approx.	18	28	kW

†At crest of audio-frequency cycle with modulation factor of 1.0.

**Plate-Modulated R-F Power Amplifier
Class C Telephony**

Carrier conditions per tube for use with a maximum modulation factor of 1.0.

Maximum Ratings, Absolute Values

D-C Plate Voltage	10000	volts
D-C Grid Voltage	-3200	volts
D-C Plate Current	8.5	amps
D-C Grid Current	2.0	amps
Plate Input	85	kW
Plate Dissipation	53	kW

Typical Operation

D-C Plate Voltage	9500	volts
D-C Grid Voltage	-1600	volts
Peak R-F Grid Voltage	2300	volts
Peak R-F Plate Voltage	7800	volts
D-C Plate Current	8.4	amps
D-C Grid Current	0.90	amp
R-F Load Resistance	510	ohms
Driving Power, approx.	2.0	kW
Power Output, approx.	60	kW

**R-F Power Amplifier and Oscillator
Class C Telephony**

Key-down conditions per tube without amplitude modulation‡

Maximum Ratings, Absolute Values

D-C Plate Voltage	16000	volts
D-C Grid Voltage	-3500	volts
D-C Plate Current	11	amps
D-C Grid Current	2.0	amps
Plate Input	140	kW
Plate Dissipation	80	kW
Grid Dissipation	1000	watts

Typical Operation

D-C Plate Voltage	10000	15000	volts
D-C Grid Voltage	-1200	-1600	volts
Peak R-F Grid Voltage	1900	2120	volts
Peak R-F Plate Voltage	8000	12500	volts
D-C Plate Current	10.0	7.0	amps
D-C Grid Current	0.81	0.30	amp
R-F Load Resistance	440	970	ohms
Driving Power, approx.	1.5	0.60	kW
Power Output, approx.	72	80	kW

‡Modulation essentially negative may be used if the positive peak of the envelope does not exceed 115% of carrier conditions.

CHARACTERISTIC RANGE VALUES FOR EQUIPMENT DESIGN

Characteristics	Conditions	Limits		
		Minimum	Bogey	Maximum
Grid Voltage	$e_b = 1500$ volts; $i_b = 48$ amps	e_c :	—	1000 volts
Grid Current	$e_b = 1500$ volts; $i_b = 48$ amps	i_c :	—	15 amps
Plate Voltage	$E_c = 0$ Vdc; $I_b = 3.0$ Adc	E_b :	1.9	2.4
Plate Voltage	$E_c = -200$ Vdc; $I_b = 3.0$ Adc	E_b :	5.6	6.4
Grid Voltage	$E_b = 15.0$ kVdc; $I_b = 0.020$ Adc	E_c :	-700	-820
Plate Power Output	$E_b = 15.0$ kVdc; $I_b = 7.0$ Adc	P_o :	68	68
	$E_c = -1600$ Vdc; $I_c = 0.30$ Adc			— kW

MAXIMUM FREQUENCY RATINGS

Maximum ratings apply up to 40 MHz except as noted. The tube may be operated at higher frequencies provided the maximum values of plate voltage and power input are reduced according to the tabulation on the right. (Other maximum ratings are the same as shown above.) Special attention should be given to adequate ventilation of the bulb at the higher frequencies.

Frequency	40	60	80 MHz
Percent Maximum Rated Plate Voltage and Plate Input	100	75	50%

APPLICATION NOTES

Introduction

All high-power vacuum tubes require some aging when they are first used in any new equipment or new environment. As the system power level increases, particularly if attended by a decrease in impedance level, it becomes increasingly important to spend enough time to acclimate the tube to the desired conditions of operation. *There is no substitute for seasoning the tube in the actual equipment in which it is to operate.* Once the procedure has been followed, however, the tube generally will be available for substantially immediate operation, unless it has been idle for an extended period of time, say three months or more.

Aging Procedure

The aging schedule will vary with the particular operating and environmental conditions. A general procedure which will serve as a starting point is to operate the tube for approximately one-half hour at each of the following steps:

- (a) filament voltage only;
- (b) partial plate voltage, drive and load, up to about one-half normal;
- (c) full plate voltage, drive and load.

The length of time necessary for break-in to insure reliable operation can vary widely. Only experience will tell whether the above procedure can be shortened, or whether steps (b) and (c) must be extended, perhaps by a factor of two or three. The major factors affecting break-in time are the *method of applying plate voltage*, the type of *protective circuitry* available to remove power in the event of a fault, and, for a spare tube, the length of time since it had been removed from normal operation.

Plate voltage is applied preferably by continuous or stepped control. Snap-on of full plate voltage with no load may develop excessive transients which cause breakdown in the tube or other circuit components. If the voltage must be snapped on at full value, at least some load should be placed on the power transformer to limit transients to 120 percent of the d-c voltage.

Tube Protection

Fault overloads, due to tube or circuit instabilities, may result in the following conditions:

- (a) liberation of gas in the tube;
- (b) gross damage to internal elements, e.g. melting of grid wires;
- (c) external arcing over electrodes, with damage to seals and possible puncture of envelope insulator.

A tube which becomes gassy often can be cleaned up successfully by patient reaging. The other conditions listed above are usually catastrophic.

The criteria for tube protection are the total energy which may be imparted to the tube, and the peak voltage which may appear across the electrodes. The total energy available depends on the *power source impedance*, including effect of transmission lines, and the *energy stored* in the transformer and filter components; on the *series resistance* in the circuit; and on the *duration of the discharge* or fault condition.

Primary power characteristics often are not known by

the equipment designer, and the major energy-storage components usually are fixed by circuit performance requirements. Tube protection, then, is reduced to limiting surges by the design of certain components, including in the circuit at least some dissipative elements, i.e. resistance, and to sensing and removing any incipient surge as quickly as possible. The foregoing uncertainties make it difficult to specify the minimum requirements for sufficient tube protection under a given set of circumstances.

Protective Devices and Circuitry

Heretofore, it has been customary to equip plate and grid circuits with overload relays adjusted to open the circuit breakers within one-tenth of a second. In many applications, particularly where the impedance of the primary power source is low or where there is appreciable stored energy, the devices referred to above offer inadequate protection.


For high reliability and freedom from gassing and catastrophic failures, the use of an electronic shorting device or "crowbar" is recommended. In this case a thyatron, ignitron, or other suitable gaseous conduction device is connected to short the rectifier output to ground within 10 microseconds in the event of a fault condition. The electronic crowbar functions to divert the fault energy from the protected tube until the relay and circuit breakers act. Where multiple tubes are used with a common power supply, this type of crowbar is certainly necessary. This type of high-speed removal of fault energy has been extremely effective in reducing break-in time, and the lower the power supply impedance, the more impressive is the effect.

In some cases adequate protection can be obtained by using a vacuum switch, (a) connected as above, or (b) as a circuit breaker, replacing the usual slower acting types. These devices can divert, or remove, the fault energy in the order of one-half cycle. A vacuum-switch circuit breaker can, of course, be used to advantage in combination with the high-speed electronic shorting device. *The latter arrangement probably gives the best over-all protection to the tube and other circuit components.*

In addition, some *series resistance* should be used in the output of the power supply to limit the surge current from the transformer. Preferably, resistors may be placed in series with each rectifier lead to provide equal protection with substantially less power dissipated during normal operation. The amount of resistance will vary with circuit conditions and the speed of the protective circuitry, but the following values can be given as a guide:

Maximum Power Output of Rectifier	120	250	500	1000	kW
Series Resistor	10	20	35	50	Ohms

The voltage ratings are established so that normal operation will not cause arcs to develop across the tube envelope. Any external arcing, therefore, is an indication that the rated voltages have been exceeded. To lessen the chance of permanently damaging the tube, it is helpful to attach suitable *sphere gaps*, or rings, to the electrode terminals. If the sphere gaps are properly installed, the most probable breakdown path is between the gaps rather than over the tube envelope. The gap separation must be carefully adjusted for each application. The spacing from the tube envelope to the gaps or rings, in general, should be equal to or greater than the gap separation.




CONSTANT CURRENT CHARACTERISTICS—ML-7480A

ACCESSORIES

Item	Part. No.
Small Filament Connector	F-17488
Large Filament Connector	F-17489
Grid Connector	F-17397
O Ring	P-512126
Jacket for Vapor-Up System, 100 kW	F-27889
Jacket for Vapor-Down System, 100 kW	F-27891

NOTE: For additional information on accessories, refer to Accessory Data Sheet No. ST-2236.



DIMENSIONS FOR OUTLINE OF ML-7480A

Ref	Inches			Notes
	Minimum	Nominal	Maximum	
A	4.62	4.65	4.68	
B	3.47	3.50	3.53	
C	2.47	2.50	2.53	
D	—	1.12	1.19	
E	—	4.63	5.38	
G	—	5.38	5.42	
H	6.47	6.50	6.53	
I	7.00	7.00	7.12	
J	—	—	20.13	
K	7.93	8.12	8.50	
L	—	—	1.00	
M	6.71	6.87	7.22	
N	5.06	5.12	5.37	
P	.25	.31	—	
RA	.15	.19	—	
RB	.15	.19	—	
RC	.15	.19	—	
S	5.74	5.75	5.76	1
T	.38	.50	—	1
U	6.559	6.562	6.565	3
V	4.96	4.98	5.00	1
W	.249	.264	.279	

NOTES:

1. Three holes, 1/4"-20 tap, (T) inches deep, on a circle of diameter (S), spaced at chordal distances (V).
2. Water level for vapor-up cooling system.
3. Hole of diameter (U) recommended for sealing tube in jacket. O-ring gasket, Machlett Part No. P-512126, supplied with tube.
4. Tube supported by this surface only.

RAYTHEON

THE MACHLETT LABORATORIES, INC.

A SUBSIDIARY OF RAYTHEON COMPANY