states, that no case treated by him has developed into hydrophobia.

At the time of Mr. Dickson's visit to Sedalia, I had the opportunity of seeing the stone for a few minutes, and found it to be a fossil coral of the genus Favosites. It was of rather small size, only about threefourths of an inch across, and was of hemispherical shape, with one side cut so as to present a smooth surface. The fossil seemed to be silicified, a part of the tubes being filled almost to the ends, and a part open. The tube cavities on the flat surface generally presented open spaces between the diaphragms or tabulae, making the stone more or less cellular or porous. From the slight examination I made of the stone, I judge it to be Favosites gothlandica Lam., if from Scotland; and, if it is American, F. hemisphericus Y. and S.

I have since seen Mr. Girard; and I learn from him, and also from the Sedalia agent of the Adams express company, that the stone was first soaked in sweet milk without having any effect upon the color of the milk. It was then applied to the arm, and adhered so tightly, that, on turning the arm over and shaking it, the stone still clung to it. About three times the stone was taken from the arm and soaked in milk, and it then turned the milk a greenish color. At last the stone would no longer adhere to the wound, and the cure was pronounced complete.

Has any competent person made proper tests of reputed mad stones? Are these persons mistaken about the stone adhering tightly? Would any simi-lar porous stone adhere the same way? Are the persons also mistaken about the change in the color of the milk? In short, will any stone have any effect on virus in a person's blood? F. A. SAMPSON.

Sedalia, Mo., July, 1885.

[We may add as a final query, How did such a superstition arise ? - ED.]

The inscription rocks on the island of Monhegan.

During a recent visit to the island of Monhegan, Me., my attention was called by Mr. P. C. Manning of Portland to the so-called inscriptions described vi. p. 610. The inscriptions are on a small island, Menana, which is separated from Monlegan island proper by a narrow channel. The principal inscription, that figured by Schoolcraft, is on the nearly vertical face of a small cliff about five feet high, situated a few rods north and east from the fog-signal station. The country rock of both islands is a black or dark-gray rock different from any rock I have seen in Maine except at one other locality. A lithological description of this rock is reserved for the present. It shows great numbers of veins. Part of these veins are of white granite, or sometimes of white quartz; but many are black, like the surrounding rock, and differ from it simply in fineness of grain. When weathered, even the blackest of the rocks become dark gray in color. As the various layers differ so much in granular condition, and somewhat in composition, they naturally weather and fracture very differently. Some of the rock is quite massive, with no regular fracture: other layers fracture quite pris-matically, almost like slates. The rocks are every-where weathered into forms unusually varied, and often fantastic; the veins sometimes weathering faster than the contiguous rock into furrows, at other times into ridges. The joints and veins are often arranged systematically.

When one first sees the inscription rock, he cannot fail to notice that the appearance is as if a tablet had

been prepared upon the surface of the rock, not horizontally, but obliquely. There are two parallel fur-rows about one-half an inch deep, and eight inches apart; and the so-called letters are on this 'tablet.' The tablet has a fine-pitted surface of weathering quite even and flat. The surrounding rock is more coarsely pitted. Examination shows that this apparent tablet is simply the exposed edge of a fine-grained vein which penetrates the coarser-grained rock ob-liquely. This vein shows both on top of the rock and also on the side. The parallel furrows which enclose the so-called inscription tablet are simply furrows of weathering at the sides of the vein. The supposed letters are composed of straight furrows intersecting each other obliquely, so that most of them are some modification of the letters V and X. A cross-section of these furrows ends in a sharp angle enclosed between curved lines, like the sinus of a crenate leaf. At the base of the furrows I invariably found a crack in the rock, though sometimes not readily without the aid of a magnifier. There are two systems of these joints, — one nearly vertical, the other nearly at right angles to the sides of the vein. Nearly all the furrows forming the supposed inscription belong to these two systems of joints: a few are aberrant, and two are horizontal. Most of the joints are filled with a film of oxide of iron, but the two horizontal joints and two others are open. At the point where the vein obliquely enters the rock, the furrows on the vertical wall are continued without a break around the angle of the rock to the edge of the roof-exposure of the vein. This is plainly caused by the same joint penetrating the vein at both exposures. In general, the exposure of the vein on top of the cliff has been more unevenly eroded, and shows fewer furrows. A small piece has recently been broken from the southeast corner of the inscription tablet; and an ironfilled crack, which is found at the base of a furrow above this fracture, can be seen crossing the fresh surface, though it is faint. The inscription furrows bend downward into the two longitudinal furrows which border the so-called inscription tablet. The surrounding coarse-grained rock shows but few furrows, and they are not so regular in outline as those on the edge of the vein.

It is evident that the 'inscription' is a freak of sur-face erosion. The furrows are the result of weathering along joints. At the same time they differ from the ordinary weathering of the island in certain details.

A few rods from this inscription is a smaller one, very much like it in form of erosion furrows; and I found a small slab, near the north-east angle of Monhegan island, showing almost identical V and X forms. Portland, July 27. G. H. STONE.

Recent contributions to the literature of micro-biology.

Two works upon this subject have recently been published. Dr. Friedländer, pathologist to Friedrichshain, has reviewed the French work of Cornil and Babés mercilessly, and with a personal animus not in harmony with scientific accuracy. It will be remembered, that Dr. Babes was the Hungarian authority who bitterly opposed Koch's views of the tubercular bacillus, and sought to substitute in lieu thereof 'Babes' granules.' He was, for a short time, a student in the laboratory of Professor v. Recklenhausen, and then went to Dr. Cornil, in Paris. Later, he came to Prof. Dr. Virchow, in Berlin, where he has remained ever since. He is still a very young man; and while he has not the extended experience in pathological my-cology of Friedländer, Koch, or Hirschberg, he has been constant, in season and out of season, in his lab-