SCIENCE

EDITORIAL COMMITTEE: S. NEWCOMB, Mathematics; R. S. WOODWARD, Mechanics; E. C. PICKERING, Astronomy; T. C. MENDENHALL, Physics; R. H. THURSTON, Engineering; IRA REMSEN, Chemistry; J. LE CONTE, Geology; W. M. DAVIS, Physiography; O. C. MARSH, Paleontology; W. K. BROOKS, C. HART MERRIAM, Zoology; S. H. SCUDDER, Entomology; N. L. BRITTON, Botany; HENRY F. OSBORN, General Biology; H. P. BOWDITCH, Physiology; J. S. BILLINGS, Hygiene; J. MCKEEN CATTELL, Psychology; DANIEL G. BRINTON, J. W. POWELL, Anthropology; G. BROWN GOODE, Scientific Organization.

FRIDAY, JULY 17, 1896.

CONTENTS .

A Central Wisconsin Baselevel: C. R. VAN HISE	57
Decimal Numeration in the United States: E. E. SLOSSON	59
The Use of the Hair Hygrometer: C. C. TROW- BRIDGE	62
Instruction in Natural History in the Jardin des Plantes, Paris: CHARLES EARLE	65
Current Notes on Anthropology:— The Iron Age in America; On Endo-Cannibalism: D. G. BRINTON	67
Scientific Notes and News:— Lord Kelvin; The Royal Geographical Society; Tidal Waves in the Pacific; Protective Sounds and Colors; Neurologic Nomenclature; Government Control of Printing Offices in Germany; Gen- eral	
eral University and Educational News	
Discussion and Correspondence:— Remarks on Prof. W. S. Franklin's Review and the Note Signed 'M.:' FRANK H. BIGELOW	
Scientific Literature :	
SCUDDER. The University Geological Survey of Kansas: CHARLES S. PROSSER	81
Scientific Journals :— The Journal of Comparative Neurology	83
Societies and Academies : The Philadelphia Academy of Natural Sciences :	09
EDW. J. NOLAN	
THEM DOORS	04

A CENTRAL WISCONSIN BASELEVEL.

THE crystalline rocks of central Wisconsin north of the Potsdam sandstone, in the district including Grand Rapids, Stevens Point, Mosinee, Wausau, Marshfield, Merrill, and other towns, are of a very complex character.* In the southern part of the district is found a large area of the typical rocks of the Archean. North of this is an area composed of sedimentary and igneous rocks belonging to the Huronian. The igneous rocks have the greatest variety, including plutonic and volcanic varieties, as well as basic, acid, and intermediate facies. The whole region is one of intense folding and metamorphism. The schistosity of the rocks is at most places nearly vertical, and the beds of quartzite on Big Rib and Mosinee hills are on end.

Notwithstanding the complicated folding and great variety of rocks, resulting in different resisting powers, there is in this district as nearly perfect a baseleveled plain as it has been my good fortune to see. One of the most convenient localities in which to see this plain is near Mosinee. Following the wagon road which is east of the Wisconsin river a short distance south, so as to get above the valley of the Wiscon sin, an almost perfect plain is seen to the northwest, west, south and east, large areas of which are but little dissected by any of

*See Geology of Wisconsin, Vol. IV., pp. 623-714; also Pl. I., Geol. Atlas of Wis.

MSS. intended for publication and books, etc., intended for review should be sent to the responsible editor, Prof. J. McKeen Cattell, Garrison-on-Hudson, N. Y.