

SCIENCE

FRIDAY, JUNE 7, 1912

SOME THOUGHTS ON MODERN MATHEMATICAL RESEARCH¹

CONTENTS

<i>Some Thoughts on Modern Mathematical Research:</i> PROFESSOR G. A. MILLER	877
<i>Scientific Distribution of Grades at Reed College:</i> PRESIDENT WILLIAM T. FOSTER	887
<i>Scientific Notes and News</i>	889
<i>University and Educational News</i>	891
<i>Discussion and Correspondence:—</i>	
<i>The Heating in the Culebra Cut:</i> EDWARD H. WILLIAMS, JR. <i>The Crocker Land Expedition:</i> DR. EDMUND OTIS HOVEY, HERBERT L. BRIDGMAN	892
<i>University Control:—</i>	
<i>Letters from Harvard University</i>	893
<i>Scientific Books:—</i>	
<i>De Terra's Vergleichende Anatomie des menschlichen Gebisses und der Zähne der Vertebraten:</i> DR. WILLIAM K. GREGORY. <i>Blücher's Modern Industrial Chemistry:</i> DR. ALLERTON S. CUSHMAN	904
<i>Scientific Journals and Articles</i>	905
<i>Special Articles:—</i>	
<i>The Tertiary Deposits of Eastern Mexico:</i> E. T. DUMBLE	906
<i>Societies and Academies:—</i>	
<i>The Anthropological Society of Washington:</i> DR. TRUMAN MICHELSON. <i>The Philosophical Society of the University of Virginia:</i> R. M. BIRD	908

MSS. intended for publication and books, etc., intended for review should be sent to the Editor of SCIENCE, Garrison-on-Hudson, N. Y.

MATHEMATICS has a large household and there are always rumors of prospective additions despite her age and her supposed austerity. Without aiming to give a complete list of the names of the members of this household we may recall here a few of the most prominent ones. Among those which antedate the beginning of the christian era are surveying, spherical astronomy, general mechanics and mathematical optics. Among the most thriving younger members are celestial mechanics, thermodynamics, mathematical electricity and molecular physics.

Usually a large household serves as one of the strongest incentives to activity, and mathematics has always responded heartily to this incentive. As the most efficient continued service calls for unusual force and ingenuity, mathematics has had to provide for her own development and proper nourishment in addition to providing as liberally as possible for her household. This double object must be kept prominently before our eyes if we would comprehend the present mathematical activities and tendencies.

There is another important incentive to mathematical activity which should be mentioned in this connection. Mathematics has been very hospitable to a large number of other sciences and as a consequence some of these sciences have become such frequent visitors that it is often difficult to distinguish them from the regular members of the household. Among these visitors are

¹ Read before the Illinois Chapter of the Society of the Sigma Xi, April, 1912.

economics, dynamical geology, dynamical meteorology and the statistical parts of various biological sciences. Visitors usually expect the best that can be provided for them, and the efforts to please them frequently lead to a more careful study of available resources than those which are put forth in providing for the regular household.

We have thus far spoken only of what might be called the materialistic incentives for mathematical development. While these have always been very significant, it is doubtful whether they have been the most powerful. Symmetry, harmony and elegance of form have always appealed powerfully to *dame mathematics*; and a keen curiosity, fanned into an intense flame by little bits of apparently incoherent information, has inspired some of the most arduous and prolonged researches. Incentives of this kind have led to the *mathematics of the invisible*, relating to refinements which are essentially foreign to counting and measuring. The first important refinement of this type relates to the concept of the irrational, introduced by the ancient Greeks. As an instance of a comparatively recent development along this line we may mention the work based upon Dedekind's definition of an infinite aggregate as one in which a part is similar or equivalent to the whole.²

Mathematics is commonly divided into two parts called pure and applied, respectively. It should be observed that there are various degrees of purity and it is very difficult to say where mathematics becomes sufficiently impure to be called applied. The engineer or the physicist may reduce his problem to a differential equation, the student of differential equations may reduce his troubles to a question of function

theory or geometry, and the workers in the latter fields find that many of their difficulties reduce themselves to questions in number theory³ or in higher algebra. Just as the student of applied mathematics can not have too thorough a training in the pure mathematics upon which the applications are based so the student of some parts of the so-called pure mathematics can not get too thorough a training in the basic subjects of this field.

As mathematics is such an old science and as there is such a close relation between various fields, it might be supposed that fields of research would lie in remote and almost inaccessible parts of this subject. It must be confessed that this view is not without some foundation, but these are days of rapid transportation and the student starts early on his mathematical journey. The question as regards the extent of explored country which should be studied before entering unexplored regions is a very perplexing one. A lifetime would not suffice to become acquainted with all the known fields, and there are those who are so much attracted by the explored regions that they do not find time or courage to enter into the unknown.

In 1840 C. G. J. Jacobi used an illustration, in a letter⁴ to his brother, which may serve to emphasize an important point. He states that at various times he had tried to persuade a young man to begin research in mathematics, but this young man always excused himself on the ground that he did not yet know enough. In answer to this statement Jacobi asked this man the following question: Suppose your family would wish you to marry, would you then

² "Der Urquell aller Mathematik sind die ganzen Zahlen, Minkowski, Diophantische Approximation," 1907, preface.

⁴ "Briefwechsel zwischen C. G. J. Jacobi und M. H. Jacobi," 1907, p. 64.

² "Encyclopédie des sciences mathématiques," Vol. I., part 1, 1904, p. 2.

also reply that you did not see how you could marry now, as you had not yet become acquainted with *all* the young ladies?

In connection with this remark by Jacobi we may recall a remark by another prominent German mathematician who also compared the choice of a subject of research with marriage. In the "Festschrift zur Feier des 100 Geburtstages Eduard Kummer," 1910, page 17, Professor Hensel states that Kummer declined, as a matter of principle, to assign to students a subject for a doctor's thesis, saying that this would seem to him as if a young man would ask him to recommend to him a pretty young lady whom he should marry.

While it may not be profitable to follow these analogies into details, it should be stated that the extent to which a subject has been developed does not necessarily affect adversely its desirability as a field of research. The greater the extent of the development the more frontier regions will become exposed. The main question is whether the new regions which lie just beyond the frontier are fertile or barren. This question is much more important than the one which relates to the distance that must be traveled to reach these new fields. Moreover, it should be remembered that mathematics is n -dimensional, n being an arbitrary positive integer, and hence she is not limited, in her progress, to the directions suggested by our experiences.

If we agree with Minkowski that the integers are the source of all mathematics⁵ we should remember that the numbers which have gained a place among the integers of the mathematician have increased

⁵ This view was expressed earlier by Kronecker, who was the main founder of the school of mathematicians who aim to make the concept of the positive integers the only foundation of mathematics. Cf. Klein und Schimmack, "Der mathematische Unterricht an den hoeheren Schulen," 1907, p. 175.

wonderfully during recent times. According to the views of the people who preceded Gauss, and according to the elementary mathematics of the present day, the integers may be represented by points situated on a straight line and separated by definite fixed distance. On the other hand, the modern mathematician does not only fill up the straight line with algebraic integers, placing them so closely together that between any two of them there is another, but he fills up the whole plane equally closely with these integers. If our knowledge of mathematics had increased during the last two centuries as greatly as the number of integers of the mathematician we should be much beyond our present stage. The astronomers may be led to the conclusion that the universe is probably finite from the study of the number of stars revealed by telescopes of various powers, but the mathematician finds nothing which seems to contradict the view that his sphere of action is infinite.

From what precedes one would expect that the number of fields of mathematical research appears unlimited and this may serve to furnish a partial explanation of the fact that it seems impossible to give a complete definition of the term mathematics. If the above view is correct we have no reason to expect that a complete definition of this term will ever be possible, although it seems possible that a satisfactory definition of the developed parts may be forthcoming.⁶

Among the various fields of research those which surround a standing problem are perhaps most suitable for a popular exposition, but it should not be inferred that these are necessarily the most important points of attack for the young inves-

⁶ Bôcher discussed some of the proposed definitions in the *Bulletin of the American Mathematical Society*, Vol. II. (1904), p. 115.

tigator. On the contrary, one of the chief differences between the great mathematician and the poor one is that the former can direct his students into fields which are likely to become well known in the near future, while the latter can only direct them to the well-known standing problems of the past, whose approaches have been tramped down solid by the feet of the mediocre, who are often even too stupid to realize their limitations. The best students can work their way through this hard crust, but the paddle of the weaker ones will only serve to increase its thickness if it happens to make any impression whatever.

It would not be difficult to furnish a long list of standing mathematical problems of more or less historic interest. Probably all would agree that the most popular one at the present time is Fermat's greater theorem. In fact, this theorem has become so popular that it takes courage to mention it before a strictly mathematical audience, but it does not appear to be out of place before a more general audience like this.

The ancient Egyptians knew that $3^2 + 4^2 = 5^2$ and the Hindus knew several other such triplets of integers at least as early as the fourth century before the christian era.⁷ These triplets constitute positive integral solutions of the equation

$$x^2 + y^2 = z^2.$$

Pythagoras gave a general rule by means of which one can find any desired number of such solutions, and hence these triplets are often called Pythagorean numbers. Another such rule was given by Plato, while Euclid and Diophantus generalized and extended these rules.

Fermat, a noted French mathematician of the seventeenth century, wrote on the

⁷Lietzmann, "Der Pythagoreische Lehrsatz," 1912, p. 52.

margin of a page of his copy of Diophantus the theorem that it is impossible to find any positive integral solution of the equation

$$x^n + y^n = z^n \quad (n > 2).$$

He added that he had discovered a wonderful proof of this theorem, but that the margin of the page did not afford enough room to add it.⁸ This theorem has since become known as Fermat's greater theorem and has a most interesting and important history, which we proceed to sketch.

About a century after Fermat had noted this theorem Euler (1707-1783) proved it for all the cases when n is a multiple of either 3 or 4, and, during the following century, Dirichlet (1805-1859) and Legendre (1752-1833) proved it for all the cases when n is a multiple of 5. The most important step towards a general proof was taken by Kummer (1810-1893), who applied to this problem the modern theory of algebraic numbers and was thus able to prove its truth for all multiples of primes which do not exceed 100 and also for all the multiples of many larger primes.

The fact that such eminent mathematicians as Fermat, Euler, Dirichlet, Legendre and Kummer were greatly interested in this problem was sufficient to secure for it considerable prominence in mathematical literature, and several mathematicians, including Dickson, of Chicago, succeeded in extending materially some of the results indicated above. The circle of those taking an active interest in the problem was suddenly greatly enlarged, a few years ago, when it became known that a prize of 100,000 Marks (about \$25,000) was awaiting the one who could present the first complete solution. This amount was put in trust of the Göttingen Gesellschaft der

⁸Fermat's words are as follows: "Cujus rei demonstrationem mirabilem sane detexi. Hanc marginis exiguitas non caperet."

Wissenschaften by the will of a deceased German mathematician named Wolfskehl, and it is to remain open for about a century, until 2007, unless some one should successfully solve the problem at an earlier date.

It is too early to determine whether the balance of the effects of this prize will tend towards real progress. One desirable feature is the fact that the interest on the money is being used from year to year to further important mathematical enterprises. A certain amount of this has already been given to A. Wieferich for results of importance towards the solution of Fermat's problem, and other amounts were employed to secure at Göttingen courses of lectures by Poincaré and Lorentz.

What appears as a bad effect of this offered prize is the fact that many people with very meager mathematical training and still less ability are wasting their time and money by working out and publishing supposed proofs. The number of these is already much beyond 1,000 and no one can foresee the extent to which this kind of literature will grow, especially if the complete solution will not be attained during the century. A great part of this waste would be eliminated if those who would like to test their ability along this line could be induced to read, before they offer their work for publication, the discussion of more than 100 supposed proofs whose errors are pointed out in a German mathematical magazine called *Archiv der Mathematik und Physik*, published by B. G. Teubner, of Leipzig. A very useful pamphlet dealing with this question is entitled, "Ueber das letzte Fermatische Theorem, von B. Lind," and was also published by B. G. Teubner, in 1910.

A possible good effect of the offered prize is that it may give rise to new developments and to new methods of attack. As

the most successful partial solution of the problem was due to the modern theory of algebraic numbers, one would naturally expect that further progress would be most likely to result from a further extension of this theory, or, possibly, from a still more powerful future theory of numbers. If such extensions will result from this offer they will go far to offset the bad effect noted above, and they may leave a decided surplus of good. Such a standing problem may also tend to lessen mathematical idolatry, which is one of the most serious barriers to real progress. We should welcome everything which tends to elevate the truth above our idols formed by men, institutions or books.

In view of the fact that the offered prize is about \$25,000 and that lack of marginal space in his copy of Diophantus was the reason given by Fermat for not communicating his proof, one might be tempted to wish that one could send credit for a dime back through the ages to Fermat and thus secure this coveted prize and the wonderful proof, if it actually existed. This might, however, result more seriously than one would at first suppose; for if Fermat had bought on credit a dime's worth of paper even during the year of his death, 1665, and if this bill had been drawing compound interest at the rate of six per cent. since that time, the bill would now amount to more than seven times as much as the prize. It would therefore require more than \$150,000, in addition to the amount of the prize, to settle this bill now.

While it is very desirable to be familiar with such standing problems as Fermat's theorem, they should generally be used by the young investigator as an indirect rather than as a direct object of research. Unity of purpose can probably not be secured in any better way than by keeping

in close touch with the masters of the past,⁹ and this unity of purpose is almost essential to secure real effective work in the immense field of mathematical endeavor. As a class of problems which are much more suitable for direct objects of research on the part of those who are not in close contact with a master in his field, we may mention the numerous prize subjects which are announced from year to year by foreign academies.

Among the learned societies which announce such subjects the Paris Academy of Sciences is probably most widely known, but there are many others of note. The subjects announced annually by these societies cover a wide range of mathematical interests, but they are frequently beyond the reach of the young investigator.¹⁰ It is very easy to obtain these subjects, since they generally appear in the "notes" of many mathematical journals. In our country the *Bulletin of the American Mathematical Society* is rendering very useful service along this and many other lines. While some of these subjects are very general, there are others which indicate clearly the particular difficulties which must be overcome before further progress in certain directions seems possible and hence these subjects deserve careful study, especially on the part of the younger investigators.

As long as one is completely guided, in selecting subjects for research, by the standing problems or by the subjects announced by learned bodies and those proposed individually by prominent investigators, one is on safe ground. Real progress along any of these lines is welcomed by our

⁹ Darboux, *Bulletin des Sciences Mathématiques*, Vol. 32 (1908), p. 107.

¹⁰ For solutions of such problems in pure mathematics by Americans, see *Bulletin of the American Mathematical Society*, Vol. 7 (1901), p. 190; Vol. 16 (1910), p. 267.

best journals, as such progress can easily be measured, and it fits into a general trend of thought which is easily accessible in view of the many developed avenues of approach. Notwithstanding these advantages, the real investigator should reach the time when he can select his own problems without advice or authority; when he feels free to look at the whole situation from a higher point of view and to assume the responsibility of an independent choice, irrespective of the fact that an independent choice may entail distrust and misgivings on the part of many who would have supported him nobly if he had remained on their plane.

In looking at the whole situation from this higher point of view many new and perplexing questions confront us. Why should the developments of the past have followed certain routes? What is the probability that the development of the territory lying between two such routes will exhibit new points of contact and greater unity in the whole development? What should be some guiding principles in selecting one rather than another subject of investigation? What explanation can we give for the fact that some regions bear evidences of great activity in the past but are now practically deserted, while others maintained or increased their relative popularity through all times?

One of the most important tests that can be applied to a particular mathematical theory is whether it serves as a unifying and clarifying principle of wide applications. Whether these applications relate to pure mathematics only or to related fields seems less important. In fact, the subjects of application may have to be developed. If this is the case, it is so much the better provided always that the realm of thought whose relations are exhibited by the theory is extensive and that the relations are of such a striking character as to

appeal to a large number of mathematical intellects of the present or of the future. Some isolated facts may be of great interest, but as long as they are isolated they have little or no real mathematical interest. One object of mathematics is to enable us to deal with infinite sets with the same ease and confidence as if they were individuals. In this way only can our finite mind treat systematically some of the infinite sets of objects of mathematical thought.

In comparatively recent years the spirit of organization has made itself felt among mathematicians with rapidly increasing power, and it has already led to many important results. Beginning with small informal organizations in which the social element was often most prominent, there have resulted large societies, national and even international, with formal organizations and with extensive publications. In reference to one of these early organizations, the mathematical society of Spitalfields in London, which lasted for more than a century (1717-1845), it is said that each member was expected to come to the meetings with his pipe, his mug and his problem.¹¹

The modern mathematical society is dominated by a different spirit. It generally supports at least one organ for publication, and scholarly publicity develops scholarly cooperation as well as scholarly ambitions. This cooperation has led to movements which could not have been undertaken by a few individuals. One may recall here the *Revue Semestrielle*, published under the auspices of the Amsterdam Mathematical Society; the extensive movement to examine and compare methods and courses of mathematical instruction in various countries,

inaugurated at the fourth international congress, held at Rome in 1908; and, especially the great mathematical encyclopedias whose start was largely influenced by the support of the deutschen Mathematiker-Vereinigung as expressed at the Vienna meeting in 1894. The French edition of the latter work, which is now in the course of publication, is expected to include thirty-four large volumes, besides those which are to be devoted to questions of the philosophy, the teaching and the history of mathematics.

These encyclopedias and other large works of reference are doing much to expedite travel in the mathematical field. In fact, it would probably not be exaggerating if we should say that by these encyclopedias alone the distances, in time and effort, between many points of the mathematical field have been cut in two. In this connection, it may be fitting to recall, with a deep sense of obligation, the great work which is being done by the Royal Society of London—not only for mathematics, but also for a large number of other sciences—in providing bibliographical aids on a large scale. If the increase in knowledge will always be attended by a corresponding increase in means to learn readily what is known, even the young investigator of the future will have no reason to regret the extent of the developments. On the contrary, these should make his task easier, since they furnish such a great richness of analogies and of tried methods of attack.

The last two or three decades have witnessed a great extension of mathematical research activity. As a result of this we have a large number of new mathematical societies. A few of the most recent ones are as follows: Calcutta Mathematical Society (1908), Manchester Mathematical Society (1908), Scandinavian Congress of Mathematicians (1909), Swiss Mathemat-

¹¹ "Es wurde von jedem erwartet, dass er seine Pfeife, seinen Krug und sein Problem mitbringe." Cantor, "Vorlesungen ueber Geschichte der Mathematik," Vol. 4, 1908, p. 59.

ical Society (1910), Spanish Mathematical Society (1911) and the Russian Congress of Mathematicians (1912). In Japan a new mathematical periodical, called *Tôhoku Mathematical Journal*, was started in 1911, and a few years earlier the *Journal of the Indian Mathematical Society* was started at Madras, India. The Calcutta Mathematical Society and the Spanish Mathematical Society have also started new periodicals during the last two or three years.

While there has been a very rapid spread of mathematical activity during recent years, it must be admitted that the greater part of the work which is being done in the new centers is quite elementary from the standpoint of research. The city of Paris continues to hold its preeminent mathematical position among the cities of the world; and Germany, France and Italy continue to lead all other countries in regard to the quality and the quantity of research in pure mathematics.

Although America is not yet doing her share of mathematical research of a high order, we have undoubtedly reached a position of respectability along this line, and it should be easier to make further progress. Moreover, our material facilities are increasing relatively more rapidly than those of the countries which are ahead of us, and hence many of our younger men start under very favorable conditions. Unfortunately, there is not yet among us a sufficiently high appreciation of scholarly attainments and scientific distinction. The honest and outspoken investigator is not always encouraged as he ought to be and the best positions do not always seek the best man. I coupled outspoken with investigator advisedly, since research of high order implies liberty and scorns shams, especially shams relating to scholarship. Even along these lines there seems to be encouraging progress, and this progress may reasonably

be expected to increase with the passing of those who belong to the past in spirit and attainments. What appears to be a very serious element in our situation is the fact that the American university professor does not yet seek and safeguard his freedom with the zeal of his European colleague. It is too commonly assumed that loyalty implies lying.

The investigators in pure mathematics form a small army of about two thousand men and a few women.¹² The question naturally arises what is this little army trying to accomplish. A direct answer is that they are trying to find and to construct paths and roads of thought, which connect with or belong to a network of thought roads commonly known as mathematics. Some are engaged in constructing trails through what appears an almost impassable region while others are widening and smoothing roads which have been traveled for centuries. There are others who are engaged in driving piles in the hope of securing a solid foundation through regions where quicksand and mire have combined to obstruct progress.

A characteristic property of mathematics is that by means of certain postulates its

¹² Between five and ten per cent. of the members of the American Mathematical Society are women, but the per cent. of women in the leading foreign mathematical societies is much smaller. Less than one per cent. of the members of the national mathematical societies of France, Germany and Spain are women, according to recent lists of members. The per cent. of important mathematical contributions by women does not appear to be larger, as a rule, than that of their representation in the leading societies. The list of about three hundred collaborators on the great new German and French mathematical encyclopedias does not seem to include any woman. Possibly women do not prize sufficiently intellectual freedom to become good mathematical investigators. Some of them exhibit excellent ability as mathematical students.

thought roads have been proved to be safe and they always lead to some prominent objective points. Hence they primarily serve to economize thought. The number of objects of mathematical thought is infinite, and these roads enable a finite mind to secure an intellectual penetration into some parts of this infinitude of objects. It should also be observed that mathematics consists of a *connected* network of thought roads, and mathematical progress means that other such connected or connecting roads are being established, which either lead to new objective points of interest or exhibit new connections between known roads.

The network of thought roads called mathematics furnishes a very interesting chapter in the intellectual history of the world, and in recent years an increasing number of investigators have entered the field of mathematical history. The results are very encouraging. In fact, there are very few other parts of mathematics where the progress during the last twenty years has been as great as in this history. This progress is partly reflected by special courses in this subject in the leading universities of the world. While the earliest such course seems to have been given only about forty years ago, a considerable number of universities are now offering regular courses in this subject, and these courses have the great advantage that they establish another point of helpful contact between mathematics and other fields.

Mathematical thought roads may be distinguished by the facts that by means of certain assumptions they have been *proved* to lead safely to certain objective points of interest, and each of them connects, at least in one point, with a network of other such roads which were called mathematics, *μαθήματα* by the ancient Greeks. The mathematical investigator of the present day is

pushing these thought roads into domains which were totally unknown to the older mathematicians. Whether it will ever be possible to penetrate all scientific knowledge in this way and thus to unify all the advanced scientific subjects of study under the general term of mathematics, as was the case with the ancient Greeks,¹³ is a question of deep interest.

The scientific world has devoted much attention to the collection and the classification of facts relative to material things, and has secured already an immensely valuable store of such knowledge. As the number of these facts increases, stronger and stronger means of intellectual penetration are needed. In many cases mathematics has already provided such means in a large measure; and, judging from the past, one may reasonably expect that the demand for such means will continue to increase as long as scientific knowledge continues to grow. On the other hand, the domain of logic has been widely extended through the work of Russell, Poincaré and others; and Russell's conclusion that any false proposition implies all other propositions whether true or false is of great general interest.

During the last two or three centuries there has been a most remarkable increase in facilities for publication. Not only have academies and societies started journals for the use of their members, but numerous journals inviting suitable contributions from the public have arisen. The oldest of the latter type is the *Journal des Sçavans*, which was started at Paris in 1665, while the *Transactions of the Royal Society of London*, started in the same year, should probably be regarded as the oldest of the former type. These journals have done an

¹³ The term mathematics was first used with its present restricted meaning by the Peripatetic School. Cantor, "Vorlesungen über Geschichte der Mathematik," Vol. I. (1907), p. 216.

inestimable amount of good for the growth of knowledge and the spread of the spirit of investigation. At the present time more than 2,000 articles which are supposed to be contributions to knowledge in pure mathematics appear annually in such periodicals. In addition to these there is a growing annual list of books.

The great extent of the fields of mathematics and the rapid growth of this literature have made it very desirable to secure means of judging more easily the relative merit of various publications. Along this line our facilities are still very meager and many serious difficulties present themselves. In America we have the book reviews and the indirect means provided by the meetings of various societies and by such publications as the "American Men of Science."

The most important aid to judge contemporaneous work is furnished by a German publication known as the *Jahrbuch über die Fortschritte der Mathematik*. In this work there appear annually about 1,000 pages of reviews of books and articles published two or three years earlier. These reviews are prepared by about 60 different mathematicians who are supposed to be well prepared to pass judgment on the particular books and articles which they undertake to review. While these reviews are of very unequal merit, they are rendering a service of the greatest value.

The main object of such reviews is to enable the true student to learn easily what progress others are making, especially in his own field and in those closely related thereto. They serve, however, another very laudable purpose in the case that they are reliable. We have the pretender and the unscrupulous always with us, and it is almost as important to limit their field of operation as to encourage the true investigator. "Companions in zealous research"

should be fearless in the pursuit of truth and in the disclosure of falsehood, since these qualities are essential to the atmosphere which is favorable to research.

While the mathematical investigator is generally so engrossed by the immediate objects in view that he seldom finds time to think of his services to humanity as a whole, yet such thoughts naturally come to him more or less frequently, especially since his direct objects of research seldom are well suited for subjects of general conversation. If these thoughts do come to him they should bring with them great inspiration. Who can estimate the amount of good mathematics has done and is doing now? If all knowledge of mathematics could suddenly be taken away from us there would be a state of chaos, and if all those things whose development depended upon mathematical principles could be removed, our lives and thoughts would be pauperized immeasurably. This removal would sweep away not only our modern houses and bridges, our commerce and landmarks, but also most of our concepts of the physical universe.

Some may be tempted to say that the useful parts of mathematics are very elementary and have little contact with modern research. In answer we may observe that it is very questionable whether the ratio of the developed mathematics to that which is finding direct application to things which relate to material advantages is greater now than it was at the time of the ancient Greeks. The last two centuries have witnessed a wonderful advance in the pure mathematics which is commonly used.¹⁴ While the advance in the extent

¹⁴ In 1726, arithmetic and geometry were studied during the senior year in Harvard College. Natural philosophy and physics were still taught before arithmetic and geometry. Cajori, "The Teaching and History of Mathematics in the United States," 1890, p. 22.

of the developed fields has also been rapid, it has probably not been relatively more rapid. Hence the mathematical investigator of to-day can pursue his work with the greatest confidence as regards his services to the general uplift both in thought and in material betterment of the human race. All of his real advances may reasonably be expected to be enduring elements of a structure whose permanence is even more assured than that of granite pillars.

G. A. MILLER

UNIVERSITY OF ILLINOIS


SCIENTIFIC DISTRIBUTION OF GRADES
AT REED COLLEGE

A SCIENTIFIC rather than a personal basis for awarding grades in courses of study, if grades are to be used at all, together with definite credit for quality as well as for quan-

tute one vague expression for another. Without scientific definition, any set of symbols is inevitably used in personal, variable, erratic ways. To award scholarships, degrees and other honors, as if an *A* in one course represented the same distinction as an *A* in another course is to administer the curriculum on a patently false assumption.¹

Until all school work can be measured by scales, made up of units that are equal in a defined sense, the best available grading is one of relative position in a series. The nearest approach to such a scientific basis for awarding college credits appears to be a distribution following the normal probability curve, skewed to take account of the effect of selecting the student body.

The Reed College system is shown in the illustration. The outer curve, partly dotted, is the normal probability curve. The inner curve, partly coinciding with the other, shows



tity of work, seems desirable, especially for institutions that are more than theoretically devoted to scholarship, and that are willing to make what sacrifices such ideals may involve.

The common grades *A* to *E* have no defined meaning. To call them such and such a percent. of an undefined something is to substi-

¹ It is impossible, here, to give a detailed explanation of the "credit for quality" system and the scientific distribution of grades adopted by Reed College. The underlying principles of both are fully explained in chapters 12 and 13 of the "Administration of the College Curriculum," Houghton Mifflin Company, 1911. "The Distribution of Grades on a Scientific Basis" is presented in *Popular Science Monthly* for April, 1911.