

Museum, Pittsburgh, Pa.; Dr. Ira T. Wilson, professor of zoology, Heidelberg College, Tiffin, Ohio; Dr. O. P. Dellinger, professor of zoology, State Normal School, Pittsburg, Kansas; Dr. D. C. Warren, geneticist, Kansas State Agricultural College; Dr. Frank P. Reagan, professor of zoology, University of California; Dr. William Ray Allen, professor of zoology, University of Kentucky; Will P. Morgan, professor of zoology, Indiana Central College, Indianapolis, and the following from Indiana University: Dr. William J. Moenkhaus, professor of physiology; Dr. Will Scott, and Dr. Fernandus Payne, professors of zoology, and Nathan E. Pearson, Lowell T. Coggeshall, H. R. Bolen. Dr. Payne acted as toastmaster and Drs. Headlee, Riddle, Pike, Juday, Kennedy, Reagan, Banta, Scott and Eigenmann responded.

A STUDY of the reputed healing and medicinal properties of the hot springs situated on a government reserve at Hot Springs, Arkansas, will be one of the researches in cooperation with the United States government which the medical division of the National Research Council will consider this fall, according to Dr. Clarence M. Jackson, who is director of the medical division this year. Dr. Jackson is chairman of the department of anatomy in the school of medicine of the University of Minnesota, which has granted him a year's leave of absence. The investigations at Hot Springs have been requested by Dr. Hubert Work, secretary of the interior, who last year was president of the American Medical Association. During his year in Washington, Dr. Jackson plans to complete a book on "The Effects of Inanition" on which he is at work.

UNIVERSITY AND EDUCATIONAL NOTES

CONTRACTS have been awarded for the erection of the hall of chemistry for the University of West Virginia at Morgantown. It is estimated that the completed structure will cost about \$750,000. The building will be 305.7 by 79 feet, four stories, basement and attic, with an extension of one story and basement.

DR. ELLIOT CARR CUTLER, associate in surgery and chairman in the department of surgery in the Harvard Medical School, has accepted the professorship of surgery in the School of Medicine at Western Reserve University and the office of house surgeon of Lakeside Hospital.

DR. GEORGE STRONG DERBY, formerly assistant professor of ophthalmology in the College of Physicians and Surgeons, Columbia University, has been appointed Williams professor of ophthalmology in place of Dr. Alexander Quackenboss who became professor emeritus on December 1.

DR. HOWARD DE FOREST, formerly assistant professor of botany at the University of Southern California, Los Angeles, has been promoted to a professorship of botany and to the chairmanship of the botany division of the department of biology.

DR. CHARLES SHATTUCK PALMER, National Research Council fellow in organic chemistry at Yale University, has accepted an appointment starting February first as assistant professor of organic chemistry at Northwestern University. He will have charge of the courses ordinarily given by Dr. W. Lee Lewis, who is on leave of absence from the university to serve as director of scientific research of the Institute of American Meat Packers.

DR. ARAO ITANO, assistant professor of microbiology at the Massachusetts Agricultural College, has tendered his resignation with the request that it take effect at the close of the current college year. He plans to return to Japan, where he is to have charge of the division of microbiology and chemistry at the Ohara Institute of Agricultural Research.

PROFESSOR ERNST MANGOLD, department head in the Physiological Institute in Freiberg, has been called to Berlin as director of the Veterinary Physiological Institute, to succeed the late Professor N. Zuntz.

DR. GANESH PRASAD, dean of the faculty of science in the Benares Hindu University, has been appointed Hardinge professor of higher mathematics in the University of Calcutta in succession to Professor C. E. Cullis.

DISCUSSION AND CORRESPONDENCE

MIRA, THE STRANGE STAR

A NOTE by *Science Service* in SCIENCE (Supplement, Dec. 28, 1923) on the significance of the recent discovery of a close companion to *Omicron Ceti* opens with the statement, which if correct would be disquieting, that the discovery "is baffling astronomers and may necessitate a revision of present theories of the size and distribution of the stars." This statement is expanded later in the note in the form of a dilemma. Either the two stars are physically connected, in which case the companion must be extraordinarily faint for a star of its spectral class; or they are independent and at entirely different orders of distance from us, in which case the companion, assuming it to have the luminosity of the average star of its class, must be "in a region of space where we know of no other star of this kind."

These statements seem to be based on an imperfect appreciation of the facts. In the first place the dilemma does not exist, for the annual proper motion of *Mira*, approximately $0''.23$ in 186° , is in itself sufficient evidence of the physical connection of the two

stars. If the companion were an independent star, vastly more remote, it would almost certainly have no appreciable proper motion and the angular distance between it and *Mira* would therefore have been approximately 4" in 1903, 7" in 1890, and 10" in 1877. At this distance it is at least improbable that it should have escaped detection by me in 1903 and it is incredible that it should have been overlooked by Burnham in the two earlier years. Still earlier the angular separation would have been greater, and the variable has been under observation for several centuries.

It follows that the companion is much fainter than the average star of its spectral class, but it does not follow that we may have to revise our theories of stellar size on this account. These are derived, in the sense of the statements under discussion, from the relations that have been established between luminosity and spectral class in what we may designate as normal stars, and can be applied only to such stars. Unquestionably, very nearly all the stars that have been brought under observation are normal, but there are a few exceptions. The companion to *Sirius* is one example, the double companion to θ^2 *Eridani* is another, the novae are especially in point. Apparently the companion to *Mira* is also an abnormal star, indeed, this might have been predicated simply from its association with such a star as *Mira*. As such it offers many interesting problems, but it does not affect our theories either of the size or of the distribution of the stars in general.

ROBERT G. AITKEN

LICK OBSERVATORY

BOOKS FOR THE UNIVERSITY OF TOKYO

THE recent burning of the great Library of the Imperial University of Tokyo (with 500,000 to 700,000 volumes) is in itself a world calamity. I learn that the American Universities, Law Schools and many City Libraries have given very generously of their publications and of duplicates. Much has also been received from private sources. The chief deficiencies, at present, are in scientific lines—medicine, physics, chemistry, biology, mathematics and engineering. At the request of Japanese friends, I make a special appeal to associations and workers in science for donations of books and serials of scientific value.

Shipments will be received and transported free at the following addresses:

Toyo Kisen Kaisha (T. Komatsu), 557 Market St., San Francisco, Cal.

Mr. Aneha, care Hopkins Company, 18 Old Slip, New York.

Nippon Yusen Kaisha, Colman Building, Seattle, Washington.

Osaka Shosen Kaisha, Steel Steamship Co., Whitney Building, New Orleans.

DAVID STARR JORDAN

RECLAIMING ALKALI SOILS

My attention has been called to a note published in a recent number of *SCIENCE*¹ in which reference is made to an experiment in applying alum to an alkali soil to improve its physical condition and its permeability to water. In this note the authors say:

"In connection with the study of treating alkali soils with sulfur several cultures were also made up applying alum at the rate of 40 tons of the crude material per acre as suggested by Scofield. The results seem to indicate that alum does not ameliorate the condition, since the colloids, after being precipitated, come back, leaving the soil practically in the same condition as in the checks."

In view of the fact that I have published some observations concerning the effect of aluminum sulphate on impermeable alkali soils, it might be inferred from the statement quoted that I had suggested the application of 40 tons of alum per acre and also that the beneficial effects of alum, if any, are very temporary and of no practical significance.

With respect to the first point, I do not recall having suggested that alum be used at the rate of 40 tons per acre. Since aluminum sulphate costs about \$30 per ton f. o. b. factory, the land to be reclaimed by its use at the rate mentioned would have to be potentially very valuable to justify the expense. It is quite possible, however, that the authors quoted did not intend to imply that I had suggested this rate of application but merely that I had suggested the use of alum.

With respect to the second point, "that alum does not ameliorate the condition," it may be remarked that this does not seem strange if it was applied at the rate of 40 tons to two million pounds of soil which is to be inferred is what the authors regard as equivalent to an acre. The ratio of 40 tons to two million pounds is the same as the ratio of 4 to 100, in other words, the authors appear to have added 4 parts of alum to 100 parts of soil. The soil used is described as a sandy loam and it is probable that when saturated as for leaching it might hold 50 per cent. of water. The solution of 4 parts of alum in 50 parts of water would give a concentration of 8 per cent. in the soil solution and it would be a very alkaline soil that would neutralize the acidity of an 8 per cent. solution of alum.

As a matter of fact, a soil may be made impermeable to water by an excessive treatment with aluminum sulphate when it shows a strong acid reaction. With soils that are naturally neutral or slightly acid in reaction, a very light application of aluminum sulphate may induce impermeability. With alkaline soils, on the other hand, it has been found that the

¹ Joffe, J. S., and McLean, H. C., "The Biochemical Sulfur Oxidation as a Means of Improving Alkali Soils." *SCIENCE*, Vol. 58, p. 53, 1923.