SCIENCE

Vol. LXI April 17, 1925

No. 1581

CONTENTS

Agricultural Research in Relation to the Commu-		
nity: SIR DANIEL HALL	399	
Some Suggestions on Classification: Professor		
DOUGLAS HOUGHTON CAMPBELL	403	
Guadalupe Island—an Object Lesson in Man-caused		
Devastation: LAURENCE M. HUEY		
Roger Frederic Brunel: JAMES F. NORRIS		
Scientific Events:		
World Wheat Production; The Transmutation of		
Mercury; The Royal Photographic Society; The		
Eastern New York Section of the American Chem-		
ical Society; A Notable Gift to Mathematics; The		
Daniel Giraud Elliot Medal		
Scientific Notes and News		
University and Educational Notes	414	
Discussion and Correspondence:		
The Extension of the Yucca Moth: PROFESSOR L.		
H. PAMMEL. Noise and Hearing: Professor W.		
M. SMALLWOOD. The Death of Archimedes: PRO-		
FESSOR FLORIAN CAJORI. Anti-conservation Propa-		
ganda: DR. WILLARD G. VAN NAME. The New		
Secretary of Agriculture as a Supporter of Scien- tific Research: PROFESSOR ROBERT K. NABOURS	474	
•	414	
Scientific Books:		
Bayliss's Principles of General Physiology: PRO- FESSOR CHARLES D. SNYDER	116	
Cancer in Plants and in Man: DR. ERWIN F. SMITH		
Special Articles:	419	
The Development of the Sea Cucumber: DR.		
HIROSHI OHSHIMA. Heteroplastic Grafts of the		
Anterior Limb-level of the Cord in Amblystoma		
Embryos: Dr. H. L. WIEMAN. Chromosome		
Numbers in Mammals: Professor Theophilus		
S. PAINTER	420	
The American Mathematical Society: Dr. W. BEN-		
JAMIN FITE	424	
Science News	x	
	A	

SCIENCE: A Weekly Journal devoted to the Advancement of Science, edited by J. McKeen Cattell and published every Friday by

THE SCIENCE PRESS

Lancaster, Pa. Garrison, N. Y. New York City: Grand Central Terminal.

Annual Subscription, \$6.00. Single Copies, 15 Cts.

SCIENCE is the official organ of the American Association for the Advancement of Science. Information regarding membership in the association may be secured from the office of the permanent secretary, in the Smithsonian Institution Building, Washington, D. C.


Entered as second-class matter July 18, 1923, at the Post Office at Lancaster, Pa., under the Act of March 3, 1879.

AGRICULTURAL RESEARCH IN RELA-TION TO THE COMMUNITY¹

IT is a common reproach that agriculturists have not made the same use of science as have those engaged in the other great industries-that farming is still a rule of thumb process carried out by methods which have their origin in the dark backward and abyss of time. In some respects this is indeed true. One has only to read Cato or Columella to realize that the Italian peasant of to-day is working and living in very much the same way as his Roman forebears, and even the more highly organized farming of Great Britain or Denmark or Holland is carrying on many of the essential operations of cultivation on lines that were laid down by the first great civilizers-the Romans. It is easy in fact to trace modern agriculture to a Roman ancestry; in Britain, for example, by the transplantation from the fifteenth century onwards of the traditions and practices that persisted through the dark ages in the Low Countries.

None the less progress has taken place and scientific development is going on. Under medieval systems of agriculture the yield from England's land was of the order of six to eight bushels of wheat to the acre. The enclosure of common lands, the introduction of a recuperative clover crop into the rotation and of forage crops like turnips for the winter feeding of cattle and the making of farmyard manure, the return to Roman methods, in fact, raised the level of production to about twenty bushels of wheat per acre. This was about the average when agricultural science dawned nearly a hundred years ago-say about 1840, when Liebig exposed his theory of plant nutrition and Lawes began his experiments at Rothamsted. Growing scientific knowledge and the introduction of fertilizers raised the level of English production by 50° per cent. during the next generation, so that by 1870 the average yield of wheat per acre in England had become thirty-two bushels. At that level it has more or less remained down to the present day because a new factor then came into play, the importation of cheap wheat through the opening up of the middle west, of Argentina and of Australia. The economic factors of gold scarcity and rising costs of labor cooperated to limit the profit attached to high farming: the English farmer had to cheapen his production and lower his standard so that he only obtains the same yield to-day, though the acreage under wheat has shrunk on to the better land. Latterly we have seen

¹ An address delivered before the Graduate School of the U. S. Department of Agriculture, January 26, 1925.



Economical and Efficient

Ask for Bulletin 267 and Hevi-Duty Circular

EIMER & AMEND

Third Ave., 18th to 19th St. New York, N. Y. PITTSBURGH, PA. Agent, 4948 Franklin Bead, N-S.

ELECTRICAL MEASURING INSTRUMENTS

FOR PHYSICISTS AND **PHYSICAL CHEMISTS**

EQUIPMENTS SUITABLE FOR RESEARCH AND INDUSTRIAL LABORATORIES

We Solicit Inquiries

LEEDS & NORTHRUP CO. PHILADELPHIA 4901 STENTON AVENUE

Has the Smallest Expansion Known


For the construction of delicate scientific instruments requiring material with the smallest possible expansion, vitreosil tubes, plates, rods, etc., will be found invaluable, its linear expansion of .00000054 per degree Centigrade being the smallest known. The following table gives a comparison with other substances:

Material	Linear expansion
	per degree Centigrade
Fused silica	
Nickel steel (36 per cent.	Ni)
Glass, Jena 59	.0000057
Glass, Pyrex 702 EJ	.0000035
Berlin Porcelain	.0000028

We shall be glad to assist you in solving problems where vitreosil may be useful.


THE THERMAL SYNDICATE, Ltd. 62 Schenectady Avenue,

BROOKLYN, N. Y.



Cambridge Instruments

Cambridge Thread Recorders



These instruments are designed to give a series of records of the instantaneous deflections of a galvanometer pointer. The method adopted has the advantages of avoiding all errors due to pen friction and of enabling charts with rectangular coordinates to be employed.

In this recorder, which is entirely clock driven, a silk thread, impregnated with ink, passes between the pointer and the chart, and once or twice every minute the pointer is automatically depressed so that it forces the thread down on the chart, making a small, sharp dot.

The charts are approximately 33 centimeters long and 10 centimeters wide, one complete revolution of the drum taking place in 25 hours, or by means of a simple change-speed gear, in 2 hours 5 minutes.

A recorder with a coil of 17 ohms resistance will give full scale deflection for 1 millivolt, whilst a recorder with a 2,000 ohm coil will give full scale deflection for 5 microamperes. The period is approximately 20 seconds.

Particulars will be sent on request.

