upon the resistance of the oil used to oxidation. Irradiation in vacuum must be carefully controlled in order to yield infallible results. Few oils are entirely free from loosely bound oxygen and even after exhaustive evacuation at low pressures they contain enough oxygen to autoxidize actively when sealed in vacuum.<sup>8</sup> Ethyl ether, due to the presence of peroxides, is not a safe reagent to use in work upon vitamins. Water and alcohols have a protective action to autoxidation<sup>11, 12</sup> and have been shown to have a protective action upon vitamins in diets.<sup>6</sup>

In view of vitamin destruction through oxidation the practice of administering materials to be tested admixed with easily oxidizable oils is apt to yield inconsistent and unreliable results.

George E. Holm

BUREAU OF DAIRY INDUSTRY, U. S. DEPARTMENT OF AGRICULTURE

# MODIFICATIONS IN CHILODON UNCI-NATUS PRODUCED BY ULTRA-

VIOLET LIGHT

USING a Cooper-Hewitt mercury vapor quartz lamp, run on three and a half amperes, rapidly dividing and conjugating cultures of *Chilodon uncinatus* were exposed to ultra-violet light. The distance from the light to the top of the cultures was twenty-two centimeters. The cultures were exposed for two minutes at intervals of two and three days, depending upon the state of the cultures. There were eight exposures in all.

One ex-conjugant, not fully reorganized, was used to start a culture, and eight subcultures were made from this, two being used as controls, and six exposed to ultra-violet light.

In five of the cultures, no important changes were observed. In the sixth, a culture in which an epidemic of conjugation was occurring at the time of the last two exposures, many abnormalities were found, and three distinctly different types of animals.

(1) The normal *Chilodon uncinatus*. This type has four chromosomes in the diploid count, easily determined during conjugation. The controls show this same number.

(2) A larger animal having the same features as the controls, but which, when isolated and cultivated, was found to have eight chromosomes. This has been

<sup>8</sup> Holm, G. E., Greenbank, G. R., and Deysher, E. F., Ind. and Eng. Chem., 1927, XIX, 156.

<sup>9</sup> Striteskey, J., Biochem. Z., 1927, CLXXXVII, 388.

<sup>10</sup> Hart, E. B., Steenbock, H., Kleitzein, S. W., and Scott, H., J. Biol. Chem., 1927, LXXI, 271.

<sup>11</sup> Holm, G. E., and Greenbank, G. R., Proc. World's Dairy Congress, 1923, II, 1253.

<sup>12</sup> Greenbank, G. R., and Holm, G. E., Ind. and Eng. Chem., 1924, XVI, 598. checked up through three conjugation epidemics. The form is, therefore, a tetraploid form.

(3) The third type of animal is very different from the other two, as it shows characteristics of both C. *uncinatus* and C. *cucullulus*. The macronucleus has moved from the posterior end of the animal to the middle. In appearance, this macronucleus is much more like that of C. *cucullulus* than C. *uncinatus*, the shape being elliptical, and the portion surrounding the endosome is much less granular. The micronucleus, as in C. *cucullulus*, is not in the posterior portion of the macronucleus, but on the left side near the anterior end.

One vacuole has changed position. In C. uncinatus, there is a vacuole on the left side near the margin at the anterior end, and one on the right side near the margin about one fourth of the distance from the posterior end. In the new form, this last vacuole has moved to the posterior end in the center.

The pharyngeal basket is shorter, and is more anterior. The average number of trichites seems to be twelve.

In general shape, the animal looks more like C. cucullulus, but the ciliation is more like C. uncinatus, the only difference being that here the usual short marginal rows are a little longer than in the original.

Though this animal has been kept alive in pure cultures since the last week of August, 1927, it has never conjugated. In cultures where the animals are fairly abundant, encystment has occurred regularly, the whole culture sometimes encysting within a few hours. The length of time elapsing before animals are recovered from the cysts is very variable. Seven days is the shortest time in which they have been observed to emerge, and three to four weeks is more usual.

A more detailed description, with figures, will appear in a later paper.

MARY STUART MACDOUGALL

AGNES SCOTT COLLEGE

## THE NATIONAL ACADEMY OF SCIENCES

THE National Academy of Sciences will hold its annual meeting in Washington on April 23 and 24. The following papers will be presented:

## Monday, April 23

## Morning, 10:00

- WILLIAM DUANE: X-radiation from Mercury Vapor (illustrated).
- EDWIN H. HALL: Electron Free Path and Supra-conductivity in Metals (illustrated).
- W. A. NOYES: Reactions of Compounds having Odd Electrons; Nitric Oxide and Nitrogen Trichloride.
- R. M. LANGER and GERALDINE K. WALKER (introduced by

George K. Burgess): Models of the Schrödinger Atom (illustrated).

- E. O. HULBERT (introduced by J. S. Ames): Ionization in the Upper Atmosphere of the Earth (illustrated).
- C. J. DAVISSON and L. H. GERMER (introduced by F. B. Jewett): Reflection and Refraction of Electrons by a Crystal of Nickel (illustrated).
- LEON BRILLOUIN (introduced by C. E. Mendenhall): A Possible Direct Experimental Test of the Existence of the Spinning Electron (illustrated).
- EDWIN H. HALL: Comments on Sommerfeld's Electron Theory of Metals.
- FRANK WENNER (introduced by George K. Burgess): A Seismometer Employing Electromagnetic and Optical Magnification and Electromagnetic Damping (illustrated).
- WALTER S. ADAMS and HENRY NORRIS RUSSELL: Preliminary Results of a New Method for the Analysis of Stellar Spectra (illustrated).
- W. H. WRIGHT: Photography of the Planets, Saturn, Jupiter, Mars and Venus, by Light of Different Colors (illustrated).

#### Afternoon, 2:00

- R. C. GIBBS and H. E. WHITE (introduced by Ernest Merritt): Some Recently Discovered Spectroscopic Relationships (illustrated).
- R. W. Wood: Recent Results of the Fluorescence of Iodine and Mercury Vapor with Especial Reference to the Intra-red (illustrated).
- R. W. Wood and R. CANFIELD: Exhibition of Echelette Diffraction Grating in the Infra-red (illustrated).
- W. F. DURAND: New Methods for Treating the Problem of the Surge Chamber (illustrated).
- ELMER A. SPERRY: The Reaction of the Gyroscope to the Rotation of the Earth, and the Relative Value of the Gyro as a Torque Producer (illustrated).
- GEORGE F. McEWEN (introduced by T. Wayland Vaughan): An Analysis of Temperature Changes in Lake Mendota regarded as Effects of Penetrating Radiation, Surface Loss of Heat and Turbulence (illustrated).
- MARSHALL A. HOWE: Algae as Reef-builders and Landformers (illustrated).
- DAVID WHITE: Algal Deposits of Unkar Proterozoic Age in the Grand Canyon, Arizona (illustrated).
- HENRY S. WASHINGTON: The Bearing of the Pacific Lavas on the Question of the Atlantic and Pacific Rock Clans.
- EDWARD KASNER: Geodesic Families of Curves.
- FRANCIS D. MURNAGHAN (introduced by J. S. Ames): On a Symmetrical Presentation of Dynamical Theory (illustrated).

## Evening, 8:15, in the Central Hall

- JAMES FRANCE (by invitation): Molecular Collisions (illustrated).
- I. S. BOWEN (by invitation): The Story of Nebulium (illustrated).
- R. A. MILLIKAN: The Origin of the Cosmic Rays (illustrated).

Following these addresses, to which the members of the scientific societies of Washington are invited, the rooms adjacent to the central hall will be open for the inspection of scientific exhibits.

## TUESDAY, APRIL 24

## Morning, 9:00

- WILLIAM TRELEASE: Biographical Memoir of Charles Sprague Sargent. (To be read by title.)
- ALEŠ HRDLJČKA: Traces of Prehistoric Man in Alaska (with demonstration of specimens).
- TRUMAN G. YUNCKER (introduced by William Trelease): A Monograph of the Genus Cuscuta.
- CHARLES P. BERKEY: Evidences of Changes of Climate in the Gobi Region of Central Asia (illustrated).
- JAMES W. GIDLEY (introduced by C. G. Abbot): Additional Evidence on Pleistocene Man in Florida (illustrated).
- H. L. SHANTZ (introduced by L. O. Howard): World Vegetation and Potential Agricultural Land (illustrated).
- S. A. COURTIS (introduced by Raymond Pearl): The Factors Determining Growth (illustrated).
- FRANCIS G. BENEDICT and G. D. WILLIAMS: The Racial Factor in Basal Metabolism: a Study of Maya Indians in Yucatan (illustrated).
- J. C. WALKER (introduced by L. R. Jones): Inheritance of Fusarium-resistance in Brassica oleracea (illustrated).
- WALTER T. SWINGLE (introduced by R. A. Harper): Metazenia in the Date Palm, Possibly a Hormone Action Exerted by the Endosperm (illustrated).
- JOHN M. ARTHUR (introduced by John M. Coulter): Plant Growth in Artificial Climates (illustrated).
- H. J. MULLER (by invitation): The Production of Mutations by X-rays (illustrated).
- HENRY FAIRFIELD OSBORN: Recent Discoveries Relating to the Tertiary Ancestry of Man (illustrated).

### Afternoon, 2:00

- E. H. MORRIS (introduced by W. H. Holmes): Discovery of Extraordinary Turquoise Mosaic in the Buried Temple at Chichen Itza, Yucatan (illustrated).
- W. J. V. OSTERHOUT and E. S. HARRIS: Positive and Negative Currents of Injury (illustrated).
- HENRY H. DONALDSON: A Study of the Brains of Three Scholars (illustrated).
- GEORGE W. CRILE (introduced by Dayton C. Miller): An Interpretation of Excitation, Exhaustion and Death in Terms of Physical Constants (illustrated).
- L. A. ROGERS and E. O. WHITTIER (introduced by Ludwig Hektoen): The Limitation of Population in Bacterial Cultures (illustrated).
- C. R. STOCKARD: Type Hybrids in Dogs and Development of Female Genitalia in Male Individuals (illustrated).
- CHARLES F. CRAIG (introduced by W. G. McCallum): Observations upon Complement Fixation in Infections with Endamoeba hystolytica (illustrated).
- H. M. JOHNSON (introduced by Aleš Hrdlička): The Socalled "Depth of Sleep" (illustrated).