

SCIENCE

VOL. 92

FRIDAY, JULY 19, 1940

No. 2377

The Seattle Meeting of the American Association for the Advancement of Science: Edited by DR. F. R. MOULTON 45

An Electron Microscope for the Research Laboratory: DR. V. K. ZWORYKIN 51

Scientific Events:

The Harvard School of Dental Medicine; The Guggenheim Fellowships for Latin Americans; Fellowships of the Zoological Society of San Diego; Award of Medals of the Royal Geographical Society; The New Hampshire Meeting of Mathematicians. Recent Deaths 53

Scientific Notes and News 56

Discussion:

The Sampling Error of the Median: PROFESSOR EDWIN B. WILSON. *The Publication of Isis:* PROFESSOR GEORGE SARTON. *Zoological Society of London:* DR. JULIAN S. HUXLEY 58

Scientific Books:

Electrical Discharges in Gases: DR. LEWIS TONKS. *The Ultracentrifuge:* PROFESSOR J. W. BEAMS 61

Special Articles:

On the Identity of Vitamin H with Biotin: DR. VINCENT DU VIGNEAUD and OTHERS. *Mobilization of Vitamin A by Alcohol:* DR. L. B. PETT. *Enzymatic Liberation of Auxin from Plant Tissues:* DR. FOLKE SKOOG and PROFESSOR KENNETH V. THIMANN 62

Science News 6

SCIENCE: A Weekly Journal devoted to the Advancement of Science, edited by J. McKEEN CATTELL and published every Friday by

THE SCIENCE PRESS

Lancaster, Pa. Garrison, N. Y.

New York City: Grand Central Terminal

Annual Subscription, \$6.00 Single Copies, 15 Cts.

SCIENCE is the official organ of the American Association for the Advancement of Science. Information regarding membership in the Association may be secured from the office of the permanent secretary in the Smithsonian Institution Building, Washington, D. C.

THE SEATTLE MEETING OF THE AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE

Edited by DR. F. R. MOULTON

PERMANENT SECRETARY

FROM June 17 to June 22, inclusive, the American Association for the Advancement of Science and the Pacific Division of the Association held a joint meeting in Seattle, Washington. This was the one hundred sixth meeting of the association and the twenty-fourth meeting of the Pacific Division. The Pacific Division met in Seattle in June, 1936; this was the first meeting of the association in the state of Washington.

To the residents of the eastern part of the United States, and even to those of the Middle West, Seattle seems to be very remote and not easily accessible. It is indeed distant from these regions, counting distances as they were counted only a few years ago. But

ribbons of concrete, streamlined trains and airplanes have reduced distances so much that 89 members from east of the Rocky Mountains registered at the meeting. The attractions were not only a delightful climate and some of the finest scenery in the world but excellent scientific programs.

To expect anything less than a good meeting of the association in Seattle would be to ignore essential factors. Seattle is a city of nearly 400,000 inhabitants; a city which, like ancient Rome, sits on seven hills. The University of Washington has more than 12,000 students. Westerners are used to wide open spaces and are accustomed to travel, as is illustrated

ENZYMATIC LIBERATION OF AUXIN FROM PLANT TISSUES

RECENTLY it has become increasingly clear that the quantitative extraction of auxin from green tissues by the use of solvents is attended with considerable difficulty. In a study of this problem,¹ using *Lemna minor*, grown under controlled conditions, as source material, and the standard *Avena* method for auxin assay, we have found that complete removal of the auxin present is obtained only after repeated extractions spread over a period of several months. This is true even when ether, which was found to be the most suitable solvent, was used. It is true also for a number of different plant tissues.

The results which we have obtained by several methods demonstrate that the slowness of the extraction is due to the very gradual liberation of free auxin from some bound form. From the behavior of the material in regard to boiling and drying, it was deduced that this liberation is in the main enzymatic and probably hydrolytic in nature. In order to hasten the extraction, the effect of adding some proteolytic enzymes, available in pure form, has been investigated. It was found that crystalline trypsin brings about a small increase in yield, while chymotrypsin was highly effective under the conditions used. When duplicate samples of ground and dried *Lemna* were allowed to stand 24 hours at pH 8 and room temperature, and then acidified and extracted with ether, the yield of auxin was increased from 20 units in the control to 93 units in the enzyme-treated sample. Incubation with the enzyme at 37° C was still more effective.

In the table are given the results of one such experiment. Fresh *Lemna* was rapidly dried, kept at 70° C overnight, ground and divided into samples weighing 0.365 gms, corresponding to 3.0 gms fresh weight each. Water was added to all samples and some were boiled for 15 minutes. Another sample was cytolysed with ether, ground thoroughly with water, and the extract divided into two 3 cc portions. All samples were brought to pH 8 with Na₂CO₃, enzyme added where necessary, and the final volumes of the solutions brought to 2 cc. After 24 hours' incubation at 37°, the samples were acidified and extracted with ether (first extraction). They were then kept under ether for two further periods of 7 and 8 days, respectively, and the extracts so obtained, together with the rinsings, also tested.

Table I shows that both in the boiled and unboiled material, the enzyme increases the yield from three to four times. In another experiment increases as great as six times have been obtained with as little as 0.1 mg enzyme. Controls on the chymotrypsin solution alone, either fresh or carried through the procedure above, gave in 3 out of 4 experiments no auxin at all; on

¹ Details of the work will be published elsewhere.

TABLE I
EFFECT OF CHYMOTRYPSIN ON THE YIELD OF AUXIN FROM
LEMNA MINOR*

	First extraction	Second + third extraction	Total
Unboiled material			
Control	250	310	560
Chymotrypsin 1 mg ...	1144	884	2028
Chymotrypsin 5 mg ...	638	982	1620
Boiled material			
Control A	138	157	295
Control B	203	89	292
Chymotrypsin 1 mg ...	469	582	1051
Chymotrypsin 5 mg ...	313	505	818
Water extract			
Control	101	114	215
Chymotrypsin 5 mg ...	280	118	398

* All data in units per cc per 3 gms fresh weight.

one occasion 12 units per 5 mg were obtained. The greatly increased auxin yield could therefore not be the result of either active impurities or decomposition products of the enzyme itself.

The results with the water extract are suggestive rather than significant, but they are included because they set an upper limit to the amount of activity which could possibly have been contributed by the enzyme.

It may be concluded that the auxin in *Lemna* is bound to a protein, from which it is liberated on hydrolysis. It is probable that this conclusion applies to a variety of plant tissues.

FOLKE SKOOG

KENNETH V. THIMANN

HARVARD BIOLOGICAL LABORATORIES,
CAMBRIDGE, MASS.

BOOKS RECEIVED

- ARNOLD, JOHN G. and TIMOTHY L. DUGGAN. *Laboratory Manual of General Biology*. Fourth edition. Pp. 275, loose leaf. Mosby.
- BELL, D. J. *Introduction to Carbohydrate Biochemistry*. Pp. viii + 112. University Tutorial Press, London.
- BIRKHOFF, GARRETT. *Lattice Theory*. Vol. XXV of Colloquium Publications. Pp. v + 155. American Mathematical Society, New York.
- Contributions to American Anthropology and History*. Vol. VI, Nos. 30-34. Pp. 299. Carnegie Institution of Washington. \$3.00.
- COTT, HUGH B. *Adaptive Coloration in Animals*. Pp. xxxii + 508. 84 figures. 48 plates. Oxford University Press. \$8.50.
- DIAMOND, MOSES and JOSEPH P. WEINMANN. *The Enamel of Human Teeth*. Pp. 105. 50 figures. Columbia University Press. \$1.50.
- Heller Committee for Research in Social Economics. *Quantity and Cost Budgets for Four Income Levels*. Pp. 107. University of California Press. \$0.75.
- MAYER, JOSEPH E. and MARIA G. MAYER. *Statistical Mechanics*. Pp. xi + 495. Wiley. \$5.50.
- Municipal Court of Philadelphia; Twenty-sixth Annual Report, 1939*. Compiled by the Statistical Department, FRANK S. DROWN, Statistician. Pp. lii + 419. The Court.
- SCHILLETER, JULIAN C. and HARRY W. RICHEY. *Text-Book of General Horticulture*. Pp. ix + 367. 136 figures. McGraw-Hill. \$5.00.

McGraw-Hill Announces

an important new volume in the
INTERNATIONAL SERIES IN PHYSICS

THE MODERN THEORY OF SOLIDS

By FREDERICK SEITZ

Assistant Professor of Physics, University of Pennsylvania

689 pages, 6 x 9. \$7.00

In this distinctive new book the author presents a survey of the theory of the properties of all types of crystalline solids. While the book deals largely with recent developments in the field, it includes a coordinated treatment of those parts of the older theoretical work which are still valid.

The book is unique in that it covers the theory of all types of solids from a common viewpoint. Besides dealing with the theory of metals, the author treats the properties of salts and other insulators as well, showing the factors which account for differences and similarities among all these materials.

CHAPTER HEADINGS

Empirical Classification of Solid Types
The Classical Theory of Ionic Crystals
The Specific Heats of Simple Solids
The Free Electron Theory of Metals and Semiconductors
Quantum Mechanical Foundation
Approximate Treatment of the Many-body Problems
Molecular Binding
The Band Approximation

Approximational Methods
The Cohesive Energy
The Work Function and the Surface Barrier
The Excited Electronic States of Solids
The Electronic Structure of the Five Solid Types
The Dynamics of Nuclear Motion; Phase Changes
Theory of Conductivity
The Magnetic Properties of Solids
The Optical Properties of Solids


Send for a copy on approval

McGraw-Hill Book Company, Inc.

330 West 42nd Street, New York, N. Y.

Aldwych House, London, W.C.2

...when the Scientist says,
"Spencer"



To design an objective lens for a microscope is a monumental task. It requires months of work with sine tables and computing machines.

No less a task is the actual production of the lens elements and mechanical parts that make up the completed objective. It calls for almost incredible skill—skill that can cope with tolerances of millionths of an inch.

The average man little comprehends this. But the scientist does—and it is this fact which gives such impressive significance to the almost universal acceptance of Spencer Microscopes in scientific circles, and gives added meaning to the words "Spencer precision" and "Spencer quality."

Spencer Lens Company

MICROSCOPES
MICROTOMES
PHOTOMICROGRAPHIC
EQUIPMENT



REFRACTOMETERS
COLORIMETERS
SPECTROMETERS
PROJECTORS