

SCIENCE

NEW SERIES
VOL. 95, No. 2465

FRIDAY, MARCH 27, 1942

SUBSCRIPTION, \$6.00
SINGLE COPIES, .15

Fisher's **JUNIOR TITRIMETER**


Reg. U. S. Pat. Off.

for

*Rapid and
Accurate . . .*

**VOLUMETRIC
ANALYSES**

*Applicable for a Wide
Variety of Titrations*



Fisher's Junior Titrimeter eliminates the human equation in conducting titration reactions by employing the latest developments in electronics, providing greater accuracy, speed and ease of operation. This instrument is simple to operate; it obviates the need for many chemical indicators, and can be employed when turbidity, color and other idiosyncrasies of the solution prevent the use of ordinary visual means.

End points are indicated distinctly by the indicating meter which reflects the electrical changes in the solution at the exact end point. Once the instrument has been standardized and a titration

curve set up, routine titrations can be conducted rapidly.

The Junior Titrimeter is applicable to oxidation-reduction, acid-base and precipitation titrations, but not for titrations requiring a glass electrode system. It is equally well-suited for routine analyses, research work and educational work. Furnished complete with calomel and platinum electrodes, stirring motor, and directions, ready for use. This instrument is portable and is battery operated.

Each, \$85.00

Tungsten Electrode, for use in conducting oxidation-reduction titrations. Each, \$ 3.00

Senior Model Titrimeter More Versatile

The Fisher Senior Titrimeter is an all-purpose electrometric titration apparatus that is capable of conducting all the analyses possible with the Junior Model and, in addition, operates with glass electrodes for pH work, conducts D.C. resistance and voltage measurements, and conductivity titrations. It employs the sensitive "magic eye" that "blinks" unmistakably at the exact end point.

Fisher Senior Titrimeter, with Qualitative Unit, for use with 110 volts A.C. Each, \$110.00

Quantitative Unit, for use with Senior Titrimeter in conducting D.C. measurements, pH and conductivity titrations. Each \$ 95.00

Manufactured and Distributed by

FISHER SCIENTIFIC CO.

711-723 Forbes Street, Pittsburgh, Penna.



EIMER AND AMEND

633-635 Greenwich St., New York, N. Y.

Headquarters for Laboratory Supplies

Science: published weekly by The Science Press, Lancaster, Pa.

Entered as second-class matter July 18, 1923, at the Post Office at Lancaster, Pa., under the Act of March 3, 1879.

MEDICO-SURGICAL TRIBUTES

to

HAROLD BRUNN

A Series of Essays on Various
Aspects of Surgery and
Medicine Written by
His Pupils and Friends.

Foreword by Robert Gordon Sproul
Biographical Preface by Langley Porter

Fifty-two Scientific Papers.

With one color plate and over 100 hundred
illustrations from photographs, text-figures,
diagrams and charts. Bound in cloth.

\$6.00.

UNIVERSITY OF CALIFORNIA
PRESS

Berkeley and Los Angeles

Address all communications to the Berkeley office.

NEW (2D) EDITION

JUST READY

FOOD AND BEVERAGE ANALYSES

By the late

MILTON ARLANDEN BRIDGES,
M.D., F.A.C.P.

and MARJORIE R. MATTICE, M.S.

Assistant Professor of Pathological Chemistry,
Department of Medicine, New York Post-
Graduate Medical School, Columbia
University.

Octavo, 344 pages.

Flexible binding, \$4.00, net.

The chief objective of this work is to provide analytical data on the largest possible number of food factors. Such information is of the greatest assistance to the student of home economics, the dietitian, the nurse, the welfare worker, the industrial chemist, the medical student and the clinician. For such workers it presents the practical facts in a readily understandable form.

LEA & FEBIGER

WASHINGTON SQUARE PHILADELPHIA, PA.

COLIN

Elements of Genetics

Teachers say:—"it presents fundamental principles in a clear, readable style" . . . "recent advances are carefully incorporated" . . . "the glossary is helpful to students" . . . "problems are well selected and graded" . . . "the historical approach is a decided advantage in enlisting the interest of students."

By Edward C. Colin, Ph.D., Chicago Teachers College.
47 Illus., 386 Pages. \$3.00 (1941)

HYLANDER AND STANLEY

Plants and Man

Teachers say:—"it is well adapted to the needs of students taking botany as a cultural subject" . . . "the emphasis on interpreting familiar plant products is commendable" . . . "the distribution maps are very helpful in teaching" . . . "it is well written, well organized and very readable."

By Clarence J. Hylander, Ph.D., and Oran B. Stanley, Ph.D.,
Colgate University. 308 Illus., 518 Pages. \$3.00 (1941)

THE BLAKISTON COMPANY, Philadelphia



NEW-CRYSTALLINE BIOTIN

free acid



FOLLOWING the recent announcement of crystalline biotin (methyl ester), Research Laboratories of S.M.A. Corporation now offers crystalline biotin (free acid).

Prepared by hydrolysis of the methyl ester and supplied as a solution in distilled water, biotin (free acid) may have definite advantages in certain instances over the methyl ester previously available. Supplied in 1 ml. ampuls (25 micrograms).

Solution Biotin (Free Acid)—25 Micrograms in 1 ml.


- 1 Ampul \$ 4.00
- 3 Ampuls 11.50
- 12 Ampuls 40.00

Solution Biotin (Methyl Ester)—25 Micrograms in 1 ml.

- 1 Ampul \$ 3.50
- 3 Ampuls 10.00
- 12 Ampuls 35.00

BIOLOGICAL SPECIMEN DISHES

Now Available in FIVE Sizes



No. 6734

Originally listed in one size only, the increasing demand for Biological Specimen Dishes first led us to introduce a larger size. Now, these Dishes are available in five sizes.

Biological Specimen Dishes are applicable to work in embryology, especially with chick embryos; to small aquatic organisms, living or preserved; to the development of Echinoderms and other eggs. They serve as ideal containers for distribution of class material as they are sturdy but inexpensive.

The smaller sizes fit conveniently under a microscope. The larger sizes are frequently used as aquaria. The rounded inside permits easy cleaning. When stacked or nested the dishes can be easily transported and stored. The bottoms are flat; the dishes of a size stack perfectly; and evaporation of liquids contained in them is inhibited because of the accurate fit.

Diameter, outside, mm.	100	112	125	200	250
Height overall, mm.	48	50	55	80	110
Capacity, approximate, ml.	200	350	470	1750	3300
No. in original barrel	216	168	132	36	12
Each35	.40	.45	1.10	1.80
Per dozen	3.30	3.60	4.20	10.80	18.00
Per original barrel	48.60	42.00	37.80	27.00	18.00

WILL CORPORATION, ROCHESTER, NEW YORK


Offices and Warehouses

BUFFALO APPARATUS CORP., Buffalo, N. Y. • WILL CORPORATION, 596 Broadway, New York City

LABORATORY APPARATUS AND CHEMICALS

The CARVER LABORATORY PRESS

with Standard
Accessories



FOR RESEARCH AND SMALL SCALE TESTS

Plastic Molding, Studies and Development of New Plastics—Molding and Breaking Tests of Ceramic Materials—Mounting Metallographic Specimens for Microscopic Studies—Extrusion and Extrusion Tests—Laminating—Vulcanizing and Molding of Rubber—Friction Tests on Can Tops—Molding and Testing Road Materials, Binders, Aggregates, etc.—Pressing Pulp or Fibre, Sheets and Boards—Pressing Liquor from Pulp—Dehydrating—Separating Liquids and Solids—Pressing Mother Liquors from Crystals—Plant Studies, Pressing out Saps, Oils, Fluids, from Seeds, Leaves, Barks, Roots, Etc.—Pressing Fluids from Animal Tissue—Pressing out Vegetable Oils, Stearines and Waxes—Pressing out Animal and Fish Oils, Stearines and Waxes—Splitting of Oils, Stearines and Waxes—Fatty Acid Determinations—Pressing Wax from Mineral Oils—Pressing Oil and Moisture from Wax—Pressing out Concentrated Extracts and Flavors—Pressing out Spent Extractions—Pressing Bacteria—Pressing out Vaccines and Viruses—Briquetting, Cake Forming—Compression, Crushing, Breaking, and Shearing Tests—Gluing and Gluing Tests.

FRED S. CARVER

3-27-42

341 HUDSON ST. NEW YORK

Please send your Catalog—"The Carver Laboratory Press"

I am interested in.....


Will this press do the following.....

.....?

NAME:.....

FIRM:.....

ADDRESS:.....



Dr. Braddock's Microscope Was Commissioned Today

DR. BRADDOCK wants a new microscope—a Bausch & Lomb Microscope . . . and he's going to get it. It won't be today, though, for today America commissioned a new cruiser.

On this ship there are many optical instruments with a myriad of optical parts, made by the same hands that, in other times, might be grinding the lenses for Dr. Braddock's microscope. There are range finders fore and aft, and a score of smaller ones in strategic places about the ship. The glasses with which the officers scan the horizon are Bausch & Lomb products. Yes, and there's a B&L Microscope, a duplicate of the one Dr. Braddock wants, in the laboratory of the ship's hospital.

Dr. Braddock still wants his microscope, but because he knows these things he is willing to wait. Thousands of "Dr. Braddocks" are making earlier victory possible.

Throughout the Bausch & Lomb plant, optical engineers and optical craftsmen are working long and tirelessly to further America's war effort. The lessons they are learning in the white heat of the national emergency will be available later to further the peacetime interests of science and industry.

BAUSCH & LOMB
OPTICAL CO. • ROCHESTER, NEW YORK
ESTABLISHED 1853

SCIENCE

VOL. 95

FRIDAY, MARCH 27, 1942

No. 2465

<i>Higher Levels of Integration</i> : DR. R. W. GERARD	309	<i>Reports:</i>	
<i>How Plant Breeding Programs Complicate Plant Disease Problems</i> : DR. NEIL E. STEVENS	313	<i>Grants Made by the Banting Research Foundation:</i>	
<i>Obituary:</i>		DR. V. E. HENDERSON	329
<i>Lawrence Joseph Henderson</i> : DR. RONALD M. FERRY. <i>Recent Deaths</i>	316	<i>Special Articles:</i>	
<i>Scientific Events:</i>		<i>The Effect of Colored Ions on the Photo-inactivation of Invertase</i> : DR. THOMAS F. ANDERSON and HENRY LARDY. <i>The Occurrence of Fits in Pyridoxine Deficient Rats</i> : DR. SAMUEL LEPKOVSKY, MYRTISE E. KRAUSE and MILDRED K. DIMICK. <i>Effect of l-Ascorbic Acid on the Isolated Frog Heart</i> : DRs. R. P. LINSTAD and OTTO KRAYER	330
<i>The Coming Harvest in the United Kingdom; Report of the Treasurer of Yale University; Junior Engineering Students and the War Industries; The Finney-Howell Research Foundation; The Permanent Science Fund of the American Academy of Arts and Sciences; The Nutrition Foundation</i>	319	<i>Scientific Apparatus and Laboratory Methods:</i>	
<i>Scientific Notes and News</i>	321	<i>The Sterile Culture of Paramecium Multimicro-nucleata</i> : DR. W. H. JOHNSON and E. G. S. BAKER. <i>The Significance of Fibrinolysis in the Mechanism of Coagulation of Blood</i> : DR. HENRY J. TAGNON	333
<i>Discussion:</i>		<i>Science News</i>	8
<i>On the Stridulations of Insects</i> : HOWARD D. MATTHEWS. <i>The Relative Effects of Anoxia</i> : PROFESSOR J. M. JOHLIN. <i>Calendar Reform and 364-day Years</i> : DR. ALFRED GUNDERSEN. <i>A Study of Faunal Distribution</i> : PROFESSOR G. D. HALE CARPENTER	324		
<i>Science Twenty-five Years Ago:</i>			
<i>The Relations Between Engineering and Science</i> : HENRY M. HOWE. <i>Our Psychological Association and Research</i> : J. MCKEEN CATTELL. <i>Notes</i>	326		
<i>Scientific Books:</i>			
<i>Cytology, Genetics and Evolution</i> : PROFESSOR C. E. MCLUNG. <i>Occupational Diseases</i> : DR. ALICE HAMILTON	327		

SCIENCE: A Weekly Journal devoted to the Advancement of Science, edited by J. MCKEEN CATTELL and published every Friday by

THE SCIENCE PRESS

Lancaster, Pa.

Garrison, N. Y.

Annual Subscription, \$6.00

Single Copies, 15 Cts.

SCIENCE is the official organ of the American Association for the Advancement of Science. Information regarding membership in the Association may be secured from the office of the permanent secretary in the Smithsonian Institution Building, Washington, D. C.

HIGHER LEVELS OF INTEGRATION¹

By DR. R. W. GERARD

PROFESSOR OF PHYSIOLOGY, UNIVERSITY OF CHICAGO

OF the several integrating mechanisms which convert a cell population into a multicellular individual, that of transmission is mainly responsible for the differences between "higher" and "lower" organisms. As it has improved, so has adaptive amplification, the ability of an individual to respond to environmental events, including those related to other individuals. This paper will be concerned, consequently, with the evolution of transmissive mechanisms and with the unit-whole relations which they serve—between cells in the organism and between organisms in the social group.

¹ From an address at the University of Chicago Fiftieth Anniversary Celebration. The complete paper will appear in *Biological Symposia*, Vol. 8.

TRANSMISSION

Protoplasm, subjected to an adequate stimulus, enters a new and often specific state; it gives its characteristic response—a muscle twitches, a gland secretes. But the response is not restricted to the stimulated region: the urchin egg starts to lift its membrane where the sperm enters, but this continues to rise around the whole egg; the end portion of a muscle fiber, far from the point of nerve entry, participates in the general shortening. Something, some form of excitation, must be propagated or communicated from the originally excited region to neighboring ones; and this is the essence of transmission. This universal capacity of protoplasm to hand on excita-

This procedure yields about 120 cc of yeast juice which is caught in an ice-packed flask and then stored in a refrigerator over night. It is then forced through a Seitz bacteriological filter by pressure. This juice is stored in a refrigerator at all times and is used only after complete sterility tests have been made.

For cultures, 5 cc portions of triple distilled water are sterilized in 18 mm Pyrex culture tubes, and, after cooling, 0.5 cc of the yeast juice is added to each aseptically. These are then ready for inoculation. Tests with a wide range of dilutions indicated that 1:10 is near the optimal concentration.

In all, sixty-one cultures of yeast juice were inoculated with sterile paramecia. From these, five strains were established and successfully maintained. Transfers are made at about 14-day intervals. Sterility tests have been made regularly at every transfer. Most of the common test media have been tried at various times in these tests. The standard testing media now employed consist of: 0.5 per cent. Difco yeast extract plus 0.5 per cent. dextrose; 0.03 per cent. beef extract; Difco nutrient agar plus 0.5 per cent. dextrose; and Brewer's thioglycollate anaerobic medium. Dr. C. B. van Niel,⁷ of the Hopkins Marine Station, has examined several of these cultures and has confirmed their sterility.

So far it has not been possible to obtain in these sterile cultures a rate of growth equal to the highest rates obtainable in pure-mixed cultures of *Paramecium* and single strains of bacteria. The best fission rate obtained in these cultures to date is approximately 0.5 divisions per day. Fission rates of 1.0-2.0 per day have been reported for pure-mixed cultures. Heated yeast juice will not support the growth of *Paramecium*. Some factor or factors necessary for their growth is apparently destroyed by heat. This is in line with other observations which have been made on *Paramecium* and other ciliates. Most of the normally holozoic forms that have been studied will not grow when furnished with heat-killed organisms or with the ordinary heat-treated culture media as their only source of food.

W. H. JOHNSON
E. G. S. BAKER

DEPARTMENT OF BIOLOGY,
STANFORD UNIVERSITY

THE SIGNIFICANCE OF FIBRINOLYSIS IN THE MECHANISM OF COAGULATION OF BLOOD¹

WHEN recalcified dog's plasma is shaken briefly with chloroform and allowed to stand 24 hours, and

⁷ We wish to express our appreciation to Dr. C. B. van Niel for first suggesting yeast juice as a possible medium, and for making sterility tests of our cultures.

¹ From the New York Hospital and the Department of

the chloroform thereafter removed, the serum so obtained shows marked fibrinolytic properties. The properties of this so-called chloroform serum will be reported elsewhere.²

The precipitate of globulin obtained from this chloroform serum by isoelectric precipitation at pH 6 is soluble in isotonic saline solution. This solution of globulin possesses marked fibrinolytic properties.

The addition of small amounts to a solution of fibrinogen produces no clot but complete lysis of the fibrinogen. In the presence of prothrombin, however, a clot forms which may undergo fibrinolysis. The addition of the globulin solution to oxalated plasma results in coagulation sometimes followed by fibrinolysis. The addition of the globulin solution to prothrombin results in the formation of thrombin in the absence of calcium, thromboplastin or formed blood elements. In its action on blood plasma and fibrinogen the globulin solution resembles the action of trypsin as reported by Eagle and Harris.³

The active globulin solution may also be prepared by dialysis of chloroform serum against running water. In this preparation the active fibrinolytic substance is associated with the euglobulin precipitate. The solution in isotonic saline of this precipitate behaves as does the isotonic saline solution of the acid precipitated globulin.

It is to be noted that the methods of precipitation and dialysis are similar to those used in the preparation of "globulin substance" by Patek and Taylor.⁴

HENRY J. TAGNON⁵

Medicine, Cornell University Medical College, New York, N. Y.

² Henry J. Tagnon, *Jour. of Lab. Clin. Med.*, in press.

³ H. Eagle and T. N. Harris, *Jour. Gen. Phys.*, 20: 543, 1937.

⁴ A. J. Patek, Jr., and F. H. L. Taylor, *Jour. Clin. Invest.*, 16: 113, 1937.

⁵ Graduate fellow of the Belgian American Educational Foundation.

BOOKS RECEIVED

Advances in Enzymology. F. F. NORD and C. H. WERKMAN, editors. Volume II. 23 illustrations. Pp. viii + 374. Interscience. \$5.50.

HARTKEMEIER, HARRY PELLE. *Principles of Punch-Card Machine Operation*. Illustrated. Pp. xiv + 269. Crowell. \$3.25.

HOU, TE-PANG. *Manufacture of Soda*. American Chemical Society Monograph Series, number 65. Second edition. 149 illustrations. Pp. xviii + 590. Reinhold. \$9.50.

LAURIE, ALEX and VICTOR E. RIES. *Floriculture*. Illustrated. Pp. vii + 496. McGraw-Hill. \$4.00.

MUELLER-DEHAM, ALBERT and S. MILTON RABISON. *Internal Medicine in Old Age*. Pp. ix + 396. Williams and Wilkins. \$5.50.

Science and World Order. The British Association for the Advancement of Science, report. Pp. 120.

SEEMAN, ALBERT L. *Physical Geography*. Pp. xxii + 439. Prentice-Hall. \$3.50.

5000 R.P.M. on D. C.-Adams Angle Centrifuges

with underguard No. CT-1055.
 with six 15 ml. tubes loaded.
 4200 R.P.M. on A.C. with same load.

These centrifuges offer important advantages over the conventional units. They utilize the new angle principle—the tubes being suspended at a fixed 52° angle—thus, faster sedimentation is achieved by the shorter distance particles are required to travel . . . creating mass, and reaching the bottom more quickly. When at rest, the tubes remain in the angular position and no stirring up of sediment results.

CT-1000 ADAMS SENIOR SAFETY-HEAD CENTRIFUGE for SIX 15 ml. TUBES, complete with six round bottom brass shields with rubber cushions and three each graduated and ungraduated taper bottom 15 ml. glass tubes. Without Underguard Each \$52.50
 Each \$49.50

CT-1055 UNDERGUARD for Safety-Head, made of aluminum Each \$ 3.50


CT-1050 PROTECTIVE CAP, snaps into top to enclose test tubes at high speeds; a necessary precaution against flying glass Each \$ 2.50

Also for MICRO and SEMIMICRO WORK

The above Centrifuges will accommodate six 15 ml. round bottom or taper bottom test tubes. Micro and semimicro tubes (5 ml. to 0.5 ml.) can be accommodated by purchasing extra shields, prices from 50c to 75c each. No adapters are required.

Other ADAMS CENTRIFUGES and laboratory supplies are described in our new Catalog No. 102SC. If you do not already have a copy write for one on your letterhead please.

Above Centrifuges have universal motors for 110-volt A.C. or D.C. current. They can also be supplied to operate on 220-volt A.C. or D.C. current. Additional charge of \$2.00 is made for 220-volt motors.




CLAY-ADAMS CO. INC.
 44 EAST 23rd STREET, NEW YORK, N. Y.




for accurate linear measurements of short range

GAERTNER MICROMETER SLIDES


fitted with microscope or telescope, permit—



depth measurements



horizontal measurements




A most desirable feature of these instruments is the diversity of applications possible. In addition to the uses indicated, displacements on small objects can be measured by mounting them directly on the slide. Two slides can be mounted to form a small coordinate comparator. Etc., etc.

RANGES: up to 4 inches (100 mm) · READINGS: to .00005 inch (0.001 mm) by vernier

THE GAERTNER SCIENTIFIC CORPORATION

1204 Wrightwood Ave. · Chicago · U.S.A.



ZEISS

Lg

MICROSCOPE

Combines Ease of Operation

with Mechanical and

Optical Precision

Designed for comfort of the operator . . . All motion heads are conveniently located below the stage . . . Hands and arms rest comfortably on the working table during all manipulations . . . Vibration, due to tired arms, is eliminated . . . Instrument height and tube inclination permit the observer to assume a restful position . . . Deeply recessed limb facilitates the investigation of large objects . . . Write for catalog . . . Micro 431.

**WE BUY, REPAIR, RECONDITION, RESELL
USED
ZEISS INSTRUMENTS**


CARL ZEISS INC.

485 Fifth Avenue, New York

728 So. Hill Street, Los Angeles

BECKMAN pH NEWS

FROM THE WORLD'S LARGEST MANUFACTURER OF GLASS ELECTRODE pH EQUIPMENT



NEW! BECKMAN X-9 GLASS ELECTRODE WITHSTANDS 100 LBS. DIRECT FORCE

Ideal for Severe Operating Conditions

... For Use in Semi-Solids, Abrasives, Etc.

A new electrode development for Beckman pH instruments that will be found particularly useful where pH measurements are to be made in semi-solid materials such as moist earths, clays, etc. . . . or in materials of an abrasive nature such as paper pulps, is the Beckman X-9 Glass Electrode.

The immersion end of this electrode, in place of the usual bulb, has a blunt pH-sensitive section approximately 12 mm in diameter. This section, made of special electrode glass, has a thick wall that is extremely rugged and will withstand severe operating stresses that would break ordinary glass electrodes. For example, the tip of this electrode can be pushed into the ground or against hard surfaces with a direct force of *more than one hundred pounds* without damage!

The electrode is completely sealed and internally shielded, with a shielded lead permanently attached for plugging directly into the instrument. It can be used with any standard Beckman Calomel Electrode and is available in two models—one for the Beckman Industrial pH Meter, the other for the Beckman Laboratory Meter. When ordering, please advise for which instrument electrode is desired.

THE BECKMAN X-9 GLASS ELECTRODE

1190X9 For Laboratory Model Meter .. \$10.00

4990X9 For Industrial Model Meter \$10.00

National Technical Laboratories
820 Mission St., So. Pasadena, Calif.

LaMOTTE SOIL TESKIT

A pocket size Kit designed for the amateur gardener which enables you to tell quickly how "sweet" or how "sour" (alkaline or acid) your soil is. A color chart gives the result without any calculations. Complete with LaMotte Soil Handbook and full instructions, price \$2.00 F.O.B., Towson, Baltimore, Md.

LaMotte Chemical Products Co.
Dept. "H" Towson, Baltimore, Md.

THE SCIENCE PRESS PRINTING COMPANY


PRINTERS OF
SCIENTIFIC AND EDUCATIONAL
JOURNALS, MONOGRAPHS
AND BOOKS

Correspondence Invited

LANCASTER, PENNSYLVANIA

ANALYTICAL REAGENTS

Coleman & Bell



Analytical Reagents are manufactured to meet definite standards of purity, including the specifications of the Committee on Analytical Reagents of the American Chemical Society. Our list includes all of the common items and many rare and unusual compounds suitable for special analytical procedures.

Catalog upon request .

THE COLEMAN & BELL CO.
MANUFACTURING CHEMISTS
NORWOOD, OHIO, U. S. A.