

SCIENCE

NEW SERIES
VOL. 95, No. 2467

FRIDAY, APRIL 10, 1942

SUBSCRIPTION, \$6.00
SINGLE COPIES, .15

Books in the Physical Sciences

WEBER

Temperature Measurement And Control

This book presents a survey of modern methods of temperature measurement with a discussion of the theoretical principles necessary for their appreciation, intelligent use and extension. 24 laboratory experiments with clear directions for carrying them out, and numerous tables and data of practical use in a pyrometry laboratory are included. By R. L. Weber, Ph.D., *Penna. State College*. 183 Illus., 430 Pages. \$4.00 (1941)

FOLEY

College Physics. 3rd Edition

Representing a thorough and painstaking revision based upon the very helpful suggestions of a number of teachers who have used the former editions, this book contains: an entirely new and more extensive set of problems, an improved arrangement of topics, and many new illustrations. By Arthur L. Foley, Ph.D., *Indiana University*. 470 Illus., 757 Pages. \$3.75 (1941)

McCORKLE

Survey of Physical Science For College Students

This successful text provides the material for a comprehensive well balanced, one-semester course. It is distinguished by clarity of expression, scientific accuracy, and an excellent choice of subject matter. Carefully prepared laboratory experiments and 273 illustrations increase the usefulness of this text. By Paul C. McCorkle, *Penna. State College*. 431 Pages. \$2.75 (1938)

PISTON

Meteorology. 2nd Edition

Clear, concise and well balanced, this text presents material for a semester course in the science of the weather. New material on air mass methods, applications of air mass analysis to weather phenomena, and the practical problems of forecasting is included. By D. S. Piston, Ph.D., *Twining Laboratories, Fresno, California*. 100 Illus., 233 Pages. \$3.00 (1941)

CULVER

Musical Acoustics

Designed for a one-semester college course, this text presents the elementary principles of musical acoustics and deals with the physics of sound production by the voice and by various musical instruments. By C. A. Culver, Ph.D., *Carleton College*. 128 Illus., 194 Pages. \$2.50 (1941)

DUFF (Editor) and Contributors

Physics. 8th Edition

Intended for use by science and engineering students, this text is written by authors recognized for their contributions to physics and to the teaching of physics. The presentation is forceful and challenging, the illustrations are especially clear, and the numerous problems are carefully graded. By A. Wilmer Duff, Sc.D. (Editor) and Contributors. 630 Illus., 715 Pages. \$4.00 (1937)

HOYT

Concise Physics. 2nd Edition

This text provides the material for a basic course in physics for those who are studying engineering in short courses. The book has been used with satisfaction in engineering Defense Training Courses. A large number of practical problems are included, and solutions to the illustrative problems are given. By John E. Hoyt, Ph.D., *Drexel Evening School, Philadelphia*. Assisted by C. E. Bareuther, C.E. Illustrated, 445 Pages. \$2.50 (1940)

STRANATHAN

The "Particles" of Modern Physics

Designed to meet the requirements of a one-semester college course in modern physics at the junior or senior level, this text presents a study of the fundamental "particles" of physics. The material required for a clear understanding of the concepts of modern physics and a discussion of the experiments upon which these concepts are based is presented. By J. D. Stranathan, Ph.D., *University of Kansas*. Illustrated. Ready in April

THE BLAKISTON COMPANY
PHILADELPHIA

Science: published weekly by The Science Press, Lancaster, Pa.
Entered as second-class matter July 18, 1923, at the Post Office at Lancaster, Pa., under the Act of March 3, 1879.

**ANTHROPOLOGICAL
RECORDS
CULTURE ELEMENT
DISTRIBUTIONS: XVIII
UTE—SOUTHERN PAIUTE**

BY
OMER C. STEWART

Vol. 6, No. 4, pp. 231-360, 2 maps, 4 plates.
Printed by offset, paper, \$1.25

**CULTURE ELEMENT
DISTRIBUTIONS: XIX
CENTRAL CALIFORNIA
COAST**

BY
JOHN P. HARRINGTON

Vol. 7, No. 1, pp. 1-46, 1 map.
Printed by offset, paper, 50 cents

**UNIVERSITY OF CALIFORNIA
PRESS**

Berkeley and Los Angeles
Address all inquiries to the Berkeley office.

**The
Foundations of Science**

By H. POINCARÉ
Pp. xi + 553.

Containing the authorized English translation by George Bruce Halsted of "Science and Hypothesis," "The Value of Science" and "Science and Method," with a special preface by Poincaré, and an introduction by Josiah Royce. *Price, postpaid, \$5.00.*

THE SCIENCE PRESS
Lancaster, Pa. Garrison, N. Y.

**THE
LYMPHATIC SYSTEM**

By CECIL K. DRINKER, M.D.

*Professor of Physiology and Dean of the School of
Public Health, Harvard University*

Shows why the lymphatic system has become so essential, and its part in regulating composition and volume of tissue fluid. Physiological and clinical considerations of practical value are given.

Illustrated. Paper, \$1.50; cloth, \$2.25

**VIRUSES AND
VIRUS DISEASES**

By THOMAS M. RIVERS, M.D.

An important summary of the field, covering the nature, treatment, and prevention of virus diseases.

Illustrated, \$2.50

CANCER HANDBOOK

Edited by ERIC LILJENCRANTZ, M.D.

Illustrated, \$3.00

STANFORD UNIVERSITY PRESS
Stanford University, California

BIOLOGY IN THIS CRISIS

In "SCIENCE" for June 14, 1940, on page 560 there is a most significant article on the teaching of science, by Professor Lloyd W. Taylor. We would all do well to re-read it today.

There is good evidence that the new text "LIFE SCIENCE" does solve extremely well many of the critical problems pointed out by Dr. Taylor. The many professors who have already purchased or borrowed copies and are considering using it, are especially requested to compare it with page 564 in the above-mentioned article.

If you are looking for possible improvement in the service your biology courses render, you should by all means investigate this text. It contains 1,022 illustrations, yet sells at only \$3.75! The loan of a copy may be easily arranged by addressing the author, M. W. de Laubenfels, 400 S. Bonnie Ave., Pasadena, Calif.

DETERMINING VITAMIN C

(Ascorbic Acid)

The new LaMotte Outfit employs 2-6 Dichlorophenol Indophenol in handy tablet form, two prepared color standards covering the high and low values, together with necessary pipettes and reagents. This test is designed for the quick and efficient analysis of Vitamin C in fasting blood of patients, within the wide range of 0.5 mg. to 1.8 mg. per 100 cc.

Information on request.

LaMotte Chemical Products Co.
Dept. "H" Towson, Baltimore, Md.

PURE AMINO ACIDS


The following amino acids are available in pure form for investigation of their specific nutritional significance:

Aminoacetic Acid
(Glycocoll, Glycine)
**d*-Arginine Monohydrochloride
**dl*-Aspartic Acid
Beta-Alanine
dl-Alpha-Alanine
d-Cysteine Hydrochloride
L-Cystine
d-Glutamic Acid
dl-Glutamic Acid Monohydrate
d-Histidine Monohydrochloride
**L*-Hydroxyproline
dl-Isoleucine
dl-Leucine
L-Leucine
**d*-Lysine Monohydrochloride
**dl*-Lysine Monohydrochloride
**dl*-Methionine
dl-Norleucine
dl-Phenylalanine
**L*-Proline
dl-Serine
**dl*-Threonine
**L*-Tryptophane
**L*-Tyrosine
dl-Valine

**Available in restricted quantities*



● The term "amino acid" in nutritional studies has acquired a limited sense, referring specifically to the amino acids which are constituents of proteins. The amino acids are recognized to be of fundamental nutritional importance, and many investigators are engaged in developing knowledge regarding their physiological significance. Ten amino acids have been established as essential for normal growth in the rat. These ten, and almost all of the other amino acids found in proteins, are now being manufactured in pure form by Merck & Co. Inc.



MERCK & CO. Inc. *Manufacturing Chemists* **RAHWAY, N. J.**



**DEPENDABLE
COMPACT
QUIET**



New INTERNATIONAL MICRO CENTRIFUGE

For Micro and Semi-Micro Analysis

- Quick starting—1780 r.p.m. in 10 seconds. Smooth performance.
- Powerful brushless type motor for continuous operation.
- Four tube capacity 0.5, 1, 2, 3 and 5 ml. and 10 × 75 mm. test tubes. Either horizontal or angle sedimentation.
- Mechanical brake for rapid stopping.
- Steel protective guard bowl—Sturdy base—Rubber suction feet. Attractively finished in dark gray crackle.


Selling Price \$29.00

INTERNATIONAL EQUIPMENT COMPANY

352 Western Avenue

Boston, Mass.

Makers of Fine Centrifuges for More than Forty Years



NEW! ADAMS ONE and TWO SLIDE MAILERS

These new low cost cardboard mailers are efficient and easy to use where large or small quantities of slides are handled daily. Their use minimizes operations . . . affords greater safety . . . and makes mailing a simple matter. Just slip the slide into the depression—insert into envelope and mail. You can use them over and over. No extra packing is required.

Please write telling us how many you can use, and we will submit quotation promptly.

	A-1625 ADAMS Two Slide Mailer		
	1M	Gross	Dozen
A-1625 ADAMS TWO SLIDE MAILER	\$25.00	\$5.40	\$.50
A-1625C SAME with Kraft Clasp envelope	35.50	7.50	.70
A-1625E ENVELOPES only	10.75	2.25	.25
A-1630 ADAMS ONE SLIDE MAILER	19.00	4.00	.40
A-1630C SAME with Kraft Clasp envelope	29.50	6.00	.60
A-1630E ENVELOPES only	10.75	2.25	.25


Write for prices for larger quantities

CLAY-ADAMS CO. INC.

44 EAST 23rd STREET, NEW YORK, N. Y.



NOW AVAILABLE



This new product of Research Laboratories, S.M.A. Corporation, fills a growing need for a specially purified casein hydrolysate, essential for most microbiological assay procedures now in use.

Vitamin Free Casein Hydrolysate SMACO is a 10% solution of acid hydrolyzed, purified casein. When suitably supplemented it will support excellent growth of the organisms employed for microbiological procedures. Each lot is microbiologically standardized for use in assays for thiamin, riboflavin, pyridoxine, pantothenic acid, nicotinic acid (or amide), folic acid, and biotin. Supplied in 10 ml. and 100 ml. vials at the following prices:

10 ml. vials, \$4.00 per dozen

100 ml. vials, \$1.50 each, \$15.00 per dozen

A summary of current microbiological assay methods is available upon request.



Research Laboratories
S. M. A. CORPORATION
CHAGRIN FALLS, OHIO



A Low - Reactance Standard of Resistance

If you're looking for a low-reactance standard of resistance for use in measurements at audio and higher frequencies—we recommend the No. 4764 Shielded Resistance Box. For several years, various users have been employing these boxes at megacycle frequencies.

Figure 1 shows a high-resistance decade. Resistors are made of low-temperature-coefficient alloy—woven, not wound, in a pattern which reduces reactances to a minimum. Instead of balancing residual inductance and capacitance at one particular frequency, both quantities are made extremely small.

Figure 2 shows internal connections. To keep the configuration of the circuit constant as decade settings are changed, the decades rotate between stationary switch contacts and only one resistor in each decade is in the circuit at a time. Consequently, there are no variable dead-end capacitances of unused coils, and no variation in the shape or area of the instrument's inductive loop.

Changes in reactance when decades are rotated are very minute. At 50 kilocycles, these changes are 0.003, 0.006, 0.02, 0.5 and 15.0 μh for the 0.01, 0.1, 1.0, 10 and 100 ohm decades respectively; maximum change for the 1000 ohm decade is 5.0 μh , this decade being slightly capacitive. Zero setting inductance is only 1.5 μh , and capacitance at the 10,000 ohm setting is 10.0 μf .

Range of the instrument is 0 to 11,111.10 ohms, on six decades. Price is \$300.00. For further information, write for Catalog E-53.




Figure 1. This decade consists of 10 resistors of 10 ohms each, and a short-circuit connection for the zero position. Woven resistors are mounted on ceramic spools and sealed with a protective coating to minimize effects of humidity changes.




Figure 2. On each decade, a pair of stationary brushes connect to either end of one of the coils in the decade. Current path through the instrument is short and does not vary with decade setting. A smooth-acting pawl determines the proper dial position for each resistor.



LEEDS & NORTHRUP COMPANY, 4926 STENTON AVE., PHILA., PA.

LEEDS & NORTHRUP

SCIENCE

VOL. 95

FRIDAY, APRIL 10, 1942

No. 2467

<i>Regeneration, Development and Genotype</i> : PROFESSOR CHARLES E. ALLEN	365	<i>Scientific Books</i> :	
<i>The University and the Present Crisis</i> : PROFESSOR A. J. CARLSON	369	<i>Radiation Therapy</i> : PROFESSOR FRANCIS C. WOOD.	
<i>The University and the War</i> : PRESIDENT ARTHUR CUTTS WILLARD	372	<i>Modern Algebra</i> : PROFESSOR MORGAN WARD	384
<i>Obituary</i> :		<i>Special Articles</i> :	
Robert William Hegner: DR. W. W. CORT. W. L. Scoville: DR. P. A. FOOTE. Recent Deaths	373	<i>A Note on the Hygroscopic Properties of Clothing in Relation to Human Heat Loss</i> : DR. JEAN H. NELBACH and DR. L. P. HERRINGTON. <i>Treatment of Renal Osteodystrophy with Dihydrotachysterol (A. T. 10)</i> and Iron: S. H. LIU and H. I. CHU	387
<i>Scientific Events</i> :		<i>Scientific Apparatus and Laboratory Methods</i> :	
<i>The Institute of Food Technology; The Association of College Geology Teachers; The Nineteenth Colloid Symposium; Pacific Division of the American Association for the Advancement of Science; The American Philosophical Society</i>	375	<i>Concerning the Nature of Type C Botulinus Toxin Fractions</i> : DR. DON R. COBURN. <i>A Darkening Technique for Inducing Virus Symptoms in Mature as Well as in Growing Leaves</i> : DR. E. M. HILDEBRAND and DR. O. F. CURTIS	389
<i>Scientific Notes and News</i>	377	<i>Science News</i>	8
<i>Discussion</i> :			
<i>The Earliest Account of the Association of Human Artifacts with Fossil Mammals in North America</i> : PROFESSOR M. F. ASHLEY MONTAGU. <i>Return of a Marked Salmon from a Distant Place</i> : DR. A. G. HUNTSMAN. <i>Hatching of the Blue Crab, Callinectes Sapidus Rathbun</i> : DR. MARGARET S. LOCHHEAD, DR. JOHN H. LOCHHEAD and PROFESSOR CURTIS L. NEWCOMBE. <i>The Period of Gonadal Activity in the Maryland Muskrat</i> : DR. THOMAS R. FORBES. <i>"Audience Enemies"</i> : DR. JOHN B. LUCKE, DR. GILBERT DALLDORF and DR. JEAN BROADHURST	380		
<i>Quotations</i> :			
"To Do Something for the Welfare of Mankind" ...	384		

SCIENCE: A Weekly Journal devoted to the Advancement of Science, edited by J. McKEEN CATTELL and published every Friday by

THE SCIENCE PRESS

Lancaster, Pa.

Garrison, N. Y.

Annual Subscription, \$6.00

Single Copies, 15 Cts.

SCIENCE is the official organ of the American Association for the Advancement of Science. Information regarding membership in the Association may be secured from the office of the permanent secretary in the Smithsonian Institution Building, Washington, D. C.

REGENERATION, DEVELOPMENT AND GENOTYPE¹

By Professor CHARLES E. ALLEN

UNIVERSITY OF WISCONSIN

THE potentialities of a many-celled plant or animal were derived through the single cell from which the development of the organism can be traced. It follows that the genotype of such an organism is the genotype of its originating cell.

This statement is wholly true, to be sure, only if during the course of development the original genotype has not been modified. Environmental influences can induce changes in chromosome number, in chromosome constitution or in genes, and hence modifications of the genotype of the affected cells. The commonest visible type of such change in plants is a doubling of the chromosome number in some or many

cells. Tetraploidy, resulting from a doubling of the typical diploid number, is of common occurrence. Ordinarily the "spontaneous" appearance of tetraploid cells must be assumed to result from an unrecognized stimulus. But in some species, including hemp, melons and a number of Chenopodiaceae, tetraploidy and octoploidy are regularly characteristic of certain regions. Here the change seems pretty clearly not to result from external stimuli. It is in a real sense itself an expression of the plant's genotype.

The extent to which a doubling of the chromosome number constitutes a genotypic modification can for the present be tested only by the examination of deliberately induced polyploids. From these it appears that the distinguishing characters of a tetra-

¹ Abridged version of a paper presented at the Fiftieth Anniversary Celebration of the University of Chicago, September 22, 1941.

cal case of botulism. The onset in the duck is rapid with paralysis of the third eyelid and complete paralysis within one hour. Complete recovery may occur as early as the 24th hour, though 48 hours is the more common period.

Fraction A is volatile and escapes from an open vessel on prolonged boiling. It is very stable at room temperature and resistant to bacterial action as opposed to the thermo-labile fraction. Non-sterile, corked samples have been held for a ten-month period at room temperature without loss of toxicity.

It is unlikely that the A fraction ever exists in the free state in nature. Removal of this fraction from the toxin mixture as evolved by bacterial growth results in a remaining fraction which is no longer toxic by oral administration, though it is still toxic by injection. Restoration of the A toxin fraction regularly results in a return to toxicity by the oral administration of the mixture.

Fraction A is destroyed by strong alkali. This fact, coupled with the above findings, may account for the occasional collection of field samples, in semi-arid regions, which are toxic by injection in test animals but which are comparatively *non-toxic* by oral administration in normal doses. Complete separation of the two toxin fractions in nature has not been demonstrated. Reduction of fraction B to powder dryness by the lyophil process results in only partial loss of toxicity by the inoculation route.

DON R. COBURN

FISH AND WILDLIFE SERVICE,
U. S. DEPARTMENT OF THE INTERIOR

A DARKENING TECHNIQUE FOR INDUCING VIRUS SYMPTOMS IN MATURE AS WELL AS IN GROWING LEAVES

A RECENT article¹ on rapid transmission techniques for stone-fruit viruses was concerned with such devices as pruning, defoliation and girdling of growing plants for the purpose of shortening the incubation period. Incidentally, these techniques also offer promise for producing intensification of disease symptoms and for concentrating viruses in local areas.

Still more recently it has been discovered that the simple device of excluding light from the leaves into which one wishes to move the virus functions in a similar manner to the above but has the additional merit of inducing symptoms also on shoots and leaves that are not growing. To date only the virus of the Yellow-Red or X disease of peach has been tested, but it seems probable that the effects of shading will be generally applicable to other plant viruses.

Darkening the upper half of young rapidly growing peach seedlings for 2 weeks induced disease symptoms,

¹ E. M. Hildebrand, *SCIENCE*, 95: 52, 1942.

sometimes within 4 weeks from the time the shades were installed. Similarly, darkening one of the branches on older seedlings which had completed their first season's growth induced symptoms within 6 weeks after the shades were installed. Although in these particular experiments the symptoms were not evident before 4 to 6 weeks after darkening, the shades need not be left on more than about 2 weeks and possibly the time of shading can be still further shortened. The growing seedlings were about 20 inches tall, branchless and each received a diseased bud midway on the stem. The older non-growing seedlings had either 2 or 3 branches and each received a diseased bud (sometimes with difficulty because of the cambium condition) near the base of the branches. Thus it was possible to darken either budded or unbudded branches. The shades, consisting of light-proof paper envelopes, had proper provision for ventilation and were held in place by clips attached to a stake.

The movement of the virus is apparently associated with the major movement of carbohydrate as pointed out by Bennett² for curly top virus movement in sugar beet and tobacco. Shading a portion of a plant stops photosynthesis in that part and favors the transport of carbohydrate into the shaded part, and if the entering food passes through a part of the stem containing the virus the latter apparently is carried along with the food. By placing the diseased bud somewhere between the shaded region and the food source, which in this case was unshaded leaves carrying on photosynthesis, it has been demonstrated that the virus was carried into the shaded leaves which were receiving food. Therefore, the fact that temporary darkening will induce entrance of the virus and the development of disease symptoms in non-growing as well as in growing tissues affords another important transmission technique to expedite investigations on plant viruses. Since darkening does not involve severe treatment of the plants nor necessitate new plant growth for symptom expression it should prove of value in many situations where pruning, defoliation and girdling can not satisfactorily be used or where it is difficult to induce the formation of new shoots.

E. M. HILDEBRAND
O. F. CURTIS

CORNELL UNIVERSITY

² C. W. Bennett, *Jour. Agr. Res.*, 54: 479-502, 1937.

BOOKS RECEIVED

- ALLEN, HUGH. *The Story of the Airship (Non-Rigid)*. Illustrated. Pp. ix+74. The Goodyear Tire and Rubber Company. \$1.00.
ARLITT, ADA HART. *Family Relationships*. Pp. x+277. McGraw-Hill Home Economics Series. \$2.50.
WEBSTER, LESLIE T. *Rabies*. Pp. vi+168. Illustrated. The Macmillan Company. \$1.75.

NEW WILEY BOOKS

Ready Spring 1942

CONSERVATION OF NATIONAL RESOURCES

By GEORGE T. RENNER, *Professor of Geography, Teachers College, Columbia University.*

Here is a volume designed for use as a textbook in teachers colleges, normal schools, and college departments of education, as well as for departments of geography. Its purpose is to present the *educational* philosophy and aims, social objectives, sources of materials, and curricular considerations of conservation. At the end of each chapter is a list of provocative questions for forum or class group discussion. To each chapter also is appended a short selected bibliography of readings and source materials.

228 pages; 57 illus.; 6 by 9; Probable price, \$2.75

AN INTRODUCTION TO THE PLANT SCIENCES

By WILLIAM C. DARRAH, *Tutor in the Department of Biology and Research Curator in the Botanical Museum, Harvard University.*

This book offers a concise account of the nature of the plant kingdom. It is intended for use by students in a half-year or one-semester course in botany or plant biology. Emphasis is placed on these four recent developments: the organismal concept which emphasizes the interrelations of many functions all progressing at the same time; the break from traditional classifications which because of their rigidity have become somewhat misleading; the physiological or biochemical approach to the study of the behavior of plant organisms; the utilitarian and humanistic emphasis which is the product of current rapid world events.

Approx. 268 pages; 154 illus.; 6 by 9; Probable price, \$2.50

INTRODUCTORY COLLEGE CHEMISTRY

By H. G. DEMING, *Professor of Chemistry, University of Nebraska.* Second Edition Revised in Collaboration with B. CLIFFORD HENDRICKS, *Professor of Chemistry, University of Nebraska.*

The second revised edition of this well-known book follows the same method of approach as before, but with changes in the order of presentation suggested by teaching experience. General principles continue to be emphasized. Particular attention is directed to the expansion of the material to include the most modern data, especially on acids and bases, neutralization, hydrolysis, and equilibrium in precipitation, and on industrial applications.

Second Edition: Approx. 574 pages; 176 illus.; 6 by 9; Probable price, \$3.00

INTRODUCTION TO THE MICROTECHNIQUE OF INORGANIC ANALYSIS

By A. A. BENEDETTI-PICHLER, *Assistant Professor of Chemistry, Queens College, Flushing, N. Y.*

New and well organized material for classes in inorganic microanalysis. Directions are given in great detail to facilitate class use. Starting with the most elementary exercises, the instructions lead up to work of the most advanced type. While the use of a low-power microscope and of microchemical balances is desirable, the directions allow for the substitution of a magnifying lens for the microscope and of a sensitive analytical balance for the microchemical balance.

Approx. 296 pages; 84 illus.; 6 by 9; Probable price, \$3.50

ANALYTICAL CHEMISTRY

Volume II. Quantitative Analysis

Based on the German Text of F. P. TREADWELL. Translated, Enlarged and Revised by WILLIAM T. HALL, *Massachusetts Institute of Technology.*

This revision is based on a critical study of the book in the light of developments since the previous edition was published. The order of treatment in the first part of the book has been changed to conform with that of Volume I on Qualitative Analysis. Instead of beginning with Group V, The Alkalies, and ending with Group I, The Silver Group, the discussion now begins with Group I. In numerous places the theoretical part has been rewritten. The section on Gas Analysis has been considerably revised.

806 pages; 6 by 9; \$6.00

JOHN WILEY & SONS, INC. 440-4th AVE., NEW YORK

NOW AVAILABLE FOR IMMEDIATE DELIVERY!


Aloe-Sinclair

SLIDE FILING CARDS

Originally suggested by Dr. John G. Sinclair of the University of Texas School of Medicine, these space saving cards have been in use there for the past several years. The card embodies a solid molded plastic slide spacer or holder with front ledge for protecting the slides, holding four 3 x 1-inch microscope slides, securely cemented to a 3 x 5-inch Bristol board index card. Index tabs are provided at the top. Each slide space is printed with a number which corresponds to one of four numbered lines printed across the upper portion of the card, for recording data. The cards may be filed or stacked about ten to the inch, or forty slides per inch.

JL19-102—Aloe-Sinclair Slide Filing Cards, patent No. 2262058, per dozen (Files 48 slides) **\$0.90**

(10% discount in gross lots—15% discount in 3-gross lots)



A. S. ALOE COMPANY

1831 OLIVE STREET


ST. LOUIS, MISSOURI

ANALYTICAL REAGENTS

Coleman & Bell

Analytical Reagents are manufactured to meet definite standards of purity, including the specifications of the Committee on Analytical Reagents of the American Chemical Society. Our list includes all of the common items and many rare and unusual compounds suitable for special analytical procedures.

Catalog upon request




THE COLEMAN & BELL CO.
 **MANUFACTURING CHEMISTS**
 NORWOOD, OHIO, U. S. A.

PIPETTING MADE EASY—and SAFE!

The CAULFIELD PIPETTOR is supplanting the ages-old method of mouth-pipetting. It provides a clean, sanitary and safe technique. The PIPETTOR is used with any size pipette. The entire length of pipette is clearly visible when drawing up and measuring off. Light-weight and convenient to hold, the PIPETTOR proved itself in a three year laboratory test.

**ACCURATE—SAFE
SANITARY—MODERN**

THE CAULFIELD PIPETTOR is in use in leading laboratories. Chemists find "THE MODERN WAY OF PIPETTING" highly satisfactory. Write today for information. Coast Distributors — BRAUN-KNECHT-HEIMANN-CO., San Francisco, Calif.



THE CAULFIELD PIPETTOR

Manufactured by
THE CAMPBELL COMPANY
 N. Egg Harbor Road, HAMMONTON, N. J.