

SCIENCE

VOL. 96

FRIDAY, NOVEMBER 6, 1942

No. 2497

<i>The Role of Science Institutions in Our Civilization:</i> DR. WILLIAM D. COOLIDGE	411
<i>Smithsonian Enterprises:</i> DR. C. G. ABBOT	417
Obituary:	
<i>David William Cornelius:</i> PROFESSOR MARSH W. WHITE	419
Scientific Events:	
<i>A British Veterinary Educational Trust; The Professional Training of Chemists; American Standards for 1942; Fellowships of the Lalor Foundation; The American Societies of Agronomy and Soil Science; Expedition of the Department of Tropical Research of the New York Zoological Society</i>	420
<i>Scientific Notes and News</i>	422
Discussion:	
<i>Recent Evidence Regarding the Nature of Viruses:</i> DR. T. E. RAWLINS. <i>Enzyme Action:</i> DR. E. GEIGER. <i>Transparent Calcium Incrustation over Rock Paintings:</i> DR. CYRUS N. RAY. <i>Some Early American Museums:</i> JOSHUA L. BAILY, JR.	425
Scientific Books:	
<i>Electrical Terms:</i> DR. W. F. G. SWANN	427

Special Articles:

<i>Antibacterial Properties of Protamine and Histone:</i> DR. BENJAMIN F. MILLER and OTHERS. <i>The Effect of Vitamin E on the Blood Plasma Lipids of the Chick:</i> DR. HENRIK DAM and EDW. M. KELMAN. <i>Vitamin C Content of Persimmon Leaves and Fruits:</i> PROFESSOR C. G. VINSON and PROFESSOR F. B. CROSS	428
---	-----

Scientific Apparatus and Laboratory Methods:

<i>A Serologically Active Polysaccharide from Trichinella Spiralis:</i> LEO R. MELCHER and DR. DAN H. CAMPBELL. <i>A Sporulation Stock Medium for Yeast and Other Fungi:</i> E. M. MRAK, H. J. PHAFF and H. C. DOUGLAS	431
--	-----

<i>Science News</i>	10
---------------------------	----

SCIENCE: A Weekly Journal devoted to the Advancement of Science, edited by J. McKEEN CATTELL and published every Friday by

THE SCIENCE PRESS

Lancaster, Pennsylvania

Annual Subscription, \$6.00

Single Copies, 15 Cts.

SCIENCE is the official organ of the American Association for the Advancement of Science. Information regarding membership in the Association may be secured from the office of the permanent secretary in the Smithsonian Institution Building, Washington, D. C.

THE ROLE OF SCIENCE INSTITUTIONS IN OUR CIVILIZATION¹

By Dr. WILLIAM D. COOLIDGE

VICE-PRESIDENT AND DIRECTOR OF RESEARCH, GENERAL ELECTRIC COMPANY, SCHENECTADY, N. Y.

Mr. President, Members of the Board of Directors of Ursinus College, Members of the Faculty, Members of the Student Body, Dr. Pfahler, Ladies and Gentlemen:

WE are met here to-day to dedicate this new temple of science—to dedicate it to the service of mankind and to give it a name—a name worthy of the inspiring tradition which shall with the years grow up around it.

In our evaluation of the importance of this event we are more in danger of under- than over-estimation. We can, of course, judge the future only by the past. So let us think of the consequences of similar occasions which have already taken place. To mention only a

few examples drawn from the field of physical and chemical science:

Once upon a time there was doubtless a dedication ceremony for the physics institute of the University of Wurzburg, and it was in that laboratory that Roentgen later discovered the x-rays and published his results in a series of papers which have had so profound an influence on science and on our civilization. It is of course the man rather than the institution to whom we give most of the credit. The fact remains, however, that the institution attracted him and he was, perhaps unconsciously, inspired by its traditions.

In the same way consider the importance of the founding of the Royal Institution, where Faraday did

¹ Founders' Day address at the dedication of the Pfahler Hall of Science, Ursinus College, October 13.

solution in low dilutions and failed to diffuse through Cellophane membranes. It gave a Molisch reaction in extremely high dilutions but no protein tests in relatively high concentrations. Test for nitrogen by Nessler's method on a 10 mgm sample was negative. No reducing property was observed before acid hydrolysis but rapidly appeared on treatment with 1.0 N HCl solution. Its precipitating and skin reactive properties were not affected by autoclaving for 15 minutes at 15 pounds pressure at pH 7.0.

Serological studies indicated that the polysaccharide was a good precipitating antigen. It gave typical polysaccharide plaque-like precipitates in dilutions of 1:200,000 when tested against sera from infected rabbits. Cross precipitin reactions did not occur with antisera against other roundworms such as *Ascaris suum*, *Nippostrongylus muris* or the larval tapeworm, *Cysticercus taeniaeformis*. Specificity studies with respect to the more closely allied forms such as *Trichuris* are being made at present. Although positive skin reactions were obtained in infected rabbits, the preliminary studies indicate that approximately 0.1 to 1.0 mgm of material is required to give a good reaction.

LEO R. MELCHER
DAN H. CAMPBELL

DEPARTMENT OF BACTERIOLOGY AND
PARASITOLOGY, UNIVERSITY OF CHICAGO

A SPORULATION STOCK MEDIUM FOR YEASTS AND OTHER FUNGI

MOST yeasts do not sporulate freely on the commonly used stock media such as wort-agar or grape juice agar. Carrot, beet, cucumber and potato wedges, gypsum blocks, Gorodkova slants and other media are used to induce ascospore formation. Many yeasts sporulate on carrot wedges, but some do so only on one of the other media indicated above. During the past eight months it has been observed that agar slants made from a water extract of carrots, beets, cucumbers and potatoes will induce sporulation and at the same time serve as an excellent stock culture medium. The medium is prepared by grinding equal weights of washed, but unpeeled carrots, beets, cucumbers and potatoes and then mixing with a quantity of water equal to the total weight of the vegetables used. The mixture is autoclaved at 10 pounds pressure for 10 minutes, after which the extract is separated from the solid material by use of cheese-cloth and pressure. The pH value of the extract is approximately 5.7 and the Balling degree about 4. Two per cent. of agar is added to the extract and slants are prepared. The sterilization recommended is 15 pounds for 15 minutes.

Good sporulation has been obtained on this medium within 7 days or less with several hundred yeast cul-

tures representing species of *Schizosaccharomyces*, *Endomycopsis*, *Saccharomyces*, *Zygosaccharomyces*, *Pichia*, *Zygopichia*, *Hansenula*, *Zygoheansenula*, *Debaryomyces*, *Schwanniomyces*, *Saccharomycodes*, *Hanseniaspora*, *Nadsonia* and *Nematospora*. By using vegetable agar Roberts¹ has been able to confirm some of the observations made by Windisch² concerning the sporulation of *Torulopsis pulcherrima*, the type species of a non-sporulating genus. Vegetable agar contains no added nutrients. Sufficient carbohydrates, nitrogenous substances, minerals and accessory factors are present, however, to support an excellent growth and good sporulation. When used as a stock culture medium, it offers the advantage of always having available sporulating yeasts. It is reasonable to believe that the use of vegetable agar for stock cultures should retard or eliminate the loss of sporulating ability which occurs commonly when yeasts are held in culture for long periods of time.

A limited number of trials indicate that other fungi also grow well on this medium and some show a strong tendency toward increased conidium production.

E. M. MRAK
H. J. PHAFF
H. C. DOUGLAS

UNIVERSITY OF CALIFORNIA,
BERKELEY, CALIF.

¹ Roberts, *Phytopath.* (Abs. in press).

² Windisch, *Archiv. f. Mikrobiol.*, 9: 551, 1938; *ibid.*, 11: 368, 1940.

NEW BOOKS

- Alcohol Addiction and Chronic Alcoholism: Vol. I.* Edited by E. M. JELLINEK. Illustrated. Pp. xxiii + 336. Yale University Press. \$4.00.
- CORNER, GEORGE W. *The Hormones in Human Reproduction.* Illustrated. Pp. xix + 265. Princeton University Press, Princeton, and Oxford University Press, London. \$2.75.
- DEGERING, ED. F. *Fundamental Organic Chemistry.* Illustrated. Pp. x + 485. John S. Swift Co., Inc.
- EARDLEY, A. J. *Aerial Photographs: Their Use and Interpretation.* Illustrated. Pp. xxii + 203. Harper and Brothers, Publishers. \$2.75.
- HEINDEL, RICHARD H. *The Integration of Federal and Non-Federal Research as a War Problem.* Technical Paper No. 9. Pp. 122. National Resources Planning Board, Washington, D. C.
- LEWIS, W. B. *Electrical Counting.* Illustrated. Pp. 144. Cambridge University Press. \$2.50.
- NORTH, F. J., C. F. DAVIDSON and W. E. SWINTON. *Geology in the Museum.* Pp. vi + 97. Illustrated. Museums Association, Oxford University Press. \$1.50.
- Proceedings of the Eighth American Scientific Congress: Vol. V; Agriculture and Conservation.* Illustrated. Pp. 348. Department of State, Washington, D. C.
- RESSER, CHARLES E. *New Upper Cambrian Trilobites.* 21 Plates. Pp. iii + 136. Smithsonian Institution.
- SMILEY, DEAN FRANKLIN and ADRIAN GORDON GOULD. *Manual of War-time Hygiene.* Illustrated. Pp. iii + 86. Macmillan Company. \$1.00.
- WATKINS, JOHN GOODRICH. *Objective Measurement of Instrumental Performance.* Pp. x + 88. Columbia University. \$1.60.

NEW WILEY BOOKS

Now Available

HEAT

By JAMES M. CORK, *Professor
of Physics, University of Michigan*

This book serves as a complete, yet concise introduction to heat, for students in engineering, chemistry, physics, astronomy, or general science who have had the beginning college course in general physics. In this edition the value of the book has been increased by the inclusion of more descriptive material, as well as data on recent developments, and by the elaboration of some of the experimental outlines and problems. Some of the more difficult material has been set in smaller type and may be omitted at the teacher's discretion without loss of continuity. Historical notes are included regarding early thermometric scales.

Modern data are given on the behavior of helium at extremely low temperatures; the production of temperatures near the absolute zero, the International scale of temperature; the problem of utilizing the energy available by the fission of uranium and from radioactivity; and other similarly important subjects.

Second Edition (November 1942)

294 pages; 128 illustrations; 6 by 9; \$3.50

CHEMICAL ENGINEERS' MANUAL

By D. B. KEYES, *Professor of Chemical Engineering*, and A. GARRELL DEEM, *Assistant Professor of Chemical Engineering; both at the University of Illinois*.

A handbook for chemical engineering undergraduates and young graduates, with formulae and equations on heat transfer, fluid flow, diffusional operations, distillation, evaporation, absorption, filtration, etc. In addition there are numerous tables of miscellaneous data useful to the student and practicing chemist.

Ready in November

221 pages; 4½ by 6½; Flexible; \$2.50

College Edition, \$2.00

ECONOMIC MINERAL DEPOSITS

By ALAN M. BATEMAN, *Department of Geological Sciences, Laboratory of Economic Geology, Yale University*.

This book constitutes a complete treatise on the subject of economic mineral deposits. The material is presented in three parts: Principles and Processes; Metallic Mineral Deposits; and Non-metallic Minerals. It is designed for use in either one- or two-term courses in economic geology—both ore deposits and nonmetallics.


Ready in November

Approx. 835 pages; 6 by 9; Probable price, \$5.00

JOHN WILEY & SONS, INC. 440-4th AVE., NEW YORK

MICRO KJELDAHL DISTILLING APPARATUS

Mounted with nickel-plated bronze Spring-Grip Clamps, specially designed for the convenient and safe assembly of Microchemical Apparatus, on support with Coors porcelain base and aluminum rod*



7496.

MICRO KJELDAHL DISTILLING APPARATUS, Pregl-Parnas-Wagner Improved Form. For rapid determination of nitrogen in organic substances by steam distillation of a prepared digest of ammonium sulfate and adsorption of the freed ammonia in an absorbing liquid, in accordance with methods of Pregl or similar procedures. See Pregl-Roth, "*Quantitative Organic Microanalysis*," 3rd English edition (1937), pp. 87-90.

Glass parts of Pyrex, with pure silver condenser tube, including an anti-bumping tube in steam generating flask and a funnel-shaped collecting tube for condensates to prevent contamination of distillate.

Consisting of steam generating flask A, 1000 ml; anti-bumping tube B; steam trap C; connecting tube D; distilling flask E; connecting tube F; filling funnel G; condenser with silver inner tube H; collecting tube I; and Erlenmeyer flask J; mounted on support with Coors porcelain base, necessary Spring-Grip Clamps, holders, ring, wire gauze, pinchcocks, burner and rubber connections.

7492. Micro Kjeldahl Distilling Apparatus, Pregl-Parnas-Wagner, Improved Form, complete as shown in illustration, with burner for use on artificial or mixed gases up to 800 B. T. U. 52.29
Code Word Kyrgp


* Our stocks of both aluminum rods and Spring-Grip Clamps are limited.

MICRO KJELDAHL DISTILLING APPARATUS, Kirk. A compact and rugged unit of Pyrex glass, for the determination of nitrogen by the usual Micro Kjeldahl methods, eliminating all rubber connections and ground joints from the distillation train. See Paul L. Kirk, "A One-Piece Glass Micro-Kjeldahl Distillation Apparatus," *Industrial and Engineering Chemistry, Anal. Ed.*, Vol. 8, No. 3 (May 15, 1936), p. 223.

The distilling flask, steam generator and condensing system are made in one piece. The flask, capacity 35 ml, is provided with an outer jacket in which steam is generated. Steam reaches the solution in the distilling flask through a Y-tube with one arm sealed into the side of the flask. The stem of this tube extends close to the bottom for emptying the residue after distillation by suction created by removal of the burner from beneath the steam jacket.

The other arm of the Y-tube is sealed through the wall above the generator to the filling funnel. Above the flask is a trap and head leading directly to the small glass internal condenser which drains through a vertical delivery tube into the receiver. Water for the condenser and steam generator is introduced through the inlet above the condenser. An overflow and bypass carry the water either to the drain or to the steam generator, which is equipped with an auxiliary drain tube. Total height of the glass parts approximately 350 mm; maximum width 210 mm.

7496. Micro Kjeldahl Distilling Apparatus, Kirk, complete as shown in illustration, consisting of principal glass part, drain tube, filling funnel and receiving flask, 125 ml capacity, all excepting funnel of Pyrex glass, mounted on support with Coors porcelain base, with two nickel-plated bronze Spring-Grip Clamps, four pinch-cocks and rubber tubing connections, but without burner 32.52
Code Word Kyrlf



7492.

ARTHUR H. THOMAS COMPANY

RETAIL—WHOLESALE—EXPORT

LABORATORY APPARATUS AND REAGENTS

WEST WASHINGTON SQUARE

PHILADELPHIA, U. S. A.

Cable Address, BALANCE, Philadelphia