

lism is not in agreement with McHenry's conception of the function of choline, nor has it factual support. Biologists now go farther than Witzemann; they are aware of the interrelation not only of fat and carbohydrate metabolism but of all foodstuffs. They have been speaking for some time of pyruvic acid as the hub towards which the breakdown of foodstuff (carbohydrate, fat, protein) converges, from which synthesis starts.

H. Dam, the discoverer of vitamin K, has given us an excellent review of the chemical and physiological properties of this vitamin, and has shown that there still remain many obscure problems, such as the nature of the action of vitamin K on prothrombin formation.

Pfiffner's article on the "Adrenal Cortical Hormones" concludes the book. After reviewing the chemical properties of the different steroids extracted from the adrenals, the methods of assay, Pfiffner devotes one page (out of 27) to the effect of corticosterones on carbohydrate metabolism, unfortunate neglect when the article is written for "Advances in Enzymology."

The publishers are to be congratulated for the excellent care with which the book has been presented. The errors found in Van Slyke's article (pp. 34 and 39) were promptly corrected. It is unnecessary to say that this series must be in the library of every laboratory where there is interest in the mechanism of biochemical activities.

E. S. GUZMAN BARRON

THE UNIVERSITY OF CHICAGO

BIOLOGICAL SYMPOSIA

Comparative Biochemistry, Intermediate Metabolism of Fats, Carbohydrate Metabolism and the Biochemistry of Choline. Edited by HOWARD B. LEWIS. ix + 247 pp. Illustrated. Jaques Cattell Press. 1942.

THE fifth volume of "Biological Symposia" deals with comparative biochemistry, intermediate metabolism of fats, carbohydrate metabolism and the biochemistry of choline. This volume is edited by Professor Howard B. Lewis, who provides a short introduction for it.

It may be stated immediately that there is a wealth of information in this collection of scientific articles. Those in which comparative biochemistry is discussed will be found of great value, not only to students who are interested in this subject specifically, but to workers in all branches of the biological sciences. The article on the end products of nitrogen metabolism in plants will be stimulating to those who are interested in nitrogen metabolism of animals. This latter subject is also discussed and it may in turn suggest

new approaches to the problems of the plant biochemists and physiologists.

The article on the merging of growth factors and vitamins proves again the point that investigators of bacterial metabolism must keep pace with the rapid growth of our knowledge of the vitamins, while the vitamin experts will profit greatly by studying the results of investigations of the metabolism of bacteria.

Four articles on the intermediate metabolism of fat help us to keep abreast of this rapidly growing field and the changing views which must be adopted in light of the accumulating evidence. The symposium on carbohydrate metabolism deals primarily with the more purely biochemical aspects of the study and consists of four stimulating articles on "Oxidation Catalysts," "Phosphorylation of Glycogen and Glucose," "Oxidoreduction in Carbohydrate Breakdown" and "Pyruvate Oxidation and the Citric Acid Cycle." There is little doubt that many of the fundamental changes in sugars within the body are now being revealed. These short reviews should help materially to bring the subject up to date. Here again the interrelationship of the various fields discussed in this volume is obvious. The accessory food factors are assuming an ever-increasing role in all considerations of protein, fat and carbohydrate metabolism.

The four articles on choline provide a most useful picture of this relatively new but rapidly extending field. Choline, as a dietary factor, is now known to be intimately related to fat, protein, and more indirectly to carbohydrate metabolism as well as to many of the components of the vitamin B complex.

In this review it will be impossible, of course, to make any detailed summary of the information found in any of the four divisions into which the symposia fall. The general impression given by the whole volume is that a great deal of essential information has been gathered together and presented in a most pleasing and stimulating way. One is left with the feeling that a much more extended review of each of the fields would be most acceptable. This, however, would not be possible under the conditions of presentation of these symposia. It is to be hoped that editors will be found and the necessary arrangements made for the publication of the symposia which have more recently been presented before the Federation of American Societies for Experimental Biology.

C. H. BEST

BANTING INSTITUTE,
UNIVERSITY OF TORONTO

HURRICANES

Hurricanes. By I. R. TANNEHILL. 2nd edition, 8vo, x + 256 pages. 119 figures. Princeton University Press. 1942.

THIS is one of the few meteorological "must" books. Teachers, at least, of meteorology and climatology must keep it close by for reliable reference. Mr. Tannehill, as chief of the Marine Division of the U. S. Weather Bureau, needed to have as full information as practicable of tropical storms in general and of the West Indies hurricane in particular, a need which his official position and the facilities of the Bureau's extensive library enabled him to meet. This information he neither lazily nor selfishly put aside for his private use, but industriously got together for the convenience of the hundreds of others who might want it.

It is a readable book, full of facts, historical and otherwise; and free from tedious theoretical discussions that would have had to be based at best on doubtful assumptions. Logically it begins with a clear description of a tropical cyclone or hurricane as one in the general region of the West Indies is

called; of how reports of such a storm are obtained, and how warnings of its approach are issued.

This general discussion is followed by a number of chapters that consider in detail the winds, the barometric pressure, the torrential rains, tidal waves and other phenomena that accompany or are parts and parcels of a typical hurricane. The tracks of many of these storms are given, and their frequency, both annual and monthly, noted.

The last four chapters give the history of all West Indian hurricanes of record, extending from 1493 to 1941. One of these storms wrecked, as history tells us, certain vessels on their way, in 1609, to Jamestown, and inspired Shakespeare to write "The Tempest."

The book contains also a very full and, for students of the subject, an invaluable bibliography of hurricane literature and a good index.

W. J. HUMPHREYS

SPECIAL ARTICLES

COMPLEMENT FIXATION IN RICKETTSIAL DISEASES

THE complement fixation technique has proved adequate for serological separation of the rickettsial agents of endemic typhus,^{1, 2} "Q" fever³ and Rocky Mountain spotted fever.⁴ The agents of epidemic and endemic typhus previously have not been distinguishable by this method, since cross reactions were obtained with materials from the two closely related diseases.^{2, 5} It is now possible to prepare rickettsial antigens with which we can differentiate epidemic and endemic typhus antisera. Certain of the results obtained with these new antigens are of sufficient clinical and epidemiological interest to record at this time; the details of the method of preparation of the antigens will be given at a future date.

The method employed in performing the complement fixation test has been described.⁴ The epidemic and endemic rickettsial antigens (Breinl and Wilmington strains) are prepared from infected yolk sacs of developing chick eggs and purified so that the diluted antigens contained 0.02 mg N per cc. The epidemic and endemic rickettsial antigens are standardized against convalescent sera of known titre obtained from human beings and guinea pigs recovered from epidemic and endemic typhus. Some cross fixation occasionally occurs, but when it does,

the specific antigen always reacted with the homologous serum in a higher titre than with the heterologous serum.

Table I indicates the results obtained on specimens of serum obtained during convalescence in epidemic and endemic typhus and in Brill's disease.

In 43 cases of endemic typhus fever examined 36 gave a positive complement fixation with an endemic rickettsial antigen and a negative fixation with an epidemic rickettsial antigen. In six cases there was some cross fixation, but in every case where this occurred, the titre obtained with the endemic antigen exceeded that obtained with an epidemic antigen.

In 29 cases of epidemic typhus fever 26 gave a positive fixation with an epidemic rickettsial antigen and a negative test with an endemic antigen. In three cases there was some cross fixation, but in all instances where this occurred the titre obtained with the epidemic antigen exceeded that obtained with an endemic antigen.

All the patients included in the group of endemic typhus come from one of two areas in which this type of infection is known to occur, but in which epidemic typhus has not been found. The patients comprising the group of epidemic typhus come, in part, from an area where louse-borne typhus exists and, in addition, individuals are included who had laboratory infections and from whom epidemic strains have been isolated.

It has been observed that the immigrants who contract Brill's disease usually give a history of having had typhus while in Poland or Russia. Only one case

¹ M. R. Castaneda, *Jour. Immunology*, 31: 285-291, 1936.

² I. A. Bengtson, *Pub. Health Rep.*, 56: 649-653, 1941.

³ I. A. Bengtson, *Proc. Soc. Exp. Biol. and Med.*, 46: 665-668, 1941.

⁴ H. Plotz and K. Wertman, *SCIENCE*, 93: 441-442, 1942.

⁵ Unpublished data.