

SCIENCE

VOL. 97

FRIDAY, JUNE 18, 1943

No. 2529

<i>Endocrine Control of Prostatic Cancer</i> : DR. CHARLES HUGGINS	541	<i>Special Articles</i> :	
<i>Colorblindness and the Detection of Camouflage</i> : DR. DEANE B. JUDD	544	<i>The Cultivation from Granuloma Inguinale of a Microorganism having the Characteristics of Donovan Bodies</i> : DR. KATHERINE ANDERSON. <i>Effectiveness of Vitamin A in the Treatment of Defective Color Vision</i> : DR. J. H. ELDER. <i>Vitamins in Dehydrated Seeds and Sprouts</i> : DR. PAUL R. BURKHOLDER	560
<i>Obituary</i> : <i>Walter Beal Ellett</i> : H. H. HILL. <i>Recent Deaths</i>	546	<i>Scientific Apparatus and Laboratory Methods</i> : <i>The Construction of Tiselius Electrophoresis Cells</i> : DR. GEORGE G. WRIGHT and DR. STANLEY M. SWINGLE	564
<i>Scientific Events</i> : <i>Field Training in Health Education at Cleveland Health Museum; The American Foundation for Tropical Medicine; Rationing and Experimental Laboratories; Training for Women in Aeronautical Engineering at the University of Cincinnati; Convention of Psychologists; Copernicus Celebration at the Polish Institute of Arts and Sciences in America; In Honor of Dr. Treat B. Johnson</i>	547	<i>Science News</i>	10
<i>Scientific Notes and News</i>	550		
<i>Discussion</i> : <i>The Science Mobilization Bill</i> : DR. GUSTAV EGLOFF. <i>Radionics</i> : E. F. McDONALD, JR. <i>Making Mosquito Surveys with a Jeep</i> : WILLIAM M. GORDON. <i>Dr. A. W. Grabau in China</i> : PROFESSOR HERVEY W. SHIMER	552		
<i>Scientific Books</i> : <i>Text-Books of Physics</i> : PROFESSOR THOMAS D. COPE. <i>Man and His Physical World</i> : DR. KARL K. DARROW	556		
<i>Societies and Meetings</i> : <i>The Kansas Academy of Science</i> : DR. JOHN C. FRAZIER. <i>The Pennsylvania Academy of Science</i> : DR. BRADFORD WILLARD	558		

SCIENCE: A Weekly Journal devoted to the Advancement of Science, edited by J. McKEEN CATTELL and published every Friday by

THE SCIENCE PRESS

Lancaster, Pennsylvania

Annual Subscription, \$6.00

Single Copies, 15 Cts.

SCIENCE is the official organ of the American Association for the Advancement of Science. Information regarding membership in the Association may be secured from the office of the permanent secretary in the Smithsonian Institution Building, Washington, D. C.

ENDOCRINE CONTROL OF PROSTATIC CANCER^{1,2}

By Dr. CHARLES HUGGINS

THE DEPARTMENT OF SURGERY, THE UNIVERSITY OF CHICAGO

THERE is a high incidence of abnormal growth processes—of tumors, in the prostate gland of certain species in senescence. These species are man, the dog and the lion. For technical reasons, observations can be carried out with greater facility on the first two types than on the king of the beasts.

The most common neoplasia involving the prostate gland are benign nodular hypertrophy and carcinoma. The benign hypertrophy has been found³ to involve the prostate gland in 45 per cent. of men over forty years in otherwise unselected autopsy material. Can-

cer of the prostate occurs^{4,5} in at least 9 to 17 per cent. of men over fifty years; while many of these tumors are microscopic in size and, remaining latent, seldom are factors in morbidity or mortality, others invade and spread and become the cause of death of about 5 per cent. of men older than fifty years⁶ in the United States. Plainly, neoplastic processes are usually present in the human prostate gland after the fifth decade, while a normal prostate is less common in old white men. Barringer, an eminent student of prostatic cancer, recently stated:⁷ "The control of prostatic carcinoma presents one of the most difficult problems in the field of cancer. Many urologists believe seriously that its control is impossible."

¹ Address delivered on the occasion of the first award of the Charles L. Mayer Prize administered by the National Science Fund of the National Academy of Sciences, May 19, 1943.

² This investigation was aided by a grant from the Committee for Research in Problems of Sex, the National Research Council.

³ M. B. Teem, *Jour. Urol.*, 34: 692, 1935.

⁴ A. R. Rich, *Jour. Urol.*, 33: 215, 1935.

⁵ R. A. Moore, *Jour. Urol.*, 33: 234, 1935.

⁶ E. Baron and A. Angrist, *Arch. Path.*, 32: 787, 1941.

⁷ B. S. Barringer, *Surg. Gynec. and Obst.*, 62: 410, 1936.

far strongly support the view that many seeds gain in vitamin content during germination. Of considerable importance for animal and human nutrition is the fact that the vitamins which appear to be synthesized in

sprouting seeds are preserved during subsequent dehydration.

PAUL R. BURKHOLDER

OSBORN BOTANICAL LABORATORY,
YALE UNIVERSITY

SCIENTIFIC APPARATUS AND LABORATORY METHODS

THE CONSTRUCTION OF TISELIUS ELECTROPHORESIS CELLS

INASMUCH as the attention of manufacturers of optical equipment is at present directed almost exclusively toward war production, the procurement of suitable cells for the electrophoresis apparatus of Tiselius has become a rather difficult problem. Because of the wide application of the Tiselius instrument to problems of biological and colloid chemistry it was thought that the experiences of the authors in constructing these cells might prove to be of general interest. The methods should also prove applicable to the construction of other types of glass cells.

The cells have been constructed of one eighth inch thick color-clear plate glass. After a little practice no difficulty was encountered in grinding the glass parts to the proper size on the face of a rotating iron disc fed with carborundum and water in the usual way. The rectangular holes in the horizontal plates were cut by grinding through the faces of the plates from both sides with the edge of a small iron disc mounted in a lathe and fed with carborundum. In this operation the glass was mounted on a plate hinged to the compound tool rest of the lathe. The holes were then squared up by hand with carborundum and a strip of metal. The horizontal sliding surfaces were ground flat on plate glass after the sections were assembled. The center sliding section was of the double length design described by Longworth, Cannan and MacInnes.¹ It was assembled in two steps. First, the rectangular tubes were cemented and ground on the ends until square and of equal length. During the grinding the tubes were temporarily fastened together with beeswax. Second, the tubes and horizontal plates were assembled and cemented. The top and bottom sections were each cemented in a single operation.

The principal difficulty was, of course, the cementing of the glass parts. Numerous cements of various types were tried without success until a low-melting glass-like material described by von Angerer² was used. The cement is made by fusing together 5 parts of washed silicic acid, 16 parts of red lead (minium, Pb_3O_4) and 4 parts of calcined borax, using a blast lamp furnace. While still molten, the material was poured out into water, dried, ground fine in a Mullite

mortar and put through a 500-mesh screen. The powder was mixed with water to form a thin paste, which was applied evenly with a brush to the surfaces to be cemented. After the cement dried the parts were assembled in a suitable steel jig, using weights to apply pressure to the joints, placed in an electric muffle furnace, and heated to about 500° C—approximately one hour was required for the furnace to reach this temperature. The proper temperature imparts a slight glow to the furnace, perceptible only in a darkened room. After three hours the furnace was turned off and allowed to cool, about six hours being required for it to reach room temperature. In designing the jig it was found that any metal part which touches the glass over any considerable area should be in contact with the entire glass surface, otherwise the metal conducts heat to local areas and cracks the glass. The joints frequently contain numerous small bubbles, but seem to be essentially as strong as the glass itself. If the cement has been applied evenly a tight seal is obtained.

Although no further polishing of the optical surfaces was attempted, the optical properties of the tubes have been found to be quite satisfactory. No irregularities could be observed in the base lines produced by the cells even though the Tiselius apparatus in use in this laboratory is a rather sensitive one. The joints have been found to be permanent and substantial. Preliminary experiments have indicated that pyrex glass may also be cemented by the same method.

The authors are indebted to William Pabst, Jr., and Julius Pearson, instrument makers at this institute, for helpful suggestions during the course of the work.

GEORGE G. WRIGHT³

STANLEY M. SWINGLE

THE CALIFORNIA INSTITUTE OF TECHNOLOGY

³ Fellow of the National Research Council.

BOOKS RECEIVED

- George Gascoigne's *A Hundreth Sundrie Flowres*. Edited with an Introduction and Notes by C. T. PROUTY. Pp. 305. University of Missouri. \$2.50.
- HRDLÍČKA, ALEŠ. *Alaska Diary*. Illustrated. Pp. xv + 414. Jaques Cattell Press. \$5.00.
- POST, HOWARD W. *The Chemistry of the Aliphatic Orthoesters*. Illustrated. Pp. 188. Reinhold Publishing Corporation. \$4.00.
- WALLING, S. A. and J. C. HILL. *Aircraft Mathematics*. Illustrated. Pp. 186. Macmillan. \$1.75.
- WHITE, PHILLIP R. *A Handbook of Plant Tissue Culture*. Illustrated. Pp. xiii + 277. Jaques Cattell Press. \$3.75.

¹ L. G. Longworth, R. K. Cannan and D. A. MacInnes, *Jour. Am. Chem. Soc.*, 62: 2580, 1940.

² Ernst von Angerer, "Technische Kunstgriffe bei physikalischen Untersuchungen," p. 48. Friedr. Vieweg und Sohn, Braunschweig, 1936.

An Ideal Text for War Training Courses IN COLLEGE PHYSICS

SMITH'S ELEMENTS OF PHYSICS

By ALPHEUS W. SMITH

Professor of Physics, The Ohio State University

Fourth edition. 790 pages, 6 x 9, \$3.75

This book is admirably adapted for use as a text in basic courses in Army and Navy and other programs sponsored by the Government. For 20 years this well-known text has been used with marked success in technical courses throughout the country. For several years it has been the required text at the U. S. Military Academy.

*Already **Elements of Physics** has been adopted for use in Army Air Force or Army Specialized Training Courses in the following institutions:*

University of Cincinnati
Creighton University
University of Denver
Eau Claire, Wisc., Teachers College
University of Iowa
University of Kentucky
Louisiana State University

University of Minnesota
University of Nebraska
Ohio State University
Oklahoma A. & M. College
University of Oklahoma
Oshkosh, Wisc., Teachers College
Wheaton College

Other institutions currently using the text are:

University of Arkansas
University of Buffalo
College of the City of New York
Duke University
General Electric School, Erie, Pa.
General Motors Institute
Georgetown University
University of Georgia
Illinois Normal University
Indiana University
University of Manitoba
Marshall College
University of Maryland
Mississippi State College
Naval Research Laboratory,
Anacostia, D. C.
University of Nevada


University of New Brunswick
University of North Dakota
North Texas Agricultural College
University of Pennsylvania
Pennsylvania State College
Pratt Institute
RCA Institute, New York
Santa Barbara Teachers College
University of the South
Texas A. & M. College
Tulane University
Washington and Lee University
Wesleyan University
Whitewater, Wisc., Teachers College
University of Wichita
Wisconsin Institute of Technology
University of Wyoming

If you are planning a course in technical physics for an Army or Navy program, be sure to examine this successful text. We shall be glad to send a desk copy with our compliments.

McGRAW-HILL BOOK COMPANY, INC.

330 West 42nd Street, New York, N. Y.

Aldwych House, London, W.C.2



The AUTOTECHNICON

Booklet describing methods and changes of fixation, dehydration and infiltration effected by the Autotechnicon and submitted by pathologists can be had upon request
U. S. Patent No. 2,157,875 and Other Patents Pending

