


GLASS ABSORPTION CELLS made KLETT




Makers of Complete Electrophoresus Apparatus

SCIENTIFIC APPARATUS Klett-Summerson Photoelectric Colorimeters— Colorimeters — Nephelometers — Fluorimeters— Bio-Colorimeters — Comparators — Glass Standards—Klett Reagents.

Klett Manufacturing Co. 179 East 87 Street, New York, New York

PHOTOVOLT Line-Operated Multiplier FLUORESCENCE METER Mod. 540



- High-sensitivity for measurement of low concentrations (full-scale setting for 0.001 microgram quinine sulphate)
 Micro-fluorimetry with liquid volumes as low as 1 ml
- Low blank readings, strict linearity of instrument response Universally applicable due to great variety of available fil-
- ters, sample holders, adapters and other accessories Interference filters for high specificity of results and for
- determining spectral distribution of the fluorescent light High-sensitivity nephelometry for low degrees of turbidities
- Fluorescence evaluation of powders, pastes, slurries, and solids, also for spot-tests on filter paper without elution

Write for Bulletin #392 to

PHOTOVOLT CORP.

New York 16, N. Y.

Your order will be shipped... THAT

QUICK!

When it's a question of time . . . and it usually is . . . you can always rely upon NUTRITIONAL BIOCHEMICALS CORPORATION. Most orders are shipped the same day that they

A COMPLETE SELECTION OF MORE THAN 200 NUCLEOPROTEINS and DERIVATIVES Typical Derivatives

Adenosine Triphosphate 6 Mercaptopurine Cytidine Cozymase Coenzyme I, II, A Cytosine

Uridylic Acid Uridine 2, 6 Diamino Purine Sulfate

8 Aza Guanine



21010 Miles Avenue . . . Cleveland 28, Obio



Write For New Catalog Feb. 1958 Over 2100 Items Write Dept. 102

Equipment

The information reported here is obtained from manufacturers and from other sources considered to be reliable. Science does not assume responsibility for the accuracy of the information. A coupon for use in making inquiries concerning the items listed appears on page 830.

- GAMMA SOURCES provide flux from 600 r/hr to 3×106 r/hr and higher. The source is contained in a welded steel case. Surface flux is said to be so low that the source can be used in an office or laboratory without special construction or connections. (Isotopes Specialties Co., Dept. S997)
- DIGITAL READOUT for displaying data from digital counters presents a series of 2.5-in.-high numerals on a flat plane in straight-line sequence. The numerals are formed by a large number of high-intensity neon bulbs so that failure of individual bulbs does not falsify data. (Computer-Measurements Corp., Dept. S996)
- PLATINUM RESISTANCE THERMOMETERS can be installed by cementing or welding on flat or curved, metallic or nonmetallic surfaces. Units are available in ranges from -400° to +1550°F. Resistance change over the operating temperature interval is 100 ohm. Output without amplification is 5 v maximum. Accuracy of calibration is ± 1 percent of range below 1000°F. Repeatability is ±0.2 percent of range. (Trans-Sonics Inc., Dept. S993)
- PULSE MODULATOR produces 0- to 50-kv pulses at currents from 0 to 15 amp and at repetition rates from 10 cy to 10 kcy/sec. For pulse-group operation, triggered by an external generator, the modulator will recover and respond to pulses of varying widths occurring less than 1 µsec apart with approximate rise times 0.25 µsec and fall times 0.5 µsec. An internal trigger generator is provided for single-pulse operation. (Levinthal Electronic Products, Inc., Dept. S998)
- DECONTAMINATING UNIT uses ultrasonic excitation to scrub radioactive particles from small articles. The tank, of stainless steel, measures 9 by 53/4 by 53/4 in. The apparatus operates on 115v a-c power and is portable. (Atomic Accessories Inc., Dept. S979)
- AUTOMATIC ULTRASONIC WASHER for surgical instruments and laboratory glassware operates unattended except for loading. Filling, washing, draining, and rinsing are automatically sequenced. Up to 100 surgical instruments are accommodated. (American Hospital Supply Corp., Dept. S995)
- NEBULIZER generates aerosol particles of size 0.5 to 3.0 µ at flow rates as low as 3 lit/min and up to 15 lit/min. A whistle warns of obstruction of the outlet tubing throughout the flow range. (Air Reduction Co., Inc., Dept. S970)

Joshua Stern National Bureau of Standards

PERSONNEL PLACEMENT

CLASSIFIED: 25¢ per word, minimum charge \$4.25. Use of Box Number counts as 10 additional words. Payment in advance is required.

COPY for classified ads must reach SCIENCE 2 weeks before date of issue (Friday of every week).

DISPLAY: Rates listed below—no charge for Box number. Monthly invoices will be sent on a charge account basis — provided that satisfactory credit is established.

Single insertion 13 times in 1 year 26 times in 1 year 52 times in 1 year \$26.00 per inch 24.00 per inch 23.00 per inch 22.00 per inch

For PROOFS on display ads, copy must reach SCIENCE 4 weeks before date of issue (Friday of every week).

Replies to blind ads should be addressed plies to bline and state as follows:
Box (give number)
Science
1515 Massachusetts Ave., NW
Washington 5, D.C.

POSITIONS WANTED

Medical Microbiologist, M.S. Desires to relocate. Challenging hospital or public health appointment. Box 101, SCIENCE.

Microbiologist, Ph.D., 35. Academic, research, and diagnostic experience in virology and immunology. East. Box 102, SCIENCE.

Ph.D. (majors: chemistry, biochemistry; minors: organic, physical chemistry); research fellow, 2 years; 3 years, instructor in physiology; 8 years, research chemist, pharmaceutical company. Medical Bureau, Burneice Larson, Director, 900 North Michigan, Chicago.

Physiologist-Entomologist, Ph.D. Desires teaching and research position. Major interests (i) general and invertebrate physiology; (ii) entomology and toxicology. Research and teaching experience. Training in use of radioisotopes. Box 103, SCIENCE.

Social Psychologist, Ph.D., seeks academic or research position permitting decision making, game theory research. Box 99, SCIENCE, 4/18

Zoologist, Ph.D.; age 37; 4 years of teaching, 6 years of research. Publications in ecology and invertebrate zoology. Desires teaching, research in academic position, preferably South. Box 98, SCIENCE.

POSITIONS WANTED

Organic (Medicinal) Chemist; Ph.D. with pharmacology training; 9 years' research in synthesis of medicinals with successful records. Many publications and patents. Creative thinking and planning ability; have new, interesting projects to offer. Desires senior research or program planning position with medical institution or industry. Presently with Philadelphia concern. Box 100, SCIENCE.

POSITIONS OPEN

ALLEN & HANBURYS LIMITED, Ware, Hertfordshire require in their research division an Experimental Biologist preferably with experience in parasitology, protozoology, or immunology. This is a very senior position requiring a man of wide experience to take full responsibility for research into the development of immunological products of a new type. Applications giving details of age, qualifications, and experience should be addressed to the Personnel Manager, Allen & Hanburys Limited, Bethnal Green, London, E.2.

Biologist-Pharmacologist. Unusual opportunity for aggressive man to head department. Independent research and testing organization. Send résumé to Dr. J. Eibert, Scientific Associates, 3755 Forest Park, St. Louis 8, Missouri, 4, 11

"4/4, 11

ENDOCRINOLOGIST

Ph.D. or M.D. with 5 to 10 years experience in Endocrinological Research to head Department of Endocrinology in an expanding pharmaceutical organization. This is a key position in a company where real emphasis is placed on research. Liberal benefits. Write to

H. W. Werner

Vice President in charge of Research

The Wm. S. Merrell Company Cincinnati 15, Ohio

Physiologist, Ph.D., to teach undergraduate and graduate courses in southern university. Ample facilities and opportunities for research. Box 87. SCIENCE. 4/11

POSITIONS OPEN

Chemist or Chemical Engineer wanted for a 1-year teaching and research appointment as special lecturer in chemistry or chemical engineering. Salary range \$5500-\$6900. For further details, apply Head, Department of Chemistry, University of Saskatchewan, Saskatchewan, Canada.

(a) Director, Organic Chemical Research and (b) Director, Biological Research; excellent opportunities for young, imaginative Ph.D.'s to assume newly created positions, small ethical pharmaceutical laboratory; excellent growth potential; midwestern university city. (c) Assistant Microbiologist; B.S., teaching ability; large, busy laboratory, 500-bed general hospital; university city. (d) Associate Organic Chemist; Ph.D. for research synthetic organic chemistry; minimum \$7000; eastern pharmaceutical house. (e) Virologist; B.S., M.S. microbiologist experienced tissue culture, assist basic research problems virus infection, immunology; \$5700 up; important concern. (f) Biochemist; to head section, new laboratory in expanding general hospital to be completed summer, 1958; cosmopolitan midwestern college community. Woodward Medical Bureau, Ann Woodward, Director, 185 North Wabash, Chicago.

NEW WORLD-WIDE GRADUATE AWARD DIRECTORY. First compilation ever prepared for American scientists, teachers, and librarians to subsidize their education and research in more than 350 universities in 45 states, 30 foreign lands. Stipends \$200-\$10,000. Complete information. Just published. Send \$2 now. CRUSADE, Sci., Box 99, Station G, Brooklyn 22, N.Y.

SCIENCE TEACHERS, LIBRARIANS, AD-MINISTRATORS urgently needed for positions in many states and foreign lands. Monthly non-fee placement journal since 1952 gives complete job data, salaries. Members' qualifications and vacancies listed free. 1 issue, \$1.00. Yearly (12 issues) membership, \$5.00. CRUSADE, SCI., Box 99, Station G, Brooklyn 22, N.Y. ew

$\begin{array}{c} \mathtt{SENIOR} \quad \mathtt{RESEARCH} \quad \mathtt{SCIENTIST} \\ (\mathtt{PHYSIOLOGY}) \end{array}$

Appointment at minimum of \$8310 with five annual increments to maximum of \$10,020. To do research in neuro-endocrinology in the Neuro-Endocrine Research Unit of Willowbrook State School, Staten Island, N.Y. Knowledge of biogic testing of hormones on rodents and statistical evaluation methods is valuable but not essential. Ph.D. is necessary. Applications to be made to H. H. Berman, M.D., Director, Willowbrook State School, Staten Island 14, N.Y.

Photographers!

Adapt your camera to this Scope for excellent Telephoto shots and fascinating photos of moon!



This is an actual photo-graph of the moon taken through our Astronomical

See the Stars, Moon, Planets Close-Up!

3" ASTRONOMICAL REFLECTING TELESCOPE

ASSEMBLED and READY TO USE!

Famous Mt. Palomar-Type

Famous Mt. Palomar-Type
60 to 160 Power — An Unusual Buy!
Youll see the Rings of Saturn, the fascinating planet Mars, huge craters on the Moon, Star Clusters, Moons of Jupiter in detail. Galaxies! This is a fine quality, American-made telescope engineered and built for clear definition and resolution. Equatorial mount with lock on both axes—you automatically follow stars across the heavens. Aluminized and overcoated 3" diameter high-speed f/10 mirror. Each mirror Focault tested. Telescope comes equipped with a 60X eyeplece and a mounted Barlow Lens, giving you 60 to 160 Power. Accessory eyepleces available for powers up to 320. An Optical Finder Telescope, always so essential, is also included. Sturdy, hardwood, portable tripod. Free with scope: Valuable STAR CHART and 272 page "Astronomy Book." Stock No. 85,050-W ... \$29.50 f.c.b. (Shipping wt. 10 lbs.) Barington, N.J.



Telescope by a 17-year-old

ASTRONOMICAL TELESCOPE! MT. PALOMAR TYPE



With this scope you can see the craters on the Moon, the rings of Saturn, double stars. Mirror guaranteed to give theoretical limit of resolution. Rack and pinion focusing, removable mirror mount, counterweight. Real equatorial mounting—only one adjustment follows stars! Aluminum tube. 6 Power Finder Telescope. 2 standard size Eyepieces and Mounted Barlow Lens give you powers of 40X, 90X, 120X, 270X. Mirror f/11. Mirror corrected to better than ¼ wavelength. Low-cost accessory eyepiece available for power up to 540. Stock No. 85,006-W ... \$74.50 f.o.b. Order by Stock No.

Send Check or M.O. — Satisfaction Guaranteed!



Take Telephoto Shots Thru 7x50 MONOCULAR

This is fine quality, American made instrument—war surplus! Actually ½2 of U.S. Govt. 7 x 50 Binocular. Used for general observation both day and night and to take fascinating telephoto shots with your camera. Brand new, \$95 value. Due to Japanese competition we close these out at a bargain price. Directions and mounting hints included. Stock No. 50,003-W This is fine quality, Ameri-

BUILD A SOLAR ENERGY FURNACE Wonderful Geophysical Year

School Project Build your own Solar Furnace for Build your own Solar Furnace for experimentation — many practical uses. It's easy—inexpensive. Use your scrap wood. We furnish instruction booklet. This sun powered furnace will generate terrific heat—2000° to 3000°. Fuses enamel to metal. Sets paper affame in seconds. Use our Fresuel Lens—14 ¾ " diameter Stock No. 70.130.W nkm, of 1 Stock No. 70,130-W

pkg. of 1 \$6.00 Postpaid

AMERICA NEEDS SCIENTISTS!

Stimulate your son's interest—request our FREE CATALOG-W featuring hundreds of scientific and astronomical items. No better time than in this INTERNATIONAL GEOPHYSICAL YEAR!

Now - See The Satellites NEW, LOW PRICE "SATELLITER" TELESCOPE First Time — Only \$9.95 Postpaid



First Time — Only \$9.95 Postpaid

Get ready for a terrific sky show as more Satellites are vaulted into space.

See thrilling sights with our amazing Satellite Scope at unheard of low cost. Also view comets—use as a Rich-fleid Scope for viewing star clusters. 5 power—wide 12° field—slight distortion at outer edges because of unusual wide field. Use of high quality war surplus optics makes possible this bargain. Full 2" achromatic objective—large 9mm exit pupil for night use. Scope is 10" long, weighs less than one pound.

Stock No. 70.150-W \$9.95 Postpaid We are the mfg, of the famous Moonwatch Satellite Telescope!

INFRARED SNIPERSCOPE TELESCOPE & PARTS



See in the dark—without being ob-served. War surplus Sniperscope M-2, Govt'. cost about \$1200. Instrument

Govt'. cost about \$1200. Instrument complete, ready to use. Includes Power Pack, infrared light source. Will operate from 6 V auto hattery. Battery or transformer available.

Stock No. 85,053-W \$150.00 f.o.b. S

50-150-300 Power MICROSCOPE Low Price Yet Suitable for Classroom Use! Only \$14.95 3 Achromatic Objective Lenses on

S Achromatic Objective Lenses on Revolving Turret!
Imported! The color-corrected, cemented achromatic lenses in the objectives give you far superior results to the single lenses found in the microscopes selling for \$9.951 Results are worth the difference! Fine rack and pinion focusing Stock No. 70.008-W ... \$14.95 Postpaid

Stock No. 70,008-W ... \$14.95 Postpaid MUUNTED 500 POWER OBJECTIVE ... Threaded for easy attachment on above mic Achromatic lenses for fine viewing. 3 mm. focal Stock #30,197-W ... \$5.00 focal length. \$5.00 Pstpd.



Angles
 Radil • Circles

 Linear — in both decimal inches and millimeters. Used to check layouts,

dies, gauges; to check threads, chamfers, wear on cutting ools, etc. Stock No. 30,061-W .. New Low Price .. \$19.50 Pstpd.

MEASURING POCKET MICROSCOPE - 50 POWER

HANDY

FAST! ACCURATE!

-012345678910

New! 2 in 1 Combination! Pocket-Size 50 POWER MICROSCOPE

Useful Telescope and Microscope combined in one amazing, precision instrument. Imported!

No larger than a fountain pen. Telescope is 10 Power. Microscope magnifies 50 Times. at any range. Handy for sports, looking at small objects, just plain snooping.

Order Stock #30.059-W ... \$4.50 Postpald Send Check or M.O. Satisfaction Guaranteed!

Fine, American-Made Instrument at Over 50% Saving

STEREO MICROSCOPE



Up to 3" Working Distance -Erect Image-Wide 3 Dimensional Field

Now, ready after years in development — this instrument answers the long standing need for a sturdy, efficient need for a sturdy, efficient STEREO MICROSCOPE at low cost. Used in production—in research—in the lab, shop, factory, or at home; for inspections, examinations, countlng, checking, assembling, dissecting—speeding up and improving quality control. 2 sets

of objectives on rotating turret. Standard pair of wide field 10X Kellner Eyepieces turret. Standard pair of wide field 10X Keiner Eyepieces give you 23 power and 40 power. Additional eyepieces available for greater or lesser magnification. A low reflection coated prism erecting system gives you an erect image—correct as to right and left—clear and sharp. Helical rack and pinion focusing. Precision, American-made! 10-DAY TRIAL . . . complete satisfaction or your money back.

NEW! STATIC ELECTRICITY GENERATOR



See a thrilling spark display ing spark. Countless tricks and experiments. 24-page instruction booklet included.

Stock No. 70,070-W \$10.95 Postpaid

BRIGHT BEAM LAMP



Stock No. 15,001-W \$27.50 Postpaid



SWIVEL-CLAMP MAGNIFIER

This large 4" diameter magnifier will easily clamp onto any regular or fluorescent lighting fixture. With two ball and socket joints you can swivel it to any position. Large 4" ground and polished lens is + 5 dioptre, 8" focal. Use both eyes—see an image with depth to it.

Stock No. 30,249-W \$4.15 Postpaid

SIMPLE LENS KITS!

Fun for adults! Fun for children! Kits include plainly written, illustrated booklet showing how you can build lots of

Stock No. 5-W-45 lenses \$ 5.00 Postpaid Stock No. 2-W-10 lenses \$ 1.00 Postpaid Stock No. 10-W-80 lenses \$10.00 Postpaid

GET OUR GIANT FREE CATALOG-W

Over 1000 Optical Bargains, 80 Fascinating Pages Huge selection of lenses, prisms, war surplus optical instruments, parts and accessories. Telescopes, satellite scopes,

tical instruments, parts scopes, satellite scopes, microscopes, binoculars. Hand spectroscopes, reticles, mirrors, Ronchi rulings, dozens of other hard-to-get optical items. America's No. 1 source of supply for Researchers. Lab. Technicians, Photographers, Hobbyists, Telescope Makers, etc. Ask for catalog W.



ORDER BY STOCK NUMBER .SEND CHECK OR MONEY ORDER . SATISFACTION GUARANTEED!

CO., BARRINGTON, NEW JERSE Seligson
AUTOMATIC
PIPETTE*


SAVES

Time Glassware

REPRODUCIBLE

Sampling Delivery Dilution

• SELF CLEANING



TO FILL

BURETTE CONTAINING DILUENT TO EMPTY

... eliminates individual sampling pipettes and repeated filling of dilution pipettes

A fixed volume pipette permanently attached to a double bore stopcock, which permits rapid filling without adjustment to a reference mark, and complete washout delivery of the contained sample by a measured amount of a second liquid from a burette, pipette, or arbitrarily calibrated tube connected to upper arm. Eliminates need for individual sampling pipettes, and repeated filling of dilution pipettes, realizing a highly significant economy of time and glassware, and assuring reproducible sampling, delivery, and dilution which are especially important in routine clinical chemistry. Applicable, however, to any type analysis in which a standard volume is diluted or reacted directly with a measured volume of a second liquid.

In use, the pipette is attached to the dispensing burette by means of the upright arm of the stopcock, and to a suction device by means of the bent tube at the left. A waste trap is inserted into the line prior to the suction connection.

Samples are taken by setting stopcock to connect tip with suction line. A small excess is drawn *Patent applied for.

over into the bent tube to serve as an initial rinse for the pipette wall. The sample is delivered by reversal of the stopcock plug to allow solution in the burette to expel the sample through the tip, and to rinse it clean. Following delivery of the required amount of reagent from the burette, the tip, filled with diluent which keeps it clean, is ready for immediate intake of the next sample.

The pipette, devised by Dr. David Seligson of the Graduate Hospital of the University of Pennsylvania, has been applied to more than twenty-five clinical chemistry procedures as described in American Journal of Clinical Pathology, Vol. 28, No. 2 (August, 1957) pp. 200-207, and Technical Bulletin of the Registry of Medical Technologists, Vol. 27, No. 7 (July, 1957) pp. 152-159.

The pipettes are designed for attachment to standard burettes or to similar dispensing vessels. Connection is best made with Tygon tubing, which makes a transparent, flexible joint.

8209-B. Pipettes, Seligson, as above described.

Each	11.00	11.00	11.00	11.00	11.00
Tip length, mm	65	55	65	160	140
Tolerance, $ml(\pm)$	0.005	0.005	0.01	0.01	0.05
To contain, ml	0.05	0.1	0.2	0.5	1.0



ARTHUR H. THOMAS COMPANY

More and more laboratories rely on Thomas Laboratory Apparatus and Reagents

VINE ST. AT 3RD • PHILADELPHIA 5, PA.