SCIENCE

Volume 130, Number 3368

Editoriai	Dog Days	131
Articles	Imprinting: E. H. Hess	133
	An effect of early experience, imprinting determines later social behavior in animals.	
	Marine sediments: F. P. Shepard	141
	Recent sediments give important clues about conditions under which sedimentary rocks may have been formed.	
News of Science	Senate Committee Calls for Commission To Consider Pros and Cons of a Department of Science and Technology	149
Book Reviews	A Diderot Pictorial Encyclopedia of Trades and Industry, reviewed by D. J. de Solla Price	154
Reports	Delayed Hypersensitivity in Mice: Its Detection by Skin Tests and Its Passive Transfer: A. J. Crowle	159
	Paramyosin and Contraction of "Catch Muscles": W. H. Johnson, J. S. Kahn, A. G. Szent-Györgyi	160
	Contamination of the Air by Radioactivity from the 1958 Nuclear Tests in the Pacific: L. B. Lockhart, Jr., et al.	161
	Phenotypic Effects of Heterozygous, X-ray-Induced Mutations in Drosophila: I. H. Herskowitz and R. C. Baumiller	162
	Role of Water in the Stability of Oxyhemoglobin: R. A. Horne	164
	Inheritance of Diego Blood Group in Mexican Indians: M. S. Mallén and T. Arias	164
	Experimental Infestation of <i>Peromyscus leucopus</i> with Larvae of <i>Cuterebra</i> angustifrons: E. L. Sillman and M. V. Smith	165
	Fate of Frog Embryos Implanted into Forelimbs of Adults: T. I. Malinin	166
Departments	Letters	126
	Friends of the Pleistocene; Forthcoming Events; New Products	172

Using Centrifugal Force?

You'll Separate More Materials Faster with an

ULTRACENTRIFU


GENERAL PURPOSE FIXED-ANGLE ROTORS

Large capacity for initial processing of biological materials, 940 ml in 10 tubes; 51,000 x G max.

Combines high force and high capacity for isolating viruses, microsomes. 462 ml in 12 tubes; 105,000 x G max.

Extremely high force allows separation of proteins, small viruses. 162 ml in 12 tubes; 144,000 x G max.

SPECIAL PURPOSE FIXED-ANGLE ROTORS



Steep tube angle (20°) for maximum sedimenting efficiency. 142,000 x G.



SWINGING BUCKET ROTORS (2)

Ideal for zone centrifugation employing density gradients, and other special studies. Forces to 173.000 x G.





S-57



Rotor is quickly set in place without tools or connections: no critical balancing required.

With speeds ranging from 400 to 40,000 rpm, the Beckman/Spinco Model L Ultracentrifuge can fulfill both your routine and advanced preparative needs. Here are a few of the advantages of this unusually flexible instrument:

High force when you need it-At top speeds, 144,000 Gs are developed with standard rotors (others to 173,000). These forces are more than sufficient to separate proteins and other materials which are well beyond the capabilities of instruments generating less force.

High force to cut operating time-Many routine separations can be accomplished faster at higher forces, reducing operating time as much as 80 percent.

Equal effectiveness at lower force-Large-volume rotors handle separations requiring only nominal speeds. Turn of a knob varies speed to any desired rpm.

Ultra-simplicity of operation-Less than 30 seconds required for start-up; subsequent operation fully automatic, operator's presence not needed.

Economical, maintenance-free operation-The Model L is a heavy-duty, precision instrument which can be run at high speeds for hundreds of hours without attention.

We'd like to send you an APPLICATION CHART which gives helpful data on a variety of materials run by Model L users. References are included.

For the chart and a new 12-page brochure on the Model L, please write to Spinco Division, Beckman Instruments, Inc., Stanford Industrial Park, Palo Alto, California. Ask for file L-5.



Beckman Instruments. Inc.

SALES AND SERVICE FACILITIES ARE MAINTAINED BY BECKMAN/INTERNATIONAL DIVISION IN FIFTY COUNTRIES



• FOR EVERY NEED • American Sterilizer WATER STILLS



1/2 to 500 gallons per hour

Typical Laboratory Still: Electric heated. ½ to 10 gallons per hour capacity.

- * 1/2 to 500 gallons per hour Evaporator capacity range.
- * Steam, Electric or Gas heated installations . . . Kerosene or Gasoline heated Portable Units.
- * Fully automatic or manual controls.
- * Single, Double and Triple distilling systems.
- * Storage Tank capacities from 5 to 1000 gallons.
- * All internal parts heavily coated with pure block tin. Stainless steel, Aluminum or special alloys also available.

Thousands of Amsco Water Stills in laboratories, industrial or processing plants and hospitals throughout the world are producing distilled water of the very highest purity . . . economically, dependably and efficiently.

Whether the distillate quantity is small or large . . . for exacting laboratory experiments, or for mass processing . . . the purity of water is the same, exceeding the standard set up by the United States Pharmacopeia.

Whatever your water conditions or distillate requirements there is an Amsco distilling system especially adapted to your needs. Write for detailed information . . . Bulletin IC-601.





Typical Industrial Unit: Mass production steam heated Still with automatic controls. 50 to 500 gallons per hour capacity.

Deionizers . . .

5 to 1000 gallons per hour... with cation or anion resin in single bed or dual bed arrangement.

INDUSTRIAL and SCIENTIFIC DIVISION

Announcing a distinguished publishing event . . .



Sheldon Emery Professor of Organic Chemistry, Harvard University

and MARY FIESER

Research Fellow in Chemistry, Harvard University

1959, 950 pages, \$18.00 (College Edition Available) Steroids completely revises and expands the authors' classic Natural Products Related to Phenanthrene, 3rd Edition. It is an account of the entire field written from the perspective of modern theory. The coverage includes the literature through the first quarter of 1959. It reflects the spectacular advances made since the previous work by adding over 200 pages of text.

The authors condense and clarify a voluminous, intricate literature in a way that will satisfy the expert and thoroughly enlighten the student. Organization of chapter material into a series of related topics unifies the early history and ensuing developments of steroid chemistry. In addition, a personalized approach to the steroid story produces a vitality that is rare in a scientific treatise. Steroids has the same quality of eminent read-ability that is a hallmark of the Fiesers' other works. Copies of the manuscript itself were reviewed by leading authorities all over the world.



Seldom is such outstanding merit brought to a subject of so great importance. The chemists, biochemists, medical investigators and other workers in this area now have easy access to the significant information and data of today's steroid chemistry.

CONTENTS: Orienting Survey; Investigation of Cholesterol; Structures of the Bile Acids and of Cholesterol; Vitamin D; Physical Methods of Characterization; Oxidation; Enes and Ols; Ketones; Displacements and Rearrangements; Stereochemical Correlations and Conventions; Sterols; Methylsterols; Biosynthesis of Cholesterol; Bile Acids and Alcohols; Estrogens; Androgens; Progestogens; Homo and Nor Steroids; Adrenocortical Hormones; Cardiac-Active Principles; Sapogenins; Alkaloids,

Examine It Free for 10 Days

MAIL THIS COUPON TODAY

REINHOLD PUBLISHING CORPORATION Dept. M-478, 430 Park Avenue New York 22, N. Y.		
Send me a copy of STEROIDS for 10 days' Free Examination.		
 Total purchase price enclosed. Bill me. 		
NAME		
ADDRESS		
CITY & ZONESTATE SAVE MONEY! Enclose \$18.00 with order and Reinhold pays all shipping costs. Same return privilege. Please add 3% sales tax on N. Y. C. orders. DO NOT ENCLOSE CASH!		

126

Letters

Studies of Fallout

The article relative to radiation hazards and Government [Science 129, 1210 (1959)] impressed me as a fair, sound, and useful statement of the problem. I am sorry, however, that Project Sunshine was written up in such a negative way. This was probably more a matter of public relations on the part of the Division of Biology and Medicine than anything else.

As the United States Representative to the United Nations Scientific Committee on the Effects of Atomic Radiation, I was impressed to learn that the United States had been able to make available a wealth of material as a result of Sunshine and related projects without which the development of our report to the General Assembly of last August would have been difficult. The material provided this committee by the United States was greater than that provided by all other countries.

It would be helpful if one thing could be made clear—the tremendous difficulty of making these analyses of almost infinitesimal amounts of material. One of the great achievements of Libby and the radiochemists, both those who are associated with him and radiochemists in general, has been the development of reliable analytical methods that have made the studies of fallout meaningful. Determinations of total beta activity as made by the Public Health Service are meaningful only in light of the ability to compare them with the more exact determinations that are made.

The Atomic Energy Commission has been active since its inception in stimulating interest and competence in the Public Health Service in the field of radiation and radiobiology. The activities of the Public Health Service mentioned in the article—operations at the Columbia River and the Robert A. Taft Sanitary Engineering Center, offsite monitoring, and the research program in radiobiology—were all stimulated by the AEC or its predecessor, the Manhattan Project.

Shields Warren Cancer Research Institute, Boston, Massachusetts

Basic Research

Definitions of basic research [for example, C. V. Kidd, *Science* 129, 368 (1959)] remind me of the fat and lean physicians who were asked to classify a couple of hundred patients as obese, normal, or underweight. It should come as no surprise to find that the lean physicians classified many more patients as obese than did the fat ones.

Similarly, definitions of basic research are not made by engineers, physicists, research managers, and so on—they are made by people, each with his personal packet of professional training and biases. Each such person tends, I believe, to define basic research from his own personal place in the scientific spectrum —everything on his left is basic, everything on his right, applied. Research an engineer calls basic may well be regarded as applied by a physicist.

This approach is, of course, practical nominalism, as opposed to the attitude of those who believe that if they can find the "lost chord" of magic words they can unmask a universal, essence, or concept of "basic research" good for the ages, or at least good till the next administration.

The working scientist could relegate this discussion to the metaphysicians of the philosophy department or to the front office and proceed with his business if it were not for one practical consequence. Good research proposals may find themselves wandering in a limbo between fund-granting agencies—too basic for the hard-bitten practical men of one, too applied for the purists of another. Good will on both sides can, and does, solve such problems, but beware of Aristotelian classifications in the non-Aristotelian world of science.

HAROLD WOOSTER


2108 Seminary Road, Silver Spring, Maryland

Basic Research in Europe

In the interesting survey article entitled "Basic research in Europe" [Science 128, 227 (1958)], written by David M. Gates, the author refers to the state of North Westphalia, which at the present time does not exist. Probably the author had the state of North Rhin-Westphalia in mind instead.

It is also stated that research funds in Spain "are controlled largely through the Superior Council for Scientific Research, under the Ministry of Education, and are distributed to academic institutes in all fields of science, except agriculture" (italics mine). This statement shows unfortunate misinformation on the part of the author. The "Misión-Biológica de Galicia" has been engaged in agricultural research since 1921. That institution has been absorbed by the Superior Council for Scientific Research, which at the same time supports agricultural research in institutes and experimental stations in localities such as Madrid, Sevilla, Granada, Murcia, Salamanca, and Santiago de Compostela, among others.

Another obvious piece of misinforma-



UNITRON offers an extensive line of Laboratory Microscopes & Accessories for Research, Industry and Education. Illustrated is a partial selection for biology, medicine, chemistry and related fields. UNITRON also has companion instruments for the metalworking industries.

Noted for optical quality... advanced optical and mechanical design... unique and convenient operational features ... long wearing construction ... attractive budget prices which include basic optics... these, together with years of proven instrument performance, are the reasons why ...

THE TREND IS TO UNITRON!

UNITEON OF UNITED SCIENTIFIC CO. 204-206 MILK STREET • BOSTON 9, MASSACHUSETTS

Please rush UNITRON's Microscope Catalog 4S-2
Name______
Company______
Address______
City_____State_____

VirTis Fluorofoam dry ice storage chest



- Large capacity—400 lbs.
- Fully mobile



Capacity 400 lbs.; on swivel casters. Of double-wall plywood construction finished inside and out with white epoxy enamel and with 2-inch Freon-foamed-in-place urethane insulation. The use of cellular foamed plastic (Fluorofoam) containing low thermal conductivity Freon gas makes this chest superior to cabinets insulated with cork or glass wool, and also results in lighter weight.

In laboratory tests the chest provided better than 60% retention of a 200 pound charge over a seven day period. Insulated lid has full-length piano hinge, sponge rubber gasket, and two friction-lock struts for support in open position. A replaceable, soft fiber board pad protects bottom. Inside dimensions $21 \times 21 \times 2534$ inches deep; overall $26\frac{1}{2} \times 26\frac{1}{2} \times 31$ inches. Weight 76 lbs.

ARTHUR H. THOMAS CO.

Laboratory Apparatus and Reagents

VINE ST. AT 3RD • PHILADELPHIA 5, PA.

tion given in the article is that "in Portugal [there is] far greater freedom and communication with the outside than will ever be possible under the present regime in Spain." The international activities of the Superior Council for Scientific Research are summarized in a booklet entitled "Actividades Internacionales del Consejo Superior de Investigaciones Cientificas," and the catalog of the research staff of that organization clearly shows that most members have had extensive research experience in other countries. At present a number of private firms also have technical and scientific exchange with foreign countries.

A. G. VERDUCH Instituto de Edafologia y Fisiologia Vegetal, Madrid, Spain

My attention has been called to the following statement in an article by David M. Gates on basic research in Europe: "Eire is an overpopulated, tragically poor agricultural country with a total lack of organization for research. In the shadow of Great Britain it is a little surprising that more cross fertilization and inspiration have not taken place."

The factual statements in the foregoing paragraph are, I regret to say, seriously at variance with reality. Not only is Ireland not "overpopulated" in the normal sense of the term but the reverse is the case, as a glance at the table on population density in the U.N. Statistical Year Book of 1956 (pages 32–34) will amply demonstrate. That table shows that in 1955, whereas the density of population per square kilometer was of the order of 331 in the Netherlands, 291 in Belgium, 121 in Switzerland, and 103 in Denmark, it was only 41 in Ireland.

To speak of Ireland as a "tragically poor agricultural country" is likewise a serious exaggeration. For many reasons, some of which derive from historical causes, Ireland is not as prosperous as it might have been under different circumstances. However, since the establishment of an independent state a generation ago, considerable effort has been made both to raise the general level of prosperity and to correct the disequilibrium in the economy which resulted from the enforced subservience over a long period of time of the Irish economy to that of Britain. Although the process is inevitably a slow one, these efforts have already achieved some success; the value of the contribution of nonagricultural activities to the national income rose from \$337 million in 1938 to \$924 million in 1957. During this period the number of persons engaged in industry rose by 30 percent, while at the same time output per head in the agricultural sector increased by 65 percent. In 1930 we produced 60 million units of electricity; last year we produced 1860 million units and distributed it not only in urban areas but to 240,000 rural homes and workshops.


Furthermore, Ireland cannot be held to be a poor country in the ordinary connotation of the term. It is true that, by comparison with other countries of Western Europe (one of the most highly developed economic areas of the world), the standard of living-as judged, for instance, by income per head-is not very high. However, it is certainly not low, either, by comparison with the countries of the world generally, or even by comparison with the countries of Western Europe. The U.N. Statistical Papers series E, No. 4, for instance, which show net national product per head at factor cost in U.S. dollars as averages for the years 1952-54, give for Britain a figure of 780; Germany, 510; the Netherlands, 500; Ireland, 410; Austria, 370; Italy, 310; Greece, 220; and Portugal, 200. Furthermore, food consumption per head in Ireland is among the highest in the world. The OEEC General Statistics (1958, No. 6) show that in terms of calories per day such consumption in Ireland for the year July 1956-July 1957 stood at 3550 as compared with 3240 in Britain, 3220 in the United States, 3010 in Germany, and 2930 in the Netherlands.

It is likewise not true to say that there is in Ireland "a total lack of organization for research." The university system in Ireland, as will I am sure be known to most of your readers, is good and provides reasonable facilities for research. The country does not, of course, command the same financial resources in this field as bigger countries which have had time to develop their economic resources. But to give the impression, as Gates does, that Ireland is, in this field, in an entirely backward situation is a gross misrepresentation.

JOHN J. HEARNE, Ambassador Embassy of Ireland, Washington, D.C.

The article entitled "Basic research in Europe," by D. M. Gates, assistant division chief of the Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, who was attached to the London branch of the Office of Naval Research from 1955 to 1957, contains the following reference to my country: "Eire is an overpopulated, tragically poor agricultural country with a total lack of organization for research. In the shadow of Great Britain it is a little surprising that more cross fertilization and inspiration have not taken place."

> (Continued on page 168) SCIENCE, VOL. 130



See the *Dynoplic* difference

B&L DYNOPTIC DESIGN

saves time . . . You get today's fastest focus. And you keep it . . . no drift, no backlash. From automatic focus to parfocal objectives, B&L gives you more minutes per hour.

saves effort . . . Your hands rest on table for orientation and fine adjustment. Focusing system "floats" on rollers and bearings for the easiest operation you've ever known.

saves your eyes ... Wide, flat, clear fields make it easier to interpret complex specimens. You can get ample light for deeply stained specimens, for phase contrast or dark field work. See for yourself in a demonstration at your convenience.

MAIL COUPON FOR DATA AND DEMONSTRATION



BAUSCH & LOMB

MICROSCOPES

LABORATORY • RESEARCH • POLARIZING • METALLURGICAL

BAUSCH & LOMB OPTICAL CO. 75943 St. Paul St., Rochester 2, N. Y.			
I would like 🗌 data and 🗌 demonstration of the follow- ing B&L Dynoptic Microscopes:			
Laboratory Research Polarizing Metallurgical			
NAME, TITLE			
SCIENCE VOL 13			



DIFCO LABORATORY PRODUCTS

BIOLOGICS CULTURE MEDIA REAGENTS

Media for Standard Methods Culture Media Dehydrated and Prepared Microbiological Assay Media Tissue Culture and Virus Media Bacterial Antisera and Antigens Diagnostic and Serological Reagents Sensitivity Disks Unidisks Peptones Hydrolysates Amino Acids Enzymes Enrichments Dyes Indicators Carbohydrates Biochemicals



over 60 years' experience in the preparation of Difco products assures UNIFORMITY STABILITY ECONOMY

Complete Stocks Fast Service Descriptive literature available on request DIFCO LABORATORIES DETROIT 1 MICHIGAN USA

A valveless pump that offers the ultimate in freedom from contamination of the liquid pumped, either from the pump itself or from previously pumped liquids. For infusing accurately small volumes of solutions at the rate of 0.5 ml through 25 ml with a variation of less than 5% at pressures up to 200 mm Hg. Delivery rate can be changed rapidly by means of a simple screw adjustment. A graduated scale makes it possible to accurately reproduce desired rates. Stopping to refill syringe is eliminated by use of a reservoir. The length of delivery run is determined by volume of reservoir.

CAT. NO. 71-046





For every requirement– MICROSCOPY at its finest

Here is the WILD^{*}M-20, internationally renowned for its superb optics, traditionally fine Swiss craftsmanship and almost unbelievable versatility.

The M-20 microscope is unexcelled for research and scientific exploration in any field of microscopy. It is available with sextuple revolving nosepiece if desired, 20-Watt built-in illumination, beam-splitting phototube for binocular focusing for photomicrography, and a full range of attachments for all observation methods.

Attachments include Camera II (shown in illustration), Cinetube, Universal Lamp, Episcopic Equipment, Phase Contrast and Incident Light.

Camera II permits continuous binocular observation. The phototube deflects 25% of light to the binocular tube. A special format indicating eyepiece permits rapid, perfect focusing.

Your consideration of the WILD M-20 will prove most rewarding. Write for Booklet M-20 today.

°The FIRST name in Surveying Instruments, Photogrammetric Equipment and Microscopes



Full Factory Services

Main at Covert Street

Port Washington 7-4843
In Canada

Wild of Canada Ltd., 157 Maclaren St., Ottawa, Ontaric

Letters

(Continued from page 128)

When Gates wrote this paragraph he was not writing as a scientist, for he is demonstrably wrong about ascertainable facts, nor was your journal in printing it contributing to the advancement of science by the pursuit of truth.

The Republic of Ireland (*Eire* is Gaelic for the whole country) is not overpopulated in the normal meaning of the word. Its population density (41 per square kilometer) is one-eighth that of the Netherlands, one-third that of Switzerland, and less than half that of Denmark. It is about equal to that of overpopulated (?) Indiana or Michigan.

If the Republic of Ireland, with a per capita net income of 410 U.S. dollars per annum, is "tragically poor," how must we designate Italy (\$310), Portugal (\$200), India (\$60)? "Hypertragically" might be employed. And what of the Netherlands, of which your contributor rightly speaks well? Is it "hypotragically poor," with an income but some 20 percent higher than that of Ireland?

Again, our figure for motor vehicles per thousand of the population (85) is not greatly below that of Great Britain (110), and our per capita annual consumption of energy (1.8 tons of coal equivalent) is 80 percent that of the Netherlands or Denmark. We have 50,-000 television sets in the area (population 1 million) in which reception is at present available.

Had Gates visited Ireland (I presume he must not have done so) he might, I admit, have concluded that we lived with the belief that, having only one life, some part of it should be devoted to play. We have, possibly, too many race meetings and golf courses. But he would not have seen much evidence of "tragic poverty" among the best-fed people in the world (3550 calories per head per day, as compared with 3220 in the United States). We rather like our wellfed poverty; our suicide rate is among the lowest in the world (this includes the Western Hemisphere). "Poor"-perhaps more than slightly; "tragically poor" -to princes and millionaires only.

I now turn to Gates' remark that we are "totally lacking in organization for research." He should take a lesson from the politicians and beware of categorical statements unless he knows they are true. They are so easy to refute, while the difficulty of contradiction increases with the degree of qualification. Perhaps I had better list our more important organizations, though to mention one would be sufficient to knock out the "totally."

We have two universities, the National University of Ireland, with constituent colleges in Dublin, Cork, and Galway, and Dublin University, which has Trinity College. The degree examinations, graduate and research, are conducted in collaboration with external examiners from other (mainly British) universities, and the degrees themselves are recognized by the British as equivalent to their own degrees. Our graduates are recruited by foreign firms on the same conditions as British graduates.

Research is actively pursued in our university departments of science. It is supported by the Government and the local authorities, and by the Medical Research Council of Ireland (that of Britain also makes grants), by the Rockefeller Foundation, by United States agencies-for example, the European Research Office of the U.S. Army-and by Irish and foreign industry. Some of our professors have world-wide reputations in their fields of work; E. J. Conway, head of our department of biochemistry, is outstandingly distinguished. They find demand for their services as visiting lecturers at universities and before learned societies outside the country. About 150 scientific papers emanate each year from the Republic.

A number of Irish students go to the United States to hold postdoctoral fellowships. We do not hear complaints about their lack of research training; indeed, they seem to do quite well.

Many scientific organizations have thought it worth while to hold international gatherings in Dublin. The universities were hosts to the 1957 annual meeting of the British Association for the Advancement of Science. The International Astronomical Union met in Dublin in 1955; in the same year an International Symposium on Plant Products was organized in this college. The British Faraday Society assembled here for a discussion on "Ions of the Transition Elements" in September 1958. This autumn there is to be an International Conference on Humic Acids. I could readily extend this list.

Our scientific roots run deep; the Chemical Laboratory at Trinity College, Dublin, was established in 1711 and our chair of chemistry in this college, in 1796. The latter is one of the oldest in Great Britain and Ireland formed outside a medical school.

The science library facilities in Dublin are of a high order. Trinity College Library was established in 1591. It receives by law a copy of every book published in Ireland and in the United Kingdom. The library of the Royal Dublin Society dates back to 1731, and that of the Royal Irish Academy to 1786. Our own College Science Library was started in 1845. There are few important scientific journals of which complete runs are not available here, bought as issued and not later as photocopies or in sets.

The National Observatory at Dunsink, near Dublin, was founded in 1785. It has had distinguished directors, among them Sir William Hamilton (1805–65), whose work was of great importance in the development of quantum mechanics.

The Dublin Institute for Advanced Studies, which trains postgraduate students, was set up in 1940. It contains departments of theoretical and cosmic physics and has had rather distinguished people on its staff—Ernest Schrödinger and Walter Heitler, for example. We get numerous applications from abroad for scholarships to be held in the institute. The Dublin climate can scarcely be the attraction.

The Royal Dublin Society was organized in 1731 to promote the study of agriculture and science in Ireland. Its School of Applied Science (1796) was one of the earliest developed in the then United Kingdom. This School eventually became the Royal College of Science for Ireland, the courses of which were modeled on those of the Imperial College of Science in London. The Royal College was amalgamated with University College in 1926.

The society has published for many years its *Scientific Proceedings of the Royal Dublin Society* and has journal exchanges with institutions all over the world. It gives grants to promote research and each year brings two or three distinguished scientists from England to lecture here.

The Royal Irish Academy was chartered in 1786. Its functions here parallel those of the Royal Society in London. It publishes scientific and literary proceedings and has exchanges with academies in many countries. It is responsible for the Irish National Committees which are linked with the International Scientific Unions. For example, it organizes the work of the Irish National Committee on Chemistry, which is affiliated with the International Union of Pure and Applied Chemistry. The academy has, for one of its duties, the screening of applications for awards that are offered by the U.S. National Academy of Sciences.

The Medical Research Council controls research into medical problems of importance to Ireland. The work of Vincent Barry and his team on the chemotherapy of tuberculosis is internationally distinguished. Barry has lectured in Britain, Europe, India, and the United States; he has, I know, spoken in Denver. His work, while mainly financed by the Irish Government through the Medical Research Council, has also been supported by a large European firm and by the Lasdon Foundation of New York. An International Colloquium on the Chemotherapy of Tuberculosis was held in Dublin in 1951. It was attended by distinguished workers from many countries.

The Irish Department of Agriculture has subsidized research in a number of branches of agriculture for many years. 17 JULY 1959

RADIOACTIVITY AT WORK...#3

Our business is radioactivity—applying it, measuring it, protecting against it.

Applied radioactivity is today's most versatile tool. In this third NSEC report, we focus on a few of the multiplying peacetime uses of radioisotopes and radioactivity.

As you read the brief outlines of our projects and services, you may discover the solution to a specific problem now confronting you—a problem solvable *only* with radioactivity. Or you may see a general application in some area of your work.

We would welcome the opportunity of discussing how radioactivity can assist you—in studying product or process improvements, reducing manufacturing costs, answering complex research questions.

RADIOACTIVE WASTE TREATMENT AND DISPOSAL

Disposal of the radioactive waste products of a nuclear reactor presents a serious problem. Radioactivity waste differs from ordinary chemical or sanitary refuse in that it cannot be destroyed chemically. Therefore, planning for treatment and storage of wastes must be undertaken in the early stages of reactor design. Under a prime contract with the Atomic Energy Commission, NSEC scientists recently completed a comprehensive survey of all current practices as well as planned techniques for the disposal of highly radioactive waste materials. NSEC is ready to put its findings to work for those who are planning reactors for power or testing purposes. Ask for our new bulletin which outlines the factors to be considered.

WATER TRACING WITH HYDROGEN ISOTOPES

Ever been confronted with leakage in a system of underground water pipes? This tracing problem has been solved by NSEC scientists using tritium, the radioactive hydrogen isotope. Both tritium and deuterium, a non-radioactive hydrogen isotope, are used in tracking water flow. Often the path of rainwater, underground streams or reservoirs must be traced. NSEC experts conduct assays of the tritium and deuterium content of the water. They measure tritium with a sensitivity of 10⁻⁵ microcuries per milliliter. The detuerium content in water

is determined using the density-gradient method. Both these hydrogen isotopes are also used to discover the origin of ground water, thus aiding in water conservation. *NSEC assay services assist in other ways, too, including the biological tracing of organic matter for medical and industrial studies.*

TESTING FOR SUSTAINED RELEASE OF DRUGS

A number of pharmaceutical companies are now working to develop a single dosage form of a drug which will be effective over a long period of time: from 12 to 24 hours. The drug, whether capsule, compound or complex, must have a gradual, uniform absorption rate. Its effect must be continuous.

There are many advantages to a prolonged acting drug over a drug which must be taken every few hours. But one of the development problems is *in vivo* testing. How fast is the release rate? Are the peaks and valleys on the absorption curve too pronounced? What is the blood concentration of the drug?

NSEC personnel are now performing such studies for drug firms. Through radioactive tracers, we are able to measure much lower levels and with greater specificity than is possible under conventional colorimetric or fluorimetric methods. *Our specialized procedures are particularly applicable when a very small amount of a drug is to be given.*

NEUTRON DOSIMETRY MEASUREMENT

In the development and operation of nuclear reactors, it is necessary to know the neutron flux at various points in the reactor. NSEC offers a dosimetry service to determine neutron fluxes-to measure thermal, epithermal, and fast neutrons. NSEC provides the dosimeters, the required analytical services, and a report on flux data. Special fission dosimeters are also supplied, for direct measurement of burn-up occurring in fissionable material during irradiation. NSEC designs and develops techniques for difficult or unusual dosimetery problems. It's possible to measure neutron flux from the highest now available down to 1 neutron per square centimeter per second.

Want more details about our many projects and services? Just call or write our Marketing Department. The proposals and quotations of our technical staff are yours without obligation.

And to keep informed of the latest advances in this field, read "Radioactivity at Work," our monthly publication. Write us on your letterhead and we'll put you on our mailing list.

Several staff positions are now open for qualified personnel. Resumes should be sent to our Personnel Manager.

Nuclear Science and Engineering Corporation DEPT. S-8, P. O. BOX 10901, PITTSBURGH 36, PENNSYLVANIA

PRECISION ALONE IS NOT ENOUGH

A COLEMAN UNIVERSAL spectrophotometer offers precision, speed, RELIABILITY and versatility

The Universal performs precise analyses faster than any other spectrophotometer. The design of this instrument constitutes a classic approach to the use of the visible spectrum as an analytical tool... and thus the Universal allows the *valid* use of calibration curves (precision)... it provides consistent reproducible accuracy day after day... (it's reliable)... and its inherent simplicity avoids numerous mechanical and electronic adjustments (speed).

"Universal" is this Coleman spectrophotometer's middle name . . . it promises a very broad scope for the analyst who has a wide range of interests (versatility). Simple, inexpensive adapters quickly convert it for nephelometry, fluorimetry, trace determinations, micro analysis and other unusual and useful determinations.

If you don't already know about this remarkable instrument—ask for Bulletin B-241A.



COLEMAN INSTRUMENTS, INC., DEPT. S, MAYWOOD, ILL.

Its research journal is well known—even though Gates never heard of it. Recently, many of these functions have been taken over by a new Institute of Agricultural Research, founded with the aid of grants from the United States (Counterpart Fund). The Soil Research Centre at Johnstown Castle, Wexford, which has been working for a number of years, has a high reputation. The Agricultural College attached to University College, Dublin, was established in 1838 and is one of the oldest in these islands.

The Institute for Industrial Research was founded in 1946. It developed from an Industrial Research Council which goes back to 1934. The institute works on problems of interest to Irish industry. Its testing facilities are being extended with the aid of grants from the Counterpart Fund. In addition, industrial research is carried out by the bigger agencies, such as Messrs. Guinness, the Irish Peat Board, and the Irish Sugar Company. A very famous statistician (who wrote under the pseudonym of "Student") was attached to the scientific staff of Messrs. Guinness.

There is quite a lot of "cross fertilization" from abroad. I have referred to the work of the Royal Dublin Society in bringing over British lecturers. This is but a small part of what is done in the way of arranging lectures by distinguished foreigners.

The Chemical Society (of London), the Royal Institute of Chemistry and the (British) Society of Chemical Industry have flourishing local sections in Dublin. They, with the Institute of Chemistry of Ireland, have a Conjoint Chemical Council which arranges lectures in Dublin. The current program shows 11 lectures by foreigners.

In addition, the universities arrange many addresses by professors from abroad. In this department we had ten last session. We also had R. Bognár of Debrecen, Hungary, as visiting professor for a term.

I hope I have cited facts to show that Ireland is not "overpopulated," is not "tragically poor," is not "totally lacking in organization for research" and is not without "cross fertilization" from abroad.

Apart from putting Gates's statement in the proper perspective, this letter may provide new facts for your readers. I was surprised, when in the United States, to find that some of your countrymen seemed to think I should express amazement at the sight of electric light.

In taking issue with Gates I do not, of course, claim that we are underpopulated like your Western states, or that we are not poor by United States standards, or that we are not underorganized in research. I merely state that we are not as totally backward as Gates implies. T. S. WHEELER

Department of Chemistry, University College, Dublin, Ireland

I am pleased to be corrected for my ill-chosen words concerning the Republic of Ireland, and I hope that these were not taken as any lack of appreciation for the wonderful hospitality extended to me during my visit to that beautiful, romantic country. Apparently, the economy of Ireland is stronger than the impression of it a visitor receives; however, the fact still remains that due to economic necessity many people (especially students) find it necessary to find employment elsewhere. Many countries or states throughout the world can list numerous universities, institutions, societies, libraries, and traditions which, by themselves, do not imply good organization for scientific research. However, their very existence should provide the basic environment from which a broad spectrum of knowledge, stemming from research, should flow.

In my article it was impossible for me to describe in detail the scientific activity of every European country, and for this reason I wish to thank Hearne and Wheeler for their informative letters. DAVID M. GATES

Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado

Subcool and Supercool

The recent exchange of views [Science 129, 1296 (1959)] between meteorologists Braham and Appleman relative to superand subcooling intrigues me. It might be of interest that chemical process engineers, who have intimate contact with related physical phenomena, have no problem with these words. They are not used interchangeably. Each has a distinct and separate meaning.

The engineer's definition of *supercool* coincides with that of Webster: "to cool below the freezing point without solidification." For example: Liquid glycerine can be supercooled many degrees without crystal formation.


Subcool in the engineer's parlance is defined as "to cool a liquid below the equilibrium temperature at which condensation takes place." For example: The alcohol condenser in this process is designed for 20°F subcooling. In actual practice, condenser calculations are made with separate consideration of heat transfer surface "for condensation" and "for subcooling."

Since it appears that meteorologists have not made up their minds concerning usage of these two words, may I have the pleasure of inviting them to join with the engineers? Consistency of terms throughout the scientific fraternity is worthy of attainment.

R. E. Morrison

177 White Plains Road, Tarrytown, New York

Positive stop readings in 1.13 seconds



SHADOGRAPH[®]


small animal balance provides visible accuracy to 350 milligrams

Model 4203B-TC-SA Shadograph is designed especially for high-speed, precision weighing of mice, chicks, frogs and small rats. It can reduce tedious weighing operations by hours . . . give you more time for other work. Light-projection indication is fast . . . provides sharp shadow-edge reading on frosted glass dial. Parallax reading eliminated. Capacity 1500 grams. Dial graduated in two columns: 0-30 grams and 15-45 grams. Shutter closes dial column not in use. Beam 100 grams in 1 gram graduations. Weighs accurately in out-of-level positions. Other models up to 3 kilos for rats, hamsters and guinea pigs.



TISSUE AND TUMOR BALANCE

Model 4142 recommended for fast, precision weighing of cancer tissue and tumors. Weighpan is shielded from air currents by clear plastic door . . . easily removed for sterilization. Rated capacity 15 grams; visible sensitivity to 5 milligrams. Movable viewer for 5-column dial, each column 3 grams with 5 milligram graduations. 5-notch beam corresponding to dial columns.



CENTRIFUGE BALANCE

Model 4206B-TC also for general laboratory use and small-animal weighing. Has tare control knob to zero the dial, or position for overand-under reading. Capacity 3 kilos; sensitivity to 350 milligrams. Dial is graduated 0-100 grams in increments of 1 gram. Beam 500 grams by 5 grams.

THE EXACT WEIGHT SCALE CO. 901 W. FIFTH AVE., COLUMBUS 8, OHIO In Canada: 5 Six Points Road, Toronto 18, Ont.

Sales and Service Coast to Coast



1958) in Wood County. It is likely that west-central Wisconsin also was glaciated sometime prior to the advance dated about 30,000 years ago, but it is not known whether this was pre- or post-Sangamon.

Robert F. Black

Department of Geology, University of Wisconsin, Madison

Forthcoming Events

August

16-19. Botanical Nomenclature, discussions (Intern. Bureau for Plant Taxonomy and Nomenclature), Montreal, Canada. (J. Rousseau, Natl. Museum, Ottawa, Canada.)

16-21. American Pharmaceutical Assoc., Cincinnati, Ohio. (R. P. Fischelis, APA, 2215 Constitution Ave., NW, Washington 7.)

17. Ultrasonics, natl. symp., San Francisco, Calif. (L. G. Cumming, Inst. of Radio Engineers, 1 E. 79 St., New York 21.)

17-21. Pacific Southwest Assoc. of Chemistry Teachers, Pacific Grove, Calif. (W. A. Craig, 416 N. Citrus Ave., Los Angeles 36, Calif.)

17-22. Logopedics and Phoniatrics, 11th intern. cong., London, England. (Miss P. Carter, 46 Canonbury Square, London N.1, England.)

19-26. Refrigeration, 10th intern. cong., Copenhagen, Denmark. (M. Kondrup, Danish Natl. Committee, Intern. Congress of Refrigeration, P.O. Box 57, Roskilde, Denmark.)

19-29. Botanical Cong., 9th intern., Montreal, Canada. (C. Frankton, Secretary-General, 9th Intern. Botanical Cong., Science Service Bldg., Ottawa, Ontario, Canada.)

19-29. International Assoc. of Wood Anatomists, Montreal, Canada. (IAWA, Laboratorium für Holzforschung E.T.H. Universitatstrasse 2, Zurich, Switzerland.)

19-29. Mycological Soc. of America, Montreal, Canada. (E. S. Beneke, Dept. of Botany and Plant Pathology, Michigan State Univ., E. Lansing.)

19-29. Phycological Soc. of America, Montreal, Canada. (W. A. Daily, Dept. of Botany, Butler Univ., Indianapolis 7, Ind.)

20–22. Rocky Mountain Radiological Soc., Denver, Colo. (J. H. Freed, 4200 E. Ninth Ave., Denver 20.)

20-25. Chemical Thermodynamics, symp., Wattens, Austria. (F. Vorländer, Deutsche Bunsen-Gesellschaft, Carl-Bosh-Haus, Varrentrappstrasse, 40-42, Frankfort a.M., Germany.)

20-27. Therapeutics, symp., Gardone, Italy. (R. Morf, c/o Sandoz S.A., Basel 13, Switzerland.)

20-2. Limnological Cong., 14th intern., Vienna and Salzburg, Austria. (Secretary, 14th Intern. Limnological Congress, Biologische Station, Lunz am See, Austria.)

23-26. American Farm Economic Assoc., Ithaca, N.Y. (C. D. Kearl, Dept. of Agricultural Economics, Warren Hall, Cornell Univ., Ithaca.)

23-26. Electromation, 6th electrical conf. of petroleum industry, Long Beach,

17 JULY 1959

announcing the





The latest word in automatically-controlled, Refrigerated centrifuges



AUTOMATIC CONTROLS
 SUPERSPEEDS • RCF IN EXCESS OF 35,000 × G
 CONTINUOUS FLOW
 MODERN, FUNCTIONAL DESIGN

No fewer than five different rotors may be used in the new SERVALL RC-2: Superspeed, Large Capacity, Multi-Tube Superspeed, Horizontal, Virus & Particle Counting (with others under development). Gyro-Action Direct Drive: the only significant self-centering development in a decade; provides smoother operation than any other drive system. Continuous Flow System permits gallon quantities of material to be separated *directly* in tubes. Automatic Acceleration, Dynamic Braking, and exclusive Dual Automatic Temperature Control for accurately maintaining material temperature within ± 1°C at all times.

Basic Unit Includes Standard 8×50 ml Superspeed Rotor

Write for more information about this, the Superspeed Automatic Refrigerated Centrifuge that researchers everywhere have been asking for: Bulletin SC-7/1RC-2.



An independent company; not connected with any other centrifuge manufacturer.

Calif. (AIEE, 33 W. 39 St., New York, N.Y.)

23–27. Veterinary Medicine, 3rd Pan-American Cong., Kansas City, Mo. (B. D. Blood, Pan-American Congresses of Veterinary Medicine, P.O. Box 99, Azuk, Buenos Aires Province, Argentina.)

24-26. American Accounting Assoc., Boulder, Colo. (C. Cox, 437 Hagerty Hall, Ohio State Univ., Columbus 10.)

24-26. Anti-Submarine Warfare (classified), symp., San Diego, Calif. (R. R. Dexter, Inst. of the Aeronautical Sciences, 2 E. 64 St., New York 21.)


24-26. Dynamics of Conducting Fluids,

symp. (American Rocket Soc., and Northwestern Univ.), Evanston, Ill. (J. J. Harford, ARS, 500 Fifth Ave., New York 36.)

24–27. American Hospital Assoc., New York, N.Y. (E. L. Crosby, 18 E. Division St., Chicago, Ill.)

24-28. Australian and New Zealand Assoc. for the Advancement of Science, 34th cong., Perth, Western Australia. (J. R. A. McMillan, Science House, 157 Gloucester St., Sydney, Australia.)

24–29. Infrared Spectroscopy Inst., 10th annual, Nashville, Tenn. (N. Fuson, Director, Infrared Spectroscopy, Fisk Univ., Nashville 8.)



FISHER SCIENTIFIC

IN THE U.S.A. Boston Buffalo Charleston, W.Va. Chicago Cleveland St. Louis Detroit Washington New York Philadelphia IN MEXICO Pittsburgh Mexico City s & Reagent Chemicals IN CANADA Edmonton Montreal Toronto

B-83b

24-29. International Assoc. for Hydraulic Research, cong., Montreal, Canada. (IAHR, c/o Laboratoire Hydraulique, Raam 61, Delft, Netherlands.)

24–29. Ionization Phenomena in Gases, 4th intern. conf., Upsala, Sweden. (A. Nilsson, Secretary-General, Inst. of Physics, Upsala, Sweden.)

24-29. Polarography, 2nd intern. cong., Cambridge, England. (Mrs. B. Lamb, Chemistry Lab., Evershed & Vignoles, Corner of Iveagh Ave., N. Circular Rd., London, N.W.10, England.)

24-30. Modern Systems for Detecting and Evaluating Optical Radiation (Intern. Optical Commission), symp., Stockholm, Sweden. (S. S. Ballard, Dept. of Physics, Univ. of Florida, Gainesville.)

25-27. Petroleum Industry Conf., AIEE, Long Beach, Calif. (N. S. Hibshman, AIEE, 33 W. 39 St., New York 18.)

25-28. Alaskan Science Conf., Alaskan Div., AAAS, 10th, Juneau. (N. J. Wilimovsky, Bur. of Commercial Fisheries, Box 2021, Juneau.)

25-28. American Dietetic Assoc., 42nd annual, Los Angeles, Calif. (Miss R. M. Yakel, ADA, 620 N. Michigan Ave., Chicago 11, Ill.)

25–30. American Ornithologists' Union, Regina, Saskatchewan, Canada. (H. G. Deignan, Div. of Birds, U.S. National Museum, Washington 25.) 26–29. International Assoc. of Milk

26–29. International Assoc. of Milk and Food Sanitarians, Glenwood Springs, Colo. (V. T. Foley, Health Dept., Kansas City, Mo.)

26-29. International Union of Pure and Applied Chemistry, 20th conf., Munich, Germany. (Div. of Chemistry and Chemical Technology, Natl. Research Council, Washington 25.)

27–29. American Assoc. of Clinical Chemists, 11th annual, Cleveland, Ohio. (A. Hainline, Jr., AACC, Cleveland Clinic Foundation, 2020 E. 93 St., Cleveland 6, Ohio.)

27-29. American Physical Soc., Hawaii. (K. K. Darrow, APS, Columbia Univ., New York 27.)

28-29. Weather Modification (with American Soc. of Civil Engineers), conf., Denver, Colo. (H. G. Houghton, AMS, Dept. of Meteorology, Massachusetts Inst. of Technology, Cambridge 39, Mass.)

28-30. American Folklore Soc., annual, Albany and Cooperstown, N.Y. (MacE. Leach, 110 Bennett Hall, Univ. of Pennsylvania, Philadelphia 4.)

28-31. Astronomical League, Denver, Colo. (R. Dakin, 720 Pittsford-Victor Rd., Pittsford, N.Y.)

28-4. International Union for Scientific Study of Population, cong., Vienna, Austria. (F. Lorimer, Dept. of Sociology, American Univ., Washington, D.C.)

30-3. American Inst. of Biological Sciences, annual, University Park, Pa. (H. T. Cox, AIBS, 2000 P St., NW, Washington 6.)

The following 17 meetings are being held in conjunction with the AIBS meeting at University Park, Pa.

American Microscopical Soc. (T. H. Cheng, Dept. of Zoology and Entomology, Pennsylvania State Univ., University Park.)

American Phytopathology Soc. (J. E. Livingston, Dept. of Botany and Plant


FLUORESCENT MICROSCOPY



Monroe light box to use LEITZ HBO 200 watt lamp with any make microscope gives built-in illumination advantages.

Write for catalog MONROE MICROSCOPE SERVICE

P.O. Box 656 Rochester 2, N.Y.





Specify **Sigma** for high purity

T P N H

DIHYDRO TRIPHOSPHOPYRIDINE NUCLEOTIDE

Type I—Chemically Reduced—\$250/500 mg Type II—Enzymatically Reduced—\$95/100 mg

DPNH

DIHYDRO DIPHOSPHOPYRIDINE NUCLEOTIDE Enzymatically Reduced—\$35/gram

CYTOCHROME-C

Type II—\$25/gram 60-75% based upon Mol. Wgt. 12,270

Type III—\$55/gram 90-100% based upon Mol. Wgt. 12,270

Delivered Anywhere by Airmail.

If your budget is insufficient, remember the Sigma Cooperative Allowance which is available to any non-profit institution that is unable to finance the full purchase price of our reagents. We are always glad to help.

BE SURE YOU HAVE RECEIVED YOUR COPY OF OUR NEW APRIL 1959 CATALOG

TELEPHONE COLLECT from anywhere in the world Day, Station to Station, PRospect 1-5750 Night, Person to Person, Dan Broida, WYdown 3-6418



The Research Laboratories of SIGMA CHEMICAL COMPANY 3500 DEKALB ST., ST. LOUIS 18, MO., U. S. A. MANUFACTURERS OF THE FINEST BIOCHEMICALS AVAILABLE



HIGH SPECIFIC ACTIVITY **CARBON-14 LABELED COMPOUNDS**

NEC-48 Glycine-2-C ¹⁴	$13 \ mc/mM$
NEC-79 Potassium Cyanide-C ¹⁴	15 mc/mM
NEC-84 Sodium Acetate-1-C14	$15 \ mc/mM$
NEC-85 Sodium Acetate-2- C^{14}	$12 \ mc/mM$
NEC-89 Sodium Formate-C14	$13 \ mc/mM$
NEC-102 Thiourea- C^{14}	$14 \ mc/mM$

Available from stock at catalog prices

. NEW 1959

CATALOG ON REQUEST



smallest, lightest aircraft pumps aloft . . .

. . are Eastern Industries high speed gear pumps. Check these characteristics - proved reliable in the most advanced missile power systems:

- Flow from .015 to 1.5 GPH Pressures from 15 to
- Speeds to 24,000 rpm · Weights with motor
- 1.5 to 8.5 lbs.

Beyond these ranges many of the existing units can be adapted to specific needs . . . and creatively-engineered custom pumps can meet still other requirements.



2000 psig



aircraft pumps-features hydraulic power units, avionic cooling packs, refrigeration cooling and servo-valve systems. Send for it now!






FERMENTOR DRIVE ASSEMBLY

FOR LABORATORY AND PILOT PLANT APPLICATION

• Aerobic or Anaerobic Fermentations • Tissue Cultures Other Metabolic Studies in Submerged Cultures



Holds 6 stainless steel FERMENTORS with pyrex jars of capacities 5, 7.5 or 14 liters each; removable for autoclaving. Leak-proof, non-freezing, ball-bearing agitator housings. Cool, quiet, continuous performance.

Stainless steel water baths, thermostatically controlled within ± 1/2 °C. for temperatures up to 60°C. Twin, antifriction drives for wide range of agitation rates. Available with Automatic Anti-foam System. Single fermentor and 3-fermentor assemblies also available.



Isolate Chromatograph Fractions QUICKLY - ACCURATELY with the NEW

HAMILTON FRACTION COLLECTOR



The new Hamilton Fraction Collector isolates exceedingly pure gas chromatograph fractions for supplemental analysis, such as by mass spectrometer. It uses the proved "Freeze-Out" method of fraction collection, capturing the sample in a U tube on ultra pure silica sand and chilling to liquid nitrogen temperatures ... the first time this has ever been accomplished in a single instrument.

- RAPID ONE STROKE OPERATION
- 10 SECOND PREPARATION; SAMPLES AT 5 SECOND INTERVALS
- UNLIMITED FRACTIONS FROM SINGLE RUN

Order direct ... or write for literature and prices today!

HAMILTON COMPANY, INC.

DEPARTMENT K P.O. Box 307 · Whittier, California A Complete Line of Precision. Radiochemical Handling Equipment

SCIENCE, VOL. 130

Pathology, Pennsylvania State Univ., University Park.)

American Soc. for Horticultural Science. (R. E. Larson, Dept. of Horticulture, Pennsylvania State Univ., University Park.)

American Soc. of Human Genetics. (C. C. Li, Graduate School of Public Health. Univ. of Pittsburgh, Pa.)

American Soc. of Limnology and Oceanography. (E. L. Cooper, Dept. of Zoology, Pennsylvania State Univ., University Park.)

American Soc. of Parasitologists. (T. H. Cheng, Dept. of Zoology and Entomology, Pennsylvania State Univ., University Park.)

American Soc. of Plant Physiologists. (A. A. Benson, Agriculture and Biological Chemistry, Pennsylvania State Univ., University Park.)

American Soc. of Zoologists. (A. Anthony, Dept. of Zoology, Pennsylvania State Univ., University Park.)

Biometric Soc. (ENAR). (Miss C. S. Weil, Mellon Inst., 4400 Fifth Ave., Pittsburgh, Pa.)

Ecological Soc. of America. (M. W. Schein, Dept. of Poultry Husbandry, Pennsylvania State Univ., University Park.)

Genetics Soc. of America. (J. E. Wright, Dept. of Genetics, Pennsylvania State Univ., University Park.) National Assoc. of Biology Teachers.

National Assoc. of Biology Teachers. (H. S. Fowler, Science Education, Pennsylvania State Univ., University Park.)

Nature Conservancy. (W. Sharp, Pennsylvania Cooperative Wildlife Reserve, 206 Forestry Bldg., Pennsylvania State Univ., University Park.)

Society for Industrial Microbiology. (Miss M. B. O'Hara, Applied Sciences Labs., Inc., State College, Pa.; or A. Rose, 525 S. Gill St., State College.)

Society of Protozoologists. (H. Frings, Dept. of Zoology, Pennsylvania State Univ., University Park.)

Society for the Study of Development and Growth. (J. E. Livingston, Dept. of Botany and Plant Pathology, Pennsylvania State University, University Park.)

Tomato Genetics Cooperative. (B. L. Pollack, Dept. of Horticulture, Pennsylvania State Univ., University Park.)

30-4. American Cong. of Physical Medicine and Rehabilitation, Minneapolis, Minn. (Miss D. C. Augustin, 30 N. Michigan Ave., Chicago 2, Ill.)

30-4. Laurentian Hormone Conf., Mont Tremblant, Quebec, Canada. (G. Pincus, 222 Maple Ave., Shrewsbury, Mass.)

30-4. Medical Education, 2nd world conf., Chicago, Ill. (World Medical Assoc., 10 Columbus Circle, New York 19.)

30-5. World Federation for Mental Health, 12th annual, Barcelona, Spain. (Miss E. M. Thornton, Secretary-General, WFMH, 19, Manchester St., London W.1, England.)

30-6. History of Science, 9th intern. cong., Barcelona and Madrid, Spain. (J. Vernet, via Layetona 141, Barcelona.)

30-6. Residues on Crops and/or the Problem of Insect Resistance to Insecticides, symp., Munich, Germany. (R. 17 JULY 1959 Morf, Secretary-General, IUPAC, c/o Sandoz S. A., Basel, Switzerland.)

30-6. Thermodynamics and Experiperimental Thermochemistry, 17th intern. cong. (Internat. Union of Pure and Applied Chemistry), Munich, Germany. (Div. of Chemistry and Chemical Technology, Natl. Research Council, Washington 25.)

30-12. International Oceanographic Cong. (AAAS, UNESCO, ICSU), New York, N.Y. (Miss M. Sears, chairman, Woods Hole Oceanographic Institution, Woods Hole, Mass.)

31-2. Free Radical Stabilization, 4th intern. symp., Washington, D.C. (A. M.

Bass, Natl. Bureau of Standards, Washington 25.)

31-2. Stratospheric Meteorology, conf., Minneapolis, Minn. (H. G. Houghton, AMS, Dept. of Meteorology, Massachusetts Inst. of Technology, Cambridge 39, Mass.)

31-3. Biological Photographic Assoc., Montreal, Canada. (Miss J. H. Waters, P.O. Box 1668, Grand Central Station, New York 17.)

31-3. Mathematical Assoc. of America, 40th summer meeting, Salt Lake City, Utah. (H. M. Gehman, MAA, Univ. of Buffalo, Buffalo 14, N.Y.)

31-4. Haematin Enzymes, symp. (by



Direct Meter Readings of both Na and K from the same microsample (1/10cc)

- DIRECT READING scale indicates concentrations of Na and K in Meq/I — eliminates tedious calculations
- MICROSAMPLING TECHNIQUES require as little as 0.05 cc of serum to run determinations and then rerun to check . . . especially advantageous for infants and children
- SIMPLICITY exceptional ease of calibration, portable, uses city or manufactured gas, no galvanometer
- REPRODUCIBILITY extensive field testing shows average reproducibility of 1/2 of 1%
- INTERNAL STANDARD

For complete information or a demonstration of the new B-A Direct Reading Flame Photometer contact your local distributor or —

