

Meetings

Entomology and Human Welfare

Frank S. Arant, head of the department of zoology and entomology, Alabama Polytechnic Institute, has been chosen by the governing board of the Entomological Society of America as the society's president for 1961. Acceptance of a foreign assignment by H. M. Harris, of Iowa, president-elect in 1960, led to his resignation and the selection of a president by board action rather than by ballot of the membership. Robert Glen, director, General

Research Branch, Canada Department of Agriculture, Ottawa, is president-elect for 1961.

The 1960 Atlantic City meeting of the Society, held 28 November through 1 December, drew a larger attendance (859) than any previous meeting of the society other than joint meetings with Canadian societies. The theme of the meeting was, "Entomological Contributions to Human Welfare."

M. P. Jones, entomologist with the extension service of the U.S. Department of Agriculture, the society's president for 1960, delivered the presidential address, "Selling insect control information." The John Henry Comstock

memorial lecture, "The challenge of insecticide resistance," was delivered by A. W. A. Brown of the University of Western Ontario. J. George Harrar, vice president of the Rockefeller Foundation, addressed a plenary session on food additives and public health.

Dionyz Blaskovic, director of the Institute of Virology, Bratislava, Czechoslovakia, and K. C. Willett, director of the West African Institute for Trypanosomiasis Research, Kaduna, Northern Nigeria, were participants in a symposium on biological transmission of disease agents. The Rockefeller Foundation made possible the attendance of these two speakers.

Lester G. MacNamara, chief of the New Jersey Bureau of Wildlife Management, also addressed an evening plenary session, on the role of chemicals in wildlife conservation.

There were 186 submitted papers, 14 symposia and panel discussions, and 19 invited speakers; the program was arranged by Ralph W. Sherman, U.S. Department of Agriculture, program chairman. L. G. Merrill, Jr., of Rutgers University, was chairman of the local arrangements committee.

RALPH W. SHERMAN

U.S. Department of Agriculture,
Washington, D.C.

The Perfect Gift for any Scientist . . .

A MEMBERSHIP IN THE AAAS



**As recognition for service . . . for unusual achievement . . .
for anniversaries . . . birthdays**

Here is your opportunity to extend the benefits of AAAS membership . . . including a subscription to SCIENCE . . . to relatives, friends or associates.

The AAAS is the largest federation of scientific organizations . . . It was established 113 years ago and now

has over 60,000 individual members. JUST FILL IN AND MAIL THE FORM BELOW. (Whether you are a member or not, you may order a gift membership for someone else. Or you may use this same form to apply for a personal membership in your own name.)

DR. RAYMOND L. TAYLOR, *Associate Administrative Secretary*
American Association for the Advancement of Science
1515 Massachusetts Avenue, NW, Washington 5, D.C.

Please extend AAAS membership to: (please print or typewrite)

Full name

Address

Professional or research specialty

Title

Institutional or company affiliation

Highest degree (year and institution)

Check one:

- () Check or money order enclosed for \$8.50 annual membership dues.
() Please bill me at address shown below.
() Please bill company at address shown below.

Company name

Address

City Zone State

Your signature Date

Forthcoming Events

April

23-27. Society of American Bacteriologists, Chicago, Ill. (E. M. Foster, 311 Bacteriology, Univ. of Wisconsin, Madison)

23-28. American Soc. of Hospital Pharmacists, Chicago, Ill. (J. A. Oddis, 2215 Constitution Ave., NW, Washington 7, D.C.)

24-26. Aerospace Medical Assoc., 32nd annual, Chicago, Ill. (W. J. Kennard, Secretary-Treasurer, c/o Washington National Airport, Washington, D.C.)

24-26. American Psychoanalytic Assoc., annual, Philadelphia, Pa. (J. N. McVeigh, 36 W. 44 St., New York 36)

24-26. International Acad. of Pathology, 50th annual, Chicago, Ill. (Miss M. Davis, Intersociety Committee on Pathology Information, 1785 Massachusetts Ave., NW, Washington 6, D.C.)

24-27. American Assoc. of Petroleum Geologists, Denver, Colo. (G. V. Cohee, U.S. Geological Survey, Washington 25, D.C.)

24-27. American Physical Soc., Washington, D.C. (K. K. Darrow, 538 W. 120 St., New York 27)

25-28. Society of Economic Paleontologists and Mineralogists, Denver, Colo. (J. Imbrie, Dept. of Geology, Columbia Univ., New York, N.Y.)

26-28. American Assoc. of Pathologists and Bacteriologists, 58th annual, Chicago, Ill. (Miss M. Davis, Intersociety Committee on Pathology Information, 1785 Massachusetts Ave., NW, Washington 6, D.C.)

27-28. Diseases in Nature Transmissible



NO. 2

DATA SERIES Evaluating Spectrophotometer Performance

WAVELENGTH accuracy and reproducibility:

the precision with which the indicated wavelength corresponds to the true wavelength of dispersed radiation (accuracy) and repeats this indication (reproducibility).




FIGURE 1

FIGURE 2

Cary Model 14 records spectra accurate to 4Å, reproducible to 0.5Å over its 28,000 Å range

High wavelength accuracy assures recording of absorption peaks at their true wavelength. This is essential for differentiation of similar samples or identification of unknowns. It is equally important for quantitative measurements on mixtures where overlapping bands may distort band contours. The high wavelength accuracy of the Cary Model 14 is shown in the spectrum of mercury emission lines which appear at 3906.4, 4046.6, and 4077.8 angstroms. As shown in Figure 1, these are recorded to within 2Å absolute or better.

Since sample absorbance is a function of wavelength, high wavelength reproducibility is essential to insure reliable quantitative results. The excellent reproducibility of the Cary Model 14 is illustrated in both Figures 1 and 2 which show three superimposed records (with the baselines arbitrarily shifted after each record). The two peaks (5790.7 Å and 5769.6Å) shown in Figure 2 were recorded on a greatly expanded wavelength scale in order to observe any small error. (It is interesting to note that the scale expansion used would require a chart over 300 feet long to record the entire wavelength range of the Model 14). The maximum deviation between the three records is only about 0.35Å.

Wavelength accuracy and reproducibility are just two of several important criteria on which spectrophotometer performance should be based. Others include: Resolution; photometric accuracy and reproducibility; stray light. Because the Cary Model 14 excels in each of these performance criteria, it is regarded as the finest instrument of its kind. A descriptive brochure is yours for the asking. Write for data file E22-31

to Man, 11th annual southwestern conf., College Station, Tex. (F. P. Jaggi, Jr., Agricultural and Mechanical College of Texas, College Station)

27-28. Health Education Conf., New York Acad. of Medicine, New York, N.Y. (I. Goldston, 2 E. 103 St., New York 29)

27-29. American Acad. of Neurology (members and guests), Detroit, Mich. (Mrs. J. C. McKinley, 4307 E. 50 St., Minneapolis 17, Minn.)

27-29. Wildflower Pilgrimage, 11th annual, Great Smoky Mountains Natl. Park, Tenn. (A. J. Sharp, Dept. of Botany, Univ. of Tennessee, Knoxville)

27-30. Congress of Laboratory Medicine, Berlin. (W. Massmann, Rubensstr. 125, Berlin-Friedenau, Germany)

27-5. American Psychiatric Assoc., annual, Philadelphia, Pa. (D. Blain, 1700 18 St., NW, Washington 6)

28-30. American Psychosomatic Soc., 18th annual, Atlantic City, N.J. (M. F. Reiser, 265 Nassau Road, Roosevelt, N.Y.)

30-4. Aero/Space Instrumentation Symp., 7th annual, Dallas, Tex. (W. J. Gabriel, Route 3, Box 36, Fort Worth, Tex.)

30-4. Electrochemical Soc., Indianapolis, Ind. (R. K. Shannon, 1860 Broadway, New York 23)

30-6. Conference on Internal Medicine, Nassau, Bahamas. (Bahamas Conferences, P.O. Box 1454, Nassau)

May

1-3. American Oil Chemists' Soc., St. Louis, Mo. (K. F. Mattil, Swift and Co., U.S. Yards, Chicago 9, Ill.)

2-3. American Pediatric Soc., Atlantic City, N.J. (C. M. Riley, Denver General Hospital, Denver 4, Colo.)

2-3. Association of American Physicians, Atlantic City, N.J. (P. B. Beeson, Yale Univ. School of Medicine, New Haven 11, Conn.)

2-5. Criticality Control in Chemical and Metallurgical Plant, intern. symp., OEEC, Karlsruhe, Germany. (European Nuclear Energy Agency, 38, Boulevard Suchet, Paris 16, France)

2-6. American Assoc. on Mental Deficiency, Cincinnati, Ohio. (N. A. Dayton, Mansfield Training School, Mansfield Depot, Conn.)

3-5. Nuclear Applications in Space Conf., Gatlinburg, Tenn. (J. J. Harford, American Rocket Soc., 500 Fifth Ave., New York, N.Y.)

3-6. American Goiter Assoc., Philadelphia, Pa. (J. C. McClintock, 702 Madison Ave., Albany 8, N.Y.)

3-6. Midwestern Psychological Assoc., Chicago, Ill. (I. E. Farber, Dept. of Psychology, State Univ. of Iowa, Iowa City)

3-7. Student American Medical Assoc., Chicago, Ill. (R. F. Staudacher, 430 N. Michigan Ave., Chicago 11)

4-5. Human Factors in Electronics, 2nd natl. symp., Arlington, Va. (H. P. Birmingham, Human Engineering Development Section, U.S. Naval Research Laboratory, Washington 25)

4-5. Society for Pediatric Research, Atlantic City, N.J. (C. D. West, Children's Hospital, Cincinnati 29, Ohio)

4-6. American Ethnological Soc., Co-



INSTRUMENTS

APPLIED PHYSICS CORPORATION
2724 South Peck Road
Monrovia, California

lumbus, Ohio. (Miss N. F. S. Woodbury, Arizona State Museum, Univ. of Arizona, Tucson)

4-6. American Philosophical Assoc., western division, St. Louis, Mo. (L. E. Hahn, Washington Univ., St. Louis 30, Mo.)

4-6. American Soc. of Human Genetics, Atlantic City, N.J. (W. J. Schull, 1133 E. Catherine St., Ann Arbor, Mich.)

4-6. New York State Psychological Assoc., annual, Rochester. (H. P. Iker, Strong Memorial Hospital, Room R-201, 260 Crittenden Blvd., Rochester 20)

4-6. Pediatric Surgery, symp., New York, N.Y. (Office of the Associate Dean, New York Univ. Post-Graduate Medical School, 550 First Ave., New York 16)

4-6. Society for American Archaeology, Columbus, Ohio. (J. B. Wheat, Univ. of Colorado Museum, Boulder)

4-7. Hypertension Symp. (by Hahnemann Medical College), Philadelphia, Pa. (Hahnemann Medical College and Hospital, 235 N. 15 St., Philadelphia 2)

5-6. Population Assoc. of America, New York, N.Y. (K. B. Mayer, Dept. of Sociology and Anthropology, Brown Univ., Providence 12, R.I.)

5-7. American Soc. of Internal Medicine, Miami Beach, Fla. (G. T. Bates, 350 Post St., San Francisco 8, Calif.)

5-8. American Psychoanalytic Assoc., Chicago, Ill. (Mrs. H. Fischer, 1 E. 57 St., New York 22)

6-7. Academy of Psychoanalysis, annual, Chicago, Ill. (J. H. Merin, 49 E. 78 St., New York 21)

6-9. Circuit Theory, 5th midwestern symp., Urbana, Ill. (M. E. Van Valkenburg, Dept. of Electrical Engineering, Univ. of Illinois, Urbana)

7-10. American Inst. of Chemical Engineers, Cleveland, Ohio. (J. F. Van Antwerpen, ALChE, 25 W. 45 St., New York 36)

7-11. Institute of Food Technologists, New York, N.Y. (C. S. Lawrence, 176 W. Adams St., Chicago 3, Ill.)

7-12. Medical Library Assoc., Inc., Seattle, Wash. (Miss R. J. Mann, Mayo Clinic Library, Rochester, Minn.)

7-12. Society of American Bacteriologists, 62nd annual, Kansas City, Mo. (E. M. Foster, 311 Bacteriology, Univ. of Wisconsin, Madison 6)

7-12. Society of Motion Picture and Television Engineers, Toronto, Canada. (SMPTE, 55 W. 42 St., New York 36)

8-9. Titrimetric Methods of Analysis, symp., Cornwall, Ontario, Canada. [J. R. McCallum, Courtaulds (Canada) Ltd., Cornwall]

8-10. Aerospace Electronics Conf., 13th annual natl., Dayton, Ohio. (R. G. Stimmel, Institute of Radio Engineers, 1 E. 79 St., New York 21)

8-10. Instrument Soc. of America, Power Instrumentation Symp., 4th natl., Chicago, Ill. (H. A. Van Wassen, Duquesne Light Co., Pittsburgh 19, Pa.)

8-10. Mathematical Theories of Biological Phenomena, symp., New York, N.Y. (N. Rashevsky, Committee on Mathematical Biology, 5741 Drexel Ave., Chicago 37, Ill.)

8-12. American College of Physicians, 42nd annual, Miami Beach, Fla. (ACP, 4200 Pine St., Philadelphia 4, Pa.)

(See issue of 17 February for comprehensive list)



NEWEST FISHER GLASSWARE WASHER REDUCES LAB "HOUSEKEEPING" TIME, COSTS.

No reason for even the small lab to waste time doing "dishes" by hand, run risk of breakage. New, medium-capacity Fisher Standard Washer gets average loads sparkling clean . . . quickly, economically, safely. Easy to load; easy to operate—convenient selector switch controls wash cycle. Saves detergent, too. (Ideal supplement in large labs for the big-capacity Fisher Deluxe Washer.) **Both washers available** from your nearest Fisher branch. Or for data-packed booklet, write Fisher Scientific Company, 139 Fisher Building, Pittsburgh 19, Pa., for free Bulletin FS-215. J-161



FISHER SCIENTIFIC

World's Largest Manufacturer-Distributor of Laboratory Appliances & Reagent Chemicals

Boston • Chicago • Fort Worth • Houston • New York • Odessa, Texas
Philadelphia • Pittsburgh • St. Louis • Washington • Montreal • Toronto