

Letters

Scientists and the CIA

On 24 January I was visited by a representative of the Central Intelligence Agency. He asked me for information about the direction being taken by certain foreign scientists in the field of neurophysiology. I felt I should not give him this information, I discussed my reasons with him, and he left.

A request of this type places a member of a university faculty in a very difficult position. Any knowledge or skill one has is freely available; if a colleague had asked me the CIA questions I would have replied without hesitation. But there must be another side to this coin of academic free speech: one should reasonably ask the questioner to share the same ethics and tell you specifically for what purpose he intends to use your information. If one is responsible for the information one hands out, one is also partially responsible for any use to which it is put. A professor's duty is to profess, but he must remain in a position to assess the consequences of his profession. A second consequence of a relationship between scientists and the CIA would be to limit the freedom of discussion between American and foreign colleagues. No one speaks to an official, however sympathetic, as freely as one speaks to a friend. We have all had the experience of talking to foreign scientists who were certainly part-time intelligence agents and part-time scientists, and these conversations are so stultified as to be a travesty of the usually free exchange and argument of a scientific discussion. Any general and indiscriminate questioning by the CIA of scientists, in fields such as the life sciences which are normally free of security restrictions, increases the danger that American scientists will be regarded by their foreign colleagues as government agents, as these colleagues now regard scientists from some other countries.

The regrettable state of the world

makes necessary the existence of unfortunate agencies such as the CIA, but one hopes that their activities can be sufficiently restricted so that the entire scientific community does not become involved. As the scope of these agencies enlarges, anything can become grist for their mill; let us hope that academic freedom is not included.

PATRICK D. WALL
*Department of Biology, Massachusetts
Institute of Technology, Cambridge*

"Projections" versus "Forecasts" in Human Population Studies

Dorn, in his recent article about human population growth (1), has credited our work on the same subject (2, 3) as setting "a record, for the entire class of forecasts prepared by the use of mathematical functions, for the short length of time required to demonstrate its unreliability."

According to Dorn, a happy contrast to this method which he describes as "the extrapolation of mathematical curves fitted to the past trend of population increase" is the "analytical approach," which he assures us by no means tries to make a forecast ["to estimate or calculate in advance" (4)], but gives "merely indications of the population that would result from the hypothetical assumptions concerning the future trend in fertility, mortality, and migration. However, the projections of

fertility, mortality, and migration usually are chosen to include what the authors believe will be the range of likely possibilities. . . ." This he properly points out is called a "projection" ["to send forth in one's mind or imagination" (4)]. He states that "the most authoritative projections of the population of the world are those made by the United Nations."

A comparison of the "most authoritative" with the "most unreliable" method is given in Table 1, which lists the United Nations projections (5) made during the past decade for, as an example, the year A.D. 2000, together with the values computed from Eq. 11 of our article (2).

From Table 1 it appears that the "most unreliable" values are just the asymptotes, at the moment of truth, to the "most authoritative projections"; we might mention in passing that the "most authoritative" projectors changed their minds in the last decade by roughly a factor of 2, while the "most unreliable" values (from Eq. 11) are almost independent of the time of their derivation, as was pointed out in our article (2).

The question remains as to what causes the "analytical" method to be so poor in making even short-range projections. The answer is suggested by Dorn, who stresses the point that this method of dealing with a growth process takes into consideration instantaneous first derivatives only—fertility, mortality, and migration. However, it is well known in prediction theory (6) that consideration of higher derivatives will diminish the variance in the expectation values. For instance, we could not catch a ball in flight if we were unable to compute at least its trajectory's second derivative, which happens, in this case, to be a constant. On the other hand, computation of higher and higher derivatives requires more and more data regarding the process under consideration, which can, by the blind ones whose vision of the future is blocked, be obtained only by studying

Table 1. Low, medium, and high world-population projections (in billions) for A.D. 2000, made by the U.N. in four different years and derived from Eq. 11 of our article (2): $N = 1.78 \times 10^{11} / (2027 - t)^{0.99} \pm 7$ percent.

Projection	N (U.N. values)				N from Eq. 11
	Year of estimate				
	1950	1957	1958	1959	
Low			4.88		6.44
Medium	3.20	5.00	5.70	6.20	6.91
High			6.90	~7.00	7.40

LEA & FEBIGER BOOKS

Pharmacology and Therapeutics

By ARTHUR GROLLMAN, Ph.D., M.D., F.A.C.P., Department of Experimental Medicine, The Southwestern Medical School, University of Texas, Dallas. 1131 pages. 236 illustrations, 2 in color. 45 tables. New 5th edition. \$12.50

Dr. Grollman presents a sound understanding of the scientific use of every official drug in current use. The text has been completely revised to include the most recent data on hypertension, hormones, narcotics, antiemetics, tranquilizers, psychomotor stimulants, etc.

A Textbook of Histology

By JOHN C. FINERTY, School of Medicine, University of Miami, Coral Gables; and E. V. COWDRY, Emeritus, Washington University, St. Louis. 573 pages, 7" x 10". 502 illustrations on 374 figures, 18 in color. 5th edition. \$11.00

The blood vascular system as the principal integrator, is the theme of this text. Emphasis is on the functional significance of cells and intercellular substances. Outstanding electromicroscopic illustrations and photomicrographs supplement many charts, tables and laboratory suggestions.

An Atlas of Human Histology

By MARIANO S. H. diFIORE, Faculty of Medical Sciences, University of Buenos Aires. 215 pages, 7" x 10½". 99 color plates. 156 figures. \$8.50. (5th printing.)

This is an atlas of excellently reproduced composite color drawings which reveal to the reader only what might otherwise be seen after a study of several slides. It is an auxiliary textbook of histology. Full, unabbreviated labels are used throughout.

LEA & FEBIGER

Washington Square
Philadelphia 6, Pa.

Please send me books circled above or listed in margin below.

I will return books or pay for those I keep within 60 days of their receipt.

NAME

ADDRESS

CITY ZONE ... STATE
Sc. 4-13-62

174

the past! This simple procedure is, alas, unacceptable to the "analyticist," to whom the past is, for unexplainable reasons, tabu.

In spite of these disagreements in method we are in full agreement with Dorn's conclusions that "man's ability to control his environment" can avert a population catastrophe "provided he rapidly develops cultural substitutes for those harsh but effective governors of his high reproductive potential," because his suggestion is precisely our thesis. We observed that the growth phenomenon of the human population in the past is typical of an open-loop system that is composed of cooperative elements following a superadditive composition rule. An intrinsic instability of such systems, which manifests itself in a pathologically rapid growth, can be avoided by converting the open-loop system into a closed-loop system. Hence, we suggested a "population servo," which, first of all, has to provide a feedback that informs the system of its present state. Dorn's paper serves our purpose admirably.

HEINZ VON FOERSTER
PATRICIA M. MORA
LAWRENCE W. AMIOT

Department of Electrical Engineering,
University of Illinois, Urbana

References

1. H. F. Dorn, *Science* **135**, 283 (1962).
2. H. von Foerster, P. M. Mora, L. W. Amiot, *ibid.* **132**, 1291 (1960).
3. ———, *ibid.* **133**, 943 (1961); **133**, 1932 (1961).
4. *Webster's New World Dictionary of the American Language* (World Publishing Co., Cleveland, college ed., 1959).
5. U.N. Publ. No. St/IOA/Ser. A/17 (1953); U.N. Preview 4 (July 1957); U.N. Population Bull. No. 14 (1958); U.N. Population Bull. No. 15 (1959).
6. N. Wiener, *Extrapolation, Interpolation, and Smoothing of Stationary Time Series* (Wiley, New York, 1950).

Girdles and Griddles

With much delight I read the following comment by Bancroft W. Sitterly, in his review of *Man's Conquest of the Stars*, by Pierre Rousseau [*Science* **135**, 35 (5 Jan. 1962)]: "The translation seems to convey well the spirit of the French original. One grotesque slip in this English edition is the statement, repeated on a number of pages, that the galactic system has the form of a girdle-cake! But I found no other."

A light sponge-cake batter, perhaps, baked in a fine corset with steel stays—the comparison does seem laughable (although it is not entirely disagreeable to imagine the grace of a wasp-waisted

thermoelectric cooling basis of new CRYSCOPE and OSMOMETER



First application of direct thermoelectric cooling to precision analytical instrumentation results in Cryoscope and Osmometer line with unique advantages.

MAJOR FEATURES

- Direct coupled thermoelectric cooling requires no liquid baths, pumps, compressors or stirrers.
- Ready for use seconds after turning on; complete freezing point determination in two minutes.
- Sample may be reheated and refrozen without removal from instrument.
- Shock and vibration resistant amplifier and meter; no delicate galvanometer.
- One ml. sample size.

APPLICATIONS

- Freezing point depression of solutions.
- Molecular weight determinations.
- Detection of adulterations.
- Monitoring water content of milk.
- Body fluid and biological fluid osmolality.
- Melting and softening points.

The Model CY-1 Cryoscope is direct reading in .001°C from 0°C to -1°C.

The Model CY-2 Osmometer is direct reading in milliosmols from 0 to 3000 milliosmols in switch selected ranges.

Repeatability is $\pm .001^\circ\text{C}$ or better on a standard 1 ml. size sample.

COMPLETE TECHNICAL DETAILS ARE
AVAILABLE ON REQUEST.



We invite your inquiry.

**Industrial
Instruments**

89 Commerce Road, Cedar Grove, Essex County, New Jersey

SCIENCE, VOL. 136