with large-scale operation. For example, the largest current plant, recently completed near Tijuana, Mexico, is producing 7.5 million gallons per day at a reported cost of 65 cents.

Gerard is correct in his application of cold, deep-level seawater for the condensation of atmospheric moisture into freshwater. However, he is not correct when he applies this argument to desalination plants that work on the distillation principle. There the effectiveness depends on the maximum water temperature obtained in the brine heater, and it is obviously better to start with as high a feed water temperature as possible. The temperature of the brine effluent should be as low as possible but is in no way related to the ocean temperature. One direction of progress therefore lies in increasing the upper operating temperature. When the Office of Saline Water constructed its first large experimental (1 million gallons per day) multistage flash distillation plant in 1961, this temperature was restricted by scale formation to about 93°C (200°F). Within 2 years, through the development of scale prevention techniques, the plant was operating at temperatures up to 121°C (250°F), and the performance ratio was increased to 10 to 1. An advanced multistage multieffect plant at San Diego has operated successfully at temperatures up to 138°C (280°F). This development, together with the improved flow cycle, has increased the performance ratio to 20 to 1. A new pretreatment system now under development by OSW has enabled an experimental multistage flash pilot plant to operate free of scale at temperatures of 163°C (325°F.)

S. FRED SINGER

Office of the Secretary, Department of the Interior, Washington, D.C. 20240

Apollo 13: Cost of Abortion

I have the utmost respect for the bravery of our Apollo 13 astronauts. However, the total appropriation to the National Science Foundation for fiscal year 1969 was \$400 million, while the cost of this unsuccessful Apollo 13 moon shot was about \$380 million. Surely this must be the most expensive legal abortion in history.

DONALD P. DE SYLVA

School of Marine and Atmospheric Sciences, University of Miami, Miami, Florida 33149

Insightful Amateur Astronomer

Among the interesting correspondence which I have received since the publication of my article "Moon illusion explained on the basis of relative size" (20 Feb., p. 1092) are three articles and a letter from Patrick Rizzo, secretary of the Amateur Astronomers Association of New York. In the articles, published in 1963 in The Eyepiece, a monthly bulletin, and a 1960 issue of Asterisks, a publication on instructional topics in astronomy, he arrives at essentially the conclusion I drew in my article; namely, that the zenith moon appears small because of the great expanse of sky near it. Rizzo also clearly states the principle of relativity of perceived size, which is fundamental to my argument, and points out that the moon illusion so conceived is but a special case of such relativistic phenomena, not a peculiar-

In addition, Rizzo provides a good thought experiment in *The Eyepiece* and an excellent history of theories of the moon illusion in *Asterisks*, along with several related observations and phenomena, including information about the changes in size of constellations, and the occurrence of a related illusion seen in the lobby of a movie theater.

Rizzo submitted his articles to the American Journal of Physics (where Boring's experiments were recounted) and to Popular Astronomy, but they were not accepted for publication, and consequently were not conveniently available to the general scientific public. I acknowledge his priority in formulating and publishing this relativistic theory of the moon illusion. It is possible that his institutional affiliation. which cannot be identified wih the scientific establishment, may have retarded publication of his work. It is frightening to consider that an idea may be unpublishable when offered by a comparative unknown, but published in a very prominent journal when offered by a professor of the correct department from a respectable university. We must be alert to open science to the insightful amateur-especially when we consider what a large fraction of the literature published by professionals is derivative, and how little can really be said to break new intellectual ground.

FRANK RESTLE

Department of Psychology, Indiana University, Bloomington 47401

Here's an Instrument that can make the Gradient.




FOR CHROMATOGRAPHIC ELUTION OR FILLING ZONAL ROTORS

With a capacity of 3200 ml/hr, the Model 380 DIALAGRAD Programmed Gradient Pump is especially suited for filling zonal rotors as well as forming liquid chromatographic elution gradients and similar applications. Almost any two component gradient can be formed by simply setting a series of dials. There are no cams to cut or multiple solutions to mix at estimated concentrations. The shape of the curve is determined by setting eleven 0 to 100% dials which represent the initial, final, and nine evenly spaced intermediate ratios. This gives 10 program intervals, each of which are automatically subdivided by five linear interpolations to produce a smooth gradient.

Calibrated flow rates from 1 to 3200 ml/hr and program durations from 5 minutes to 16 days are set with positive stop switches. The DIALAGRAD will produce linear or curved gradients with equal accuracy and the program will be perfectly reproducible run after run. The instrument takes but a few minutes to program and requires no attention during a program run.

For more information, please request Brochure DP 37.





12 JUNE 1970