

Thin Layer Isoelectric Focusing (TLIEF) is a new separation technique offering numerous advantages over conventional isoelectric focusing. These include simultaneous separation of multiple samples with outstanding resolution, accurate and simple pH determinations, and distinct evaluation by paper print technique.

Using a Desaga/Brinkmann TLE Double Chamber offers the added advantage that plates as large as 20x40cm can be utilized, and separations can be run in the 20cm or 40cm direction. (The longer length permits separations even more distinct!) The Chamber also accepts two plates 20x20cm, four plates 20x10cm, and up to eight plates 20x5cm. Multiple separations may be run simultaneously using various carrier materials and/or buffer systems.

The unique Desaga Chamber comes with plastic insulated aluminum cooling block, four independent, removable electrode troughs with platinum electrodes, gas-purging port, and a transparent cover equipped with four safety switches. (Use of a fully-stabilized power supply is recommended). For informative literature, write: Desaga Division, Brinkmann Instruments, Cantiague Road, Westbury, N.Y. 11590.



Circle No. 5 on Readers' Service Card

LETTERS

The Argo Merchant Oil Spill

It is unfortunate that Philip H. Abelson's message "Journalists might have provided a better perspective on the event" in his editorial "Oil spills" (14 Jan., p. 137) also applies to several paragraphs of the editorial. As contributors to the National Academy of Sciences report Petroleum in the Marine Environment (1), to which Abelson refers, we are concerned that his editorial gives an incorrect representation of the conclusions of that report. For example, he compares the estimated annual biosynthetic production of hydrocarbons with annual inputs of petroleum hydrocarbons. However, he fails to point out that there are important compositional differences between petroleum hydrocarbons and biosynthesized hydrocarbons: many of the toxic components of petroleum are not biosynthesized to an appreciable extent, if at all.

When describing processes dissipating oil, Abelson states that substances with a molecular weight less than 300 are "volatilized quickly." How quickly? We analyzed samples of surface oil on 27 December 1976 (R.V. Oceanus Cruise 20), 7 miles east of the Argo Merchant wreck, and found that 18 percent of the wet weight of the tar was the "aromatic" fraction. Major components of this fraction were C₁ and C₂ alkylated naphthalenes with molecular weights of 142 and 156, respectively. These compounds have been shown to be toxic to some marine organisms and to cause shifts in the species composition of phytoplankton at concentrations of 100 parts per billion in controlled experimental ecosystems. Whether they did in the case of the Argo Merchant spill is at present unknown and may never be known.

Abelson discusses mechanisms by which tar balls are removed from surface waters-including sinking as a result of increasing density by various means and because of incorporation into zooplankton fecal pellets. That discussion has a disturbing ring of the "out of sight, out of mind" philosophy regarding pollution. Although sunken tar is out of sight it is not mysteriously lost from the ecosystem. Some may be deposited to sediments, where it may be eaten by benthic animals and introduced into the food web. In the George's Bank area the sediments, as a whole, are an integral part of the benthic ecosystem supporting one of the world's richest fisheries. There is adequate evidence to demonstrate a need for concern should toxic components of the oil become incorporated into the benthic ecosystem. Whether there are short-term (months) and long-term (years) effects on the fisheries can only be documented by adequate study of the area surrounding the *Argo Merchant* spill. This area should be studied to provide a better data base for evaluating and predicting the environmental impact of future spills and the chronic discharge of oil resulting from petroleum exploration and production in the George's Bank area.

JOHN W. FARRINGTON HOWARD L. SANDERS JOHN M. TEAL, J. FREDERICK GRASSLE Woods Hole Oceanographic Institution, Woods Hole, Massachusetts 02543

References

 Ocean Affairs Board, Petroleum in the Marine Environment (National Academy of Sciences, Washington, D.C., 1975).

Interference with Radio Astronomy

The plight of optical astronomers who have been forced by city lights to retreat to remote, uninhabited areas is well understood. Until recently it appeared that radio astronomers could also avoid most man-made interference by locating their observatories away from populated regions. The advent of artificial satellites has meant that no region on earth is free from transmissions in the very high frequency, ultrahigh frequency, and microwave bands which, a few years ago, were almost entirely devoid of interfering signals at sites that had been carefully chosen for radio astronomical observatories.

Recognizing the importance of radio astronomy, the International Telecommunications Union (ITU) has allocated specific bands for radio astronomy. In addition, because of the detrimental effect of space transmissions, radio astronomers are continuing their efforts to have bands adjacent to the radio astronomy bands allocated to terrestrial services only. The 1400- to 1427-Mhz band at the hydrogen line which has been allocated exclusively to radio astronomy is of course of particular importance. The anticipated value of this allocation has been increased by the absence of assignments in adjacent bands to services using transmitters in space.

We must report a case of nonconformance with this international allocation. At our observatory near Penticton, British Columbia, Canada, a spectroscopic rotation synthesis telescope has been operating successfully for several years, mapping supernova remnants, external galaxies, x-ray sources, and other

NEW required reading

for Clinical Chemists from Waters Associates

Monitor Theophylline in Adults, Children, and Neonates



8 page brochure describes theophylline as a bronchodilator, its effective and toxic concentration ranges, various assay methods, and the advantages of LC as a monitor of concentration.

Circle No. 83 on Readers' Service Card

Drugs and Their Metabolites in Biological Fluids



2 page discussion of three types of drugs, their separation and quantitation in serum, plasma, or urine.

Circle No. 84 on Readers' Service Card

High-Performance Liquid Chromatographs



8 pg. illustrated brochure gives complete description of Waters' High-Performance Liquid Chromatographs for all modes of liquid chromatography.

Circle No. 85 on Readers' Service Card

free from



201 Maple Street, Milford, Ma 01757 Telephone (617) 478-2000

The Liquid Chromatography People

astronomical objects using the protected band 1400 to 1427 Mhz. In May 1976, we began receiving strong interfering signals every day. Their characteristics clearly indicated that they originated in an orbiting satellite in contravention of the ITU Table of Radio Allocations (1). The transmissions occur simultaneously at three frequencies, which peak at 1427.23, 1427.43, and 1427.63 Mhz. The signals are so powerful that they are received in the sidelobes of our antennas regardless of where the antennas are pointing.

We wish to draw to the attention of our colleagues at observatories in other countries the existence of these interfering signals and warn them of possible deleterious effects on observations. We have been unable to ascertain officially the national administration responsible for these internationally nonconforming transmissions, but we appeal to all our colleagues to urge their own authorities to restrict space transmissions to frequencies sanctioned by the International Table of Allocations.

> EDWARD ARGYLE CARMAN H. COSTAIN


PETER E. DEWDNEY, JOHN A. GALT THOMAS LANDECKER, ROBERT ROGER Dominion Radio Astrophysical Observatory, Herzberg Institute of Astrophysics, Penticton, British Columbia, Canada V2A 6K3

References and Notes

 Radio Regulations Resolutions and Recommendations (General Secretariat of the International Telecommunications Union, Geneva, 1976). Article 3, Section 1, reads: "The Members and Associate Members of the Union agree that in Associate Members of the Union agree that in assigning frequencies to stations which are capable of causing harmful interference to the services rendered by the stations of another country, such assignments are to be made in accordance with the Table of Frequency Allocations and other provisions of the Regulations' (emphasis added).

A Coming Battle?

Anyone who would like a preview of the coming battle between the old guard of scientists who identify with Big Science agencies (AEC, ERDA, NRC, NASA, NAS, and so forth) and the new breed of scientists who identify with the public that feels threatened by the technology of Big Science can read all about it for the price of postage (\$0.50 in the United States). The Proceedings of a Congressional Seminar on Low-Level Ionizing Radiation has just been published. This seminar has many of the features of an adversary science hearing. For instance, there were accusations that radiation in the vicinity of 1 rad is a serious hazard, a total denial of this accusation, cross-examination of sorts, a transcript of testimony, and a public au-



Did you know the new ISCO absorbance monitor for \$995 is better than anyone else's for \$1500?

It's true. And it's as good as many instruments selling for a lot more. Check the specs on our new Model 226 send for your ISCO catalog now.



Lincoln, Nebraska 68505 Phone (402) 464-0231 Circle No. 96 on Readers' Service Card