Brown Dwarfs

M. Mitchell Waldrop's commentary on the faint companion of van Biesbroeck 8 as the first known "brown dwarf" (Research News, 4 Jan., p. 44) brings to mind a limerick written by Edward Upton about 20 years ago:

> Van Biesbroeck's star is so faint It's either a star or it ain't. There has even been talk That it's only a rock Covered with luminous paint.

Incidentally, astronomers almost universally use the plural form "white dwarfs," so by analogy the new class of objects should be called "brown dwarfs" rather than "brown dwarves."

Owen Gingerich Harvard-Smithsonian Center for Astrophysics, Cambridge, Massachusetts 02138

Dietary Fat Recommendations

I was surprised to read the letters by Steinberg and Lenfant, Rifkind, and Jacoby (8 Feb., p. 582) criticizing Gina Kolata's article about the National Institutes of Health Consensus Development Conference on Lowering Blood Cholesterol to Prevent Heart Disease (Research News, 4 Jan., p. 40). I thought the article was clear, factual, and fair. Kolata correctly reported that there is a genuine controversy in the biomedical community about *certain* aspects of the consensus panel's report.

Of the five major recommendations made by the panel, three dealt with highrisk adults (those with serum cholesterol values greater than 240 milligrams per deciliter) who require identification and treatment; one dealt with the control of obesity, and the last dealt with a blanket recommendation that all Americans, age 2 to 90, adopt fat-modified diets in the interest of preventing atherosclerosis and its complications. It was my observation that there was essentially unanimous support for four of these recommendations but not for the recommendation that all Americans consume fatmodified diets.

Of the 24 speakers at the conference,

Letters

10 expressed reservations about the need for universal diet modification. The 600 persons attending the conference were not polled, so one does not know their stand on the crucial point of recommending diets for persons at very low risk, namely, children, women before menopause, and men with serum cholesterol values below 210 milligrams per deciliter. The evidence for benefit from diet modification in these groups is lacking. In fact, the American Academy of Pediatrics (I) is on record as opposing the recommendation of diet modification for healthy children.

Thus the only clear consensus in the conference was among members of the panel, which consisted of 14 health professionals, many of whom were committed by virtue of previous declarations to programs of global intervention to prevent coronary heart disease.

Science makes progress only through experimentation, argumentation, and debate. The issue of dietary fat modification for the entire population is an intensely controversial one and not an artifact of Kolata's reporting. The issue is one of science, not politics. These arguments will continue despite the complaints of the chairman of the panel and administrators of the National Heart, Lung, and Blood Institute who organized the conference.

ROBERT E. OLSON

Departments of Medicine and Pharmacological Sciences, School of Medicine, Health Sciences Center, State University of New York, Stony Brook 11794-8160

References

1. Nutrition Committee, American Academy of Pediatrics, *Pediatrics* 71, 78 (1983).

Acid Deposition

Philip H. Abelson, in his editorial "Effects of SO₂ and NO_x emissions" (14 Dec., p. 1263), concludes that action to reduce pollutant emissions in the United States would be premature. This conclusion is not supported by information available in the scientific literature and in government reports.

Abelson emphasizes the potential significance of NO_x emissions, but the primary cause of chronic *p*H depressions in surface waters is sulfur deposition, which contributes 80 percent or more (1) of the mineral acidity in acidified clearwater lakes. The fate of sulfur emmissions not deposited in wet precipitation, source-receptor relationships for sulfur, and recent changes in lakewater chemistry, described as "unknown" by Abelson, are extensively discussed in the literature (2, 3).

Abelson states that "the focus of abatement efforts probably should be NO_x " to protect forests in the United States, in part because NO_x is a precursor of ozone. While ozone is phytotoxic and is probably a major source of tree damage in parts of Southern California, the potential impact of acid or sulfate cannot be ignored. Recent studies (4, 5)report sulfate concentrations in Southern California fog and clouds in both urban and forested areas that exceed by an order of magnitude the average sulfate concentration in acid rain in the eastern United States. The potential relation of such high concentrations to tree damage has also been noted (4, 6), along with possible ozone-acid synergisms. Annual average ozone concentrations at one location where the forest has died back, Whiteface Mountain, New York, are well below the 6 parts per hundred million chronic exposure level noted by Abelson as associated with visible damage. However, cloudwater sulfate concentrations are high (7).

The "alarming" mortality in European forests, observed in the course of just a few years, followed anomolies similar to those being reported here (8). Therefore, it does not seem to us that "in the United States there is time to seek knowledge."

Because there is now compelling evidence that surface water acidification cannot be avoided if sulfur dioxide emissions are not reduced by one-half or more (2, 9, 10), it is neither necessary nor prudent to await clarification of all sources of forest damage before acting to protect aquatic systems. Such reductions in emissions, by slowing the chemical alteration of soils and reducing cloud, fog, precipitation, and dry-deposited acidity will also provide some benefit to forests. The probable need for additional NO_x controls does not reduce the benefits to be derived from sulfur control.

The costs of acid rain damage are paid year in and year out as action is slowly pondered. Future risks to resources are substantial. With this understanding, blue ribbon committees of scientists (10, 11) have called for expeditious action to