SDI Report

Science has long been the nation's most penetrating publication on national security issues that involve technology. Hence it is disturbing that William Booth insinuates (News & Comment, 10 July, p. 127) that both the report on the Strategic Defense Initiative (SDI) issued by the American Physical Society (APS) and the criticisms thereof by Lowell Wood and Gregory Canavan are characterized by a "steady drift from the technical to the ideological realm."

The APS panel is not merely "composed of experts," but counts among its members people who are actively engaged in SDI, including the directors of the Air Force Weapons Laboratory and the Massachusetts Institute of Technology's Lincoln Laboratory, as well as two senior scientists from the Sandia National Laboratory. The 423-page report is endorsed by its authors without one dissent on any topic. The study was reviewed by a group that included a former director and serving associate director of Lawrence Livermore National Laboratory and a Nobel laureate who chaired a panel on MX missile basing for President Reagan. The notion that these people produced an ideologically biased brief against SDI is preposterous.

> KURT GOTTFRIED Newman Laboratory of Nuclear Studies, Cornell University, Ithaca, NY 14853

Plutonium Recycling

The Perspective "Why recycle plutonium?" by David Albright and Harold Feiveson (27 Mar., p. 1555) deserves response. The motive for recycling plutonium is certainly a clear one: resource efficiency. Recvcling in light water reactors reduces demands on uranium-a depletable resource when one considers only higher quality, cheaper ore-and in fast breeder reactors it would effectively multiply the fuel resource by many orders of magnitude. Thus, an unstated result of not recycling plutonium would be to foreclose nuclear power as a long-range energy option.

Albright and Feiveson point out, correctly, that shipment of plutonium demands a high level of security. However, so does shipment of diamonds. The question really is: "Is appropriate security affordable?". To the users of reprocessing services, the answer seems to be affirmative.

The authors omit from their discussion any mention of the poor quality (as a weapons material) of recycled plutonium, which contains enough of the higher isotopes of plutonium to compromise easy use in a weapon. A bomb can be made of "reactor grade" plutonium, but it requires more expertise than for "weapon-grade" (1). This is why no weapons power has seriously considered diverting such plutonium to its weapons stockpile. The United States did consider the option of using isotope separation to purify the ²³⁹Pu, which indicates what our military thinks about using reactor-grade plutonium in our nuclear arsenal. We have abandoned this idea in favor of dedicated weapons material production reactors, however. Thus, the principal concern for the safeguarding of this material is to avoid its hijacking by terrorists, and this, contrary to fictional scenarios, is not an expensive security exercise.

The authors make light of the extra difficulties entailed in direct disposal of spent fuel as compared with disposal of reprocessed waste. These difficulties are due to the more awkward and fragile nature of the spent fuel package and the higher heat generation of spent fuel, due largely to its plutonium content. As a result, spent fuel must be buried in a much larger repository. The higher costs cited for spent fuel disposal testify to the greater difficulty of the operation. Even so, its risk factor is doubtless very much greater, for the following reason: while fission product waste, with only a small actinide content, decays to hazard levels comparable with those of natural uranium deposits in less than a few millennia, the time scale for plutonium decay is at least 100 times greater (2). Moreover, spent fuel, if it encounters oxidizing agents, is much more readily destroyed and leached than is glassified fission product waste (3). One wonders what public response will be when these facts become known.

As a final item of rebuttal, I must remark on the costs that Albright and Feiveson quote for reprocessing and fabrication. These costs are those that pertain now. However, when one examines the actual results that these operations achieve, the high prices are unreasonable as compared with similar processes that do not deal with radioactivity, and even unreasonable if one tries to assess the extra costs of dealing with that radioactivity. Thus, they are subject to drastic reduction in the future. Alternative fuel fabrication techniques such as spherepac or spherecal (4) seem intrinsically more capable of automation than present methods of making mixed-oxide fuel are, with resulting drastic decrease in fabrication cost; and we are currently examining at Iowa State a flow sheet, tailored to reprocessing of 10year cooled fuel, which should greatly reduce the costs of reprocessing in the PUREX system (5).

My argument on this point is that it is fallacious to make long-term decisions on the basis of current costs unless these costs are intrinsic. It would be a little like abandoning the development of jet aircraft on the basis of 1939 costs.

> BERNARD I. SPINRAD Department of Nuclear Engineering, Iowa State University, Ames, IA 50011

REFERENCES AND NOTES

- 1. E. L. Zebroski and B. I. Spinrad, in Nuclear Energy-
- E. L. Zebroski and B. I. Spinrad, in Nuclear Energy— A Sensible Alternative, K. O. Ott and B. I. Spinrad, Eds. (Plenum, New York, 1985), pp. 207–221; B. I. Spinrad and E. L. Zebroski, *ibid.*, pp. 265–269.
 M. Benedict, T. H. Pigford, H. W. Levi, Nuclear Chemical Engineering (McGraw-Hill, New York, ed. 2, 1981), pp. 565–626 (particularly figure 11.31, p. 623) 623).
- 3. If oxygenated water contacts UO2, it will be in the long run oxidize it to U_3O_8 . This would increase the volume of the material and would lead to powdering and splitting the cladding, permitting easy leaching of the contents. No similar reaction occurs in glassified waste.
- Spherepac involves sol-gel formation of fuel-particle spheres which, when dried and internally sintered, can be poured into a cladding tube without further calcined, as the powder for pellet fabrication. Both methods significantly reduce the amount of dry powder handling during fabrication.
- 5. O. Zabunoglu, in preparation.

Albright and Feiveson may be correct as to the economics of recycling plutonium in today's nuclear power reactors, but that is not the whole story. In 1977 President Carter initiated an international study of the economic and, more important, the nuclear proliferation implications of reprocessing today's nuclear reactor spent (that is, burned-up) fuels to recover plutonium, and of possible alternative nuclear fuel cycles. The nations that are now starting to reprocess their nuclear spent fuels participated in this study quite responsibly.

The costs for nuclear fuel are small relative to the capital costs to build nuclear power plants and to operate them. Albright and Feiveson's estimates were reasonable before the U.S. dollar began to fall relative to the mark and the yen. A dollar or mark or yen spent for uranium or enrichment overseas has a different value than if spent at home.

It does not make sense to bury this spent fuel or the depleted uranium that accumulates at enrichment plants. About 0.5% of the fission energy is extracted today. With breeders it could be 50% or more. Because it takes much longer for plutonium to decay to harmless daughters than is the case for fission products, designing permanently safe repositories for spent fuel is more difficult