

**Add
Nothing But
Consistency
To Cell
Culture.**



Filtering tissue culture media, additives, growth factors, or protein column eluates prior to use? Then you need Millex® Filter Units with the Durapore® membrane – the lowest protein binding membrane available, providing up to 99% recovery. You won't lose your valuable proteins to the membrane, and it won't cause alterations in protein structure and function. The units are non-cytotoxic – they won't add anything to compromise your cell culture.

Meet Tough Quality Standards.

Millex units are subjected to a battery of tests both during and after manufacture, such as 100% integrity testing. Consistent manufacturing standards and rigorous Q.C. testing are your assurance that we'll add nothing to your process except consistency.

Available Gamma Sterilized!

Durapore Millex units are now available gamma sterilized. They provide the same performance advantages as our traditional units while eliminating contaminants that may adversely affect some sensitive cell types.

Call For Our New Brochure

Dial **1-800-MILLIPORE** (1-800-645-5476) for a copy of our new Small-Volume Filtration Guide. And don't forget to request a copy of the 1994-95 Millipore Catalogue.

MILLIPORE

Copyright © 1993 Millipore Corporation.
Circle No. 33 on Readers' Service Card

**Inhibition of Rev-Mediated
HIV-1 Expression: Retraction**

We regret to report that some experiments performed by the author P. Constantoulakis related to the activity of the protein encoded by the interferon inducible 9-27 gene [P. Constantoulakis, M. Campbell, B. K. Felber, G. Nasioulas, E. Afonina, G. N. Pavlakis, "Inhibition of Rev-mediated HIV-1 expression by an RNA binding protein encoded by the interferon-inducible 9-27 gene," Reports, 26 Feb. 1993, vol. 259, p. 1314] have not been reproducible. These experiments include, but may not be limited to, the filter binding assays presented in figure 2 and the co-transfection assays shown in figure 3C. This calls into question our results and conclusions.

Experiments are in progress to reevaluate the inhibition of human immunodeficiency virus gene expression by the 9-27 protein and the degree to which this inhibition is specific to Rev-dependent expression. However, at this point we prefer to retract the paper until its conclusions are subjected to further experimental tests. We deeply regret any inconvenience that has been caused to the scientific community.

Mel Campbell
Barbara K. Felber
Georgios Nasioulas
Elena Afonina
George N. Pavlakis

Advanced BioScience Laboratories, Inc.,
Frederick Cancer Research
and Development Center,
Frederick, MD 21702-1201, USA

Corrections and Clarifications


In the Research News article by John Travis "Cosmic structures fill southern sky" (25 Mar., p. 1684), the third sentence in the third paragraph should have read, "The voids, for example, tend to run 150 million light-years in diameter."

In Christopher Anderson's News & Comment article "The aftermath of the Gallo case" (7 Jan., p. 20), the name of David Goodstein, Caltech vice provost, was spelled incorrectly. Brackets were also inadvertently omitted around three words in his statement about the impact on scientific misconduct investigations of recent rulings by a federal appeals board. The quotation should have read, "The panel did exactly what should be done by holding a high standard. [High legal standards] chill investigative zealotry." Goodstein was commenting generally on misconduct investigations, not on the Gallo case.

**Beautiful? No.
Reliable? You Bet.**

VIBRATOME® gives you
fresh tissue sectioning
without freezing or embedding.
Simple, precise adjustments cut fresh or
fixed tissue evenly from 20 microns up.

Versatile, too, with a wide variety of
accessories that make your work easier. Now that's beautiful. So, if you're more
interested in how it works than how it looks, choose Vibratome.
Function is beauty.



tpi TECHNICAL
PRODUCTS
INTERNATIONAL, INC.

5918 EVERGREEN / ST. LOUIS, MISSOURI 63134 U.S.A.
(314) 522-8671 (800) 729-4421 FAX (314) 522-6360

FASEB Booth 1233

Circle No. 15 on Readers' Service Card