


are now quite likely to get more notice. Although the shift out of the Platyhelminthes won't come as a surprise to some, "it will grab the people who teach general biology and shake them up," predicts Smith. Baguña thinks the group belongs in its own phylum, but Smith notes that a few other so-called platyhelminths may belong with them. And he would like to see more evidence that the acoels, which have a variety of reproductive strategies, are truly simple. "This is a very strange and diverse set of organisms to be finding as a basal group," he says. But he agrees that acoels will have their day in the limelight. Says Jablonski, "Acoels have gone from being an obscure group to one that can provide potentially great insight into the radiation [of multicellular animals]."

—ELIZABETH PENNISI

PLANT BIOLOGY

Key Molecular Signals Identified in Plants

Biologists trying to trace the communication systems that tell plant cells to develop into a leaf or a fruit or a flower, or to fight off deadly pathogens, have found some of the crucial switches and relays but don't know where the wires go. They have identified dozens of proteins called receptor kinases



Partnerless. The bright areas show *CLV1* messenger RNA in a *CLV3* mutant flower meristem (FM)—evidence that *CLV1* is present, although it is inactive in the absence of *CLV3*.

that receive signals from outside the cell, but they've had little luck in finding the signals that trigger specific receptors, or in tracing what happens in the cell once the receptor is activated. Now, two teams report advances toward putting together one such pathway for the plant *Arabidopsis thaliana*.

The pathway in question helps control the growth of the specialized region at the tip of the shoot, called the apical meristem,

that gives rise to such plant organs as the leaves and flowers. Geneticists have found three genes in that pathway, which were named *CLAVATA* after the Latin "clavatus," for "club," because mutations in the genes cause the meristem to become enlarged and club-shaped. Two years ago, researchers cloned one of the genes, *CLAVATA1* (*CLV1*), and concluded from its sequence that it encodes a receptor kinase. Now, Eliot Meyerowitz of the California Institute of Technology in Pasadena, Rüdiger Simon of the University of Cologne in Germany, and their colleagues report on page 1911 that a protein called *CLAVATA3* (*CLV3*) seems to be the signal, or ligand, that activates the receptor. And in the March issue of *The Plant Cell*, Steven Clark and his colleagues at the University of Michigan, Ann Arbor, announce that they have found two proteins inside the cell that associate with activated *CLV1* and presumably help set in motion the intracellular events that keep meristem size in check.

"It is a big advance," says Joanne Chory, who studies plant receptors at the Salk Institute in La Jolla, California. Adds plant biologist John Walker of the University of Missouri, Columbia: "This is giving us direct insight into the mechanism of how [meristem growth control] works." That in turn may pave the way for altering such agriculturally important traits as fruit size and yield. What's more, the new information will also help researchers figure out how similar receptor kinases that control other plant functions work.

Even though many plant receptors resemble those that respond to extracellular signals in animal cells—a similarity researchers used to identify *CLV1* and other plant receptor kinases—the match is not perfect. The disparities mean that plant researchers cannot conclude from the comparison alone what signals trigger the receptors, or which molecules relay their downstream effects.

Simon's and Meyerowitz's teams have moved the field beyond that impasse, at least for *CLV1*, by cloning the *CLV3* gene. Genetic analysis had already hinted that *CLV3* interacts directly with *CLV1*, and the gene's sequence suggests that *CLV3* encodes a small protein ligand, says Meyerowitz postdoc and lead author on the paper, Jennifer Fletcher.

CLV3 has the hallmarks of a protein that is secreted from cells, and it is made in a different region of the meristem than *CLV1*. Both of these findings, plus others in the paper, suggest that *CLV3* is an extracellular signal that travels to exert its effects on *CLV1*. The researchers have not yet shown that *CLV3* binds to *CLV1*, and until they do, it remains possible that it helps to synthesize or somehow aids the binding of an as-yet-unknown ligand. Nevertheless, "it is very likely" that *CLV3* is the ligand, says plant

ScienceScope

Making Science Pay Russia's applied researchers can look forward to government initiatives to make their work pay for itself. Last week, Science Minister Mikhail Kirpichnikov sketched out plans to support applied research by moving into new commercial ventures, and announced that the German government has promised to lend Russia 100 million marks (\$56 million) to buy scientific equipment over the next 2 years.

Kirpichnikov has talked much about weaning Russia's dwindling scientific corps off of state support (*Science*, 11 December 1998, p. 1979). Now nearly a half-year into his tenure as minister, he's taking the first steps toward that goal. His ministry, with the Economics Ministry and the Russian Academy of Sciences, has proposed forming a governmental commission to ram through tax incentives to encourage entrepreneurial research—a goal shared by the Duma, which is drafting legislation to that effect.



Eleventh-Hour Reprieve? Taking the smallpox virus off death row could serve science, says a U.S. government advisory panel. The finding, released this week, could aid scientists seeking to delay the planned destruction this June of the last two research stocks of the dreaded virus.

Since it was eradicated 2 decades ago, the variola virus has been bottled up like a genie at two high-security labs in the United States and Russia. In 1993, the World Health Organization ordered the stocks destroyed to prevent future outbreaks from their accidental—or intentional—release. But some researchers say variola should be spared, particularly because it might be useful in preparing defenses against smallpox weapons. This week, the preservationists won a small victory: Although it didn't give a direct opinion on what should happen to the stocks, an Institute of Medicine panel concluded that live variola could play an "essential role" in developing new drugs and vaccines. But destruction proponents, such as D. A. Henderson of Johns Hopkins University, say the report is unconvincing.

Now it's up to President Bill Clinton—who has said White House policy will be guided by the new report—to decide what will happen to the U.S.'s smallpox cache.

Contributors: Andrei Ol'khovarov, Eliot Marshall