

SCIENCE'S COMPASS

not mentioned in some subsequent reviews of this field), I most certainly would have referenced them. In addition, I would have given in my footnote 23 his form of the approximate formula for ϕ_c , along with R. P. Kusy's (3).

Upon reading Janzen's papers, I found them more theoretically appealing than Kusy's approach, although, as remarked in the abstract of Janzen's 1980 *Journal of Applied Physics* paper (2), the two models yield quantitative results that are "practically equivalent." I find that both approaches shed significant light on the problem.

Kenneth M. Golden

Department of Mathematics, University of Utah,
Salt Lake City, UT 84112-0090, USA. E-mail:
golden@math.utah.edu

References

1. J. Janzen, *J. Appl. Phys.* **46**, 966 (1975).
2. —, *ibid.* **51**, 2279 (1980).
3. R. P. Kusy, *ibid.*, **48**, 5301 (1977)

CORRECTIONS AND CLARIFICATIONS

In figure 3C (p. 953) of the report "Requirement for type 2 NO synthase for IL-12 signaling in innate immunity" by A. Diefenbach et al. (7 May, p. 951), the line above DETA and DETA/NO should have been bro-

ken between lanes 7 and 8 to show the demarcation between treatments.

In the Letter "Inner sanctum" by R. M. Cook-Deegan (*Science's Compass*, 23 Apr., p. 589), the first sentence should have read, in part, "abandoning the term 'peer review' in favor of 'merit review'...."

The photograph accompanying the News Focus article by Elizabeth Pennisi "From embryos and fossils, new clues to vertebrate evolution" (23 Apr., p. 575) was printed upside-down. The photograph appears correctly below.



In the ScienceScope item "Delayed ... or dead? (2 Apr., p. 21), it should have been stated that the park being discussed is Yellowstone National Park.

In the map accompanying Richard Stone's article "Coming to grips with the Aral Sea's grim legacy" ("Dying Seas," *News Focus*, 2 Apr., p. 30), the country labeled "Iraq" is actually Iran.

In the title and the text of the article "DESY puts the spin into gluons" (A. Helleman, *News of the Week*, 2 Apr., p. 27), it is incorrectly stated that gluons have been found to have spin by the HERMES detector at DESY. As is also stated in the article, HERMES actually found that gluons in nucleons carry part of the nucleon's spin.


In the Tech.Sight item "Sequencing the genome, fast" by J. C. Mullikin and A. A. McMurray (*Science's Compass*, 19 Mar., p. 1867), an error was introduced during editing. The second sentence should have read, "The four bases found in the nucleotides that are linked to form long double helical chains are adenine, thymidine, guanine, and cytosine."

In the fourth paragraph (p. 1827) of the response by Bruce P. Lanphear (*Letters, Science's Compass*, 4 Dec., p. 1826) to the letter by Lynn R. Goldman (4 Dec., p. 1825), under the title "Lead regulation," "25 grams" should have been "25 milligrams."

Primary Human Hematopoietic Cells

- Unprocessed bone marrow
- Bone marrow CD34⁺ cells
- CD34⁺CD38⁻ cells
- Cord blood CD4⁺ T cells
- Dendritic cell precursors
- Bone marrow mononuclear cells
- Bone marrow AC133⁺ cells
- Irradiated stromal cells
- Cord blood CD19⁺ B cells
- Committed erythroid progenitors
- 4-species panel of bone marrow mononuclear cells
- Hematopoietic assays (colony assays, LTC-IC and ELISA)

Poietic Technologies performs an array of contract bioassay services. Data from the Lineage Marker ELISA, which documents the differentiation of CD34⁺ progenitors into specific cell lineages (e.g. megakaryocytes as shown here), correlate well with traditional colony assay data. This assay provides a high-throughput format for screening/drug discovery research.




The 1999 Poietic Technologies catalog is now available. Contact us today and we will send you this 8 page listing of all of our products and assays.

POIETICS™

904 Wind River lane # 102, Gaithersburg, MD 20878
tel: 888-926-9211; fax 301-926-9224
www.poietic.com

BIOXWHITTAKER
A CAMBREX Company


LOOK AT THESE IMAGES.



Now, Look at THESE IMAGES: \$1195.*

THE 1-MILLION-PIXEL DIGITAL CAMERA SYSTEM
No matter what your photomicroscopy application, you cannot get better image quality at a lower price than with a Pixera digital camera system. In fact, to match Pixera's million-pixel resolution, you would have to spend at least 5 times as much. And Pixera gives you everything you need including a full suite of application software so you can visualize, create and communicate.

NOW—THE PERFECT TOOL FOR TELEMEDICINE.
You can capture two- or three-dimensional still or moving images directly to your PC, Mac, or laptop and then manipulate, organize, archive, and communicate those images via video conferencing or e-mail. A new PCI card makes the system unbelievably easy to install and to use. For more information, visit our web site at www.pixera.com or call toll-free 1-888-4 PIXERA.



pixera

*US list price

All images were captured at 1280 x 1024 pixels with a Pixera Professional Digital Camera mounted on a microscope with a standard C-mount adapter.
140 Knowles Drive, Los Gatos, CA 95030 www.pixera.com ©1998 Pixera Corporation.

Circle No. 32 on Readers' Service Card