

## SCIENCE'S COMPASS

thor of the report, Warren Shlomchik, is not mentioned. He was primarily responsible for the ideas and execution of the experiments. We, the senior authors of the report, would like to set the record straight and give credit where credit is due.

**Stephen G. Emerson**

Department of Medicine, Hematology and Oncology, and Department of Pediatrics, University of Pennsylvania School of Medicine, Philadelphia, PA 19104, USA. E-mail: emersons@mail.med.upenn.edu

**Mark J. Shlomchik**


Department of Laboratory Medicine, and Department of Immunology, Yale University School of Medicine, New Haven, CT 06510, USA. E-mail: mark.shlomchik@yale.edu

### CORRECTIONS AND CLARIFICATIONS

In the Table of Contents for the issue of 13 August (p. 976), the legend for the photo illustrating page 1033 should have read, "Eukaryote origins put back a billion [not a 'million'] years."

The Viewpoint "A realizable renewable energy future" by John A. Turner (Energy, 30 July, p. 687) contained an error on page 689. The end of reference 14 should have read, "(available at [www.eren.doe.gov/hydrogen/pdfs/25315o.pdf](http://www.eren.doe.gov/hydrogen/pdfs/25315o.pdf))."

Figure 4C (p. 885) in the report "Molecular identification of a eukaryotic, stretch-activated nonselective cation channel" by M. Kanzaki *et al.* (6 Aug., p. 882) was incorrect. The correct figure appears below.



In the Report "Estimation of particulate organic carbon in the ocean from satellite remote sensing" by D. Stramski *et al.* (9 July, p. 239), the caption for figure 1 on page 240 was incorrect. The second sentence should have read, "The fitted equation (solid line) for the APFZ is  $POC = 17069.0(\pm 1.3) \cdot [b_{bp}(510)]^{0.859(\pm 0.046)}$  ( $r^2 = 0.918$ ,  $n = 33$ ), while the corresponding equation (dashed line) for the Ross Sea is  $POC =$

$$476935.8(\pm 1.5) \cdot [b_{bp}(510)]^{1.277(\pm 0.061)} \quad (r^2 = 0.953, n = 24)."$$

The e-mail address of Robert M. Hamilton, the second author of the editorial in the issue of 18 June (*Science's Compass*, p. 1927), was incorrect. It should have been "bhamilton@nas.edu."

Two of the labels for figure 1A (under "Aware") in the Report "Interactions of prefrontal cortex in relation to awareness in sensory learning" by A. R. McIntosh *et al.* (28 May, p. 1531) were incorrect. They should have read, "Tone+/Target" instead of "Target+/Target" and "Tone-/Target" instead of "Target-/Target."

In the Report "Evolution of a protein fold in vitro" by M. H. J. Cordes *et al.* (9 Apr., p. 325), the protein data base GenBank accession number for the mutant protein was not given. It has now been assigned as 1QTG.

Table 2 of the Review "Genome sequence of the nematode *C. elegans*: A platform for investigating biology" by The *C. elegans* Sequencing Consortium (11 Dec. 1998, p. 2012) contained an error. The number of protein genes on the right arm of chromosome V should have been 1782, not 1018, as published.

Make the most of our  
**Customer  
Service Staff**

■ **Subscribe**

■ **Renew**

■ **Change  
your address**

■ **Claim missing  
back issues**

■ **Order  
additional  
copies**

**Telephone**  
Europe:  
**+44 (0) 1223 326500**

USA:  
**+1 202 326 6417**


**Fax**  
Europe:  
**+44 (0) 1223 326501**

USA:  
**+1 202 842 1065**

**Email**  
**membership@aaas.org**

**We are here to help you**  
**Science**

**LOOK AT THESE IMAGES.**



**Now, Look PRICE: \$1195.\***

**THE 1-MILLION-PIXEL  
DIGITAL CAMERA SYSTEM**  
No matter what your photomicroscopy application, you cannot get better image quality at a lower price than with a Pixera digital camera system. In fact, to match Pixera's million-pixel resolution, you would have to spend at least 5 times as much. And Pixera gives you everything you need including a full suite of application software so you can visualize, create and communicate.

**NOW—THE PERFECT TOOL  
FOR TELEMEDICINE.**  
You can capture two- or three-dimensional still or moving images directly to your PC, Mac, or laptop and then manipulate, organize, archive, and communicate those images via video conferencing or e-mail. A new PCI card makes the system unbelievably easy to install and to use. For more information, visit our web site at [www.pixera.com](http://www.pixera.com) or call toll-free 1-888-4 PIXERA.

**pixera**

\*US list price

All images were captured at 1280 x 1024 pixels with a Pixera Professional Digital Camera mounted on a microscope with a standard C-mount adapter.  
140 Knowles Drive, Los Gatos, CA 95030 [www.pixera.com](http://www.pixera.com) ©1998 Pixera Corporation.

Circle No. 15 on Readers' Service Card