# SCIENCE

Vol. 86

FRIDAY, OCTOBER 22, 1937

No. 2234

The Contributions of Charles Denison and Henry Sewall to Medicine: Dr. FLORENCE R. SABIN	line Papain: DR. A. K. BALLS, HANS LINEWEAVER and R. R. THOMPSON. The Mechanism of Bac- teriophage Production: PROFESSOR A. P. KRUEGER. Purification of Tobacco Mosaic Virus: DR. LAW- RENCE F. MARTIN, H. H. MCKINNEY and DR. L. W.
Scientific Events: Campaigns for Funds to Finance Museums; Col- lections of Mexican Fossils at the University of Michigan; Expeditions of the Field Museum of	BOYLE. Catalytic Reduction of the Methyl Ester of 2:3:4-Triacetyl α-Methyl-Galacturonide to Methyl- Galactoside: Dr. P. A. LEVENE and C. C. CHRIST- MAN 377
Natural History; Lectures at the College of Phy- sicians of Philadelphia; Lake Placid Meeting of the Optical Society of America; Award of the Chemical Industry Medal to Professor Crane	Scientific Apparatus and Laboratory Methods:     A Method for the Sectioning of Protozoa en masse:     DR. C. D. BEERS. The Preservation of Tetanus     Toxin by the Lyophile Process: DR. IRVING J.     WOLMAN   381     Science News   8
in the World: Dr. S. H. KRAINES. Rate of Re- action and Concentration of Enzyme: Dr. JOSEPH BERKSON. Peanut "Pouts": Dr. Z. P. METCALF. Data on Foraminifera Collected by the Works Progress Administration: A. W. VON STRUVE	SCIENCE: A Weekly Journal devoted to the Advance- ment of Science, edited by J. MCKEEN CATTELL and pub- lished every Friday by THE SCIENCE PRESS
Quotations: Science and Democracy	New York City: Grand Central Terminal
Reports: Research Awards of Yale University School of Medicine	Annual Subscription, \$6.00 Single Copies, 15 Cts. SCIENCE is the official organ of the American Associa-
Special Articles: Electrical Stimulation of the Cerebellar Cortex in Unanesthetized Cats: Dr. SAM L. CLARK. Crystal-	tion for the Advancement of Science. Information regard- ing membership in the Association may be secured from the office of the permanent secretary, in the Smithsonian Institution Building, Washington, D. C.

## THE CONTRIBUTIONS OF CHARLES DENISON AND HENRY SEWALL TO MEDICINE<sup>1</sup>

#### By Dr. FLORENCE R. SABIN

THE ROCKEFELLER INSTITUTE FOR MEDICAL RESEARCH, NEW YORK, N. Y.

It gives me the greatest pleasure that you have invited me to come home, as it were, to have a share in this ceremony to commemorate two great men and the distinguished services they have rendered to the development of medicine in this community. To those of you who are students in this medical school, the significance of the evening lies in the future, for the dedication of the Charles Denison Memorial Library and the starting of the Henry Sewall Lectureship in Medicine are gifts that mean continuing opportunities for your education. But to those of us who are of an older generation the occasion is crowded with memories.

We who knew Dr. Denison, and indeed you who

<sup>1</sup>Address on the occasion of the dedication of the Charles Denison Memorial Library and the inauguration of the Henry Sewall Lectureship in Medicine, University of Colorado School of Medicine and Hospitals, Denver, May 28, 1937.

never saw him, save in the revealing portrait which hangs in the library, recognize him as a physician, as the type that all through the ages has been attracted to medicine. In his portrait one can see his extraordinary kindliness as well as the fact that his most outstanding characteristic was his objectivity. By temperament interested in people, he was the kind of man that the Germans have called a Menschenfreund. Beloved of his patients, he carried them through their illnesses. He was trained for medicine in an earlier day, 1867–1869, when observation of the patient was the main method for the diagnosis of disease, yet he was quick to accept the advances of his time. He was inventive and repeatedly published articles on new tools of precision for his work-a new stethoscope, a new spirometer. Skilled in the art of medicine, yet he liked its science. His most absorbing interest was in the therapeutic properties of light. Long before hurried, for the successful transfer depends on the maintenance of an alcohol concentration of about 95 per cent. in and around the bag. Once inside, the top of the bag is drawn shut and the free ends of the thread are cut off near the knot. For greater security the overhand knot may be continued into a square knot before cutting off the ends. There is little danger of tearing the bag upon pulling it shut.

The entire bag plus contents is now to be dehydrated, cleared, infiltrated, imbedded and sectioned, though it is advisable to stain it in alcoholic eosin to facilitate orientation. Since the thread can not be sectioned, the section plane must be at right angles to the longitudinal axis of the bag. Begin cutting tangentially to the deepest part of the bag and proceed toward the thread.

If it is desirable to keep the protozoa concentrated in the bottom of the bag, a metal insect pin may be thrust through the free edges of the bag above the thread. With suitable wire supports at the ends of the pin, it may be kept in a horizontal position with the bag hanging downward from it throughout the entire procedure, including imbedding.

C. D. BEERS

UNIVERSITY OF NORTH CAROLINA

#### THE PRESERVATION OF TETANUS TOXIN BY THE LYOPHILE PROCESS<sup>1</sup>

TETANUS toxin (tetanospasmin), obtained by drying the ammonium sulfate precipitate from a filtered broth culture, must be preserved under rigorous precautions. Aqueous solutions and stock bottles of powder which are repeatedly opened deteriorate rapidly. An additional difficulty is created by the actively hygroscopic behavior of the dried powder which causes errors in the weighing. MacConkey<sup>2</sup> recommended the use of a stable solution prepared by dissolving toxin in equal parts of pure neutral glycerine and distilled water. Most investigators consider it essential to perform guinea pig titrations of their stock toxin with each successive experiment. At the National Institute of Health in Washington, D. C., purified toxin, used as the basis for standardizing therapeutic antiserums, is preserved within small ampoules in vacuo under the influence of pentaphosphoric acid in a cold dark The minimum lethal dose of this purified place.<sup>3</sup> powdered material for 350 gram guinea pigs remains constantly at 0.006 mgm.

In an attempt to avoid these difficulties, the Flosdorf-Mudd lyophile technique<sup>4</sup> has been applied to the problem of tetanus toxin preservation. A known

T. MacConkey, Jour. Hyg., 22: 473-476, 1923-24.
M. J. Rosenau and T. F. Anderson, Hygienic Lab.

Bull. No. 43, March, 1908.

4 E. W. Flosdorf and S. Mudd, Jour. Immunol., 389-425, November, 1935.

quantity of standard toxin, obtained from the National Institute of Health, was dissolved in distilled water and distributed in aliquot portions into a large number of small rubber-stoppered glass ampoules. The solutions were immediately frozen in a bath of dry ice and methyl cellosolve at  $-78^{\circ}$  C., and then dried by high vacuum distillation from the frozen state. The containers were sealed individually under vacuum by heat fusion of the pyrex glass exhaust tubes, and stored away under ice refrigeration (8-10° C.). The powdery residue dissolved instantly when distilled water was reintroduced by syringe and needle through the rubber stopper, in contrast to the slow solubility of the original material.

For example, on one occasion a solution of standard government toxin, which had been obtained from the National Institute of Health, was distributed into 25 lyophile ampoules in 10 cc quantities. The original solution had been prepared in such fashion that, after processing, 0.8 mgm was left in each ampoule as a dry residue. On repeated titrations the MLD of this material was regularly found to be 0.008 mgm.

Five separate solutions of tetanus toxin have been processed by this technique. In each instance a slight inconstant diminution of the initial potency was observed, although within each batch of ampoules there was a consistent uniformity of titer as measured by the MLD test on guinea pigs. These solutions were of various strengths depending on the nature of the experiments in which they were to be used. This lyophile toxin has proved itself most dependable in the course of several series of experiments on tetanus intoxication and treatment carried on over a three year period. No single batch was used for longer than a one year period, however, since beginning deterioration was detected after that time.

In summary, therefore, the lyophile method of preserving tetanus toxin has been found a valuable and time-saving adjunct to experimental investigation.

IRVING J. WOLMAN CHILDREN'S HOSPITAL OF PHILADELPHIA

AND

DEPARTMENT OF PEDIATRICS, UNIVERSITY OF PENNSYLVANIA

#### BOOKS RECEIVED

- BOK, BART J. The Distribution of the Stars in Space. University of Chicago Press. \$2.50. Pp. xvi + 124. A Laboratory Manual of College DEMING, HORACE G.
- Chemistry. Pp. viii + 268. Illustrated. Wiley. \$1.75. GETMAN, FREDERICK, and FARRINGTON DANIELS. Outlines
- of Theoretical Untraction ix + 662. Wiley. \$3.75. SOUTHALL, JAMES P. C. Introduction to Physiological Contine PD. x + 426. Illustrated. Oxford University The Physical
- WOOLDRIDGE, S. W. and R. S. MORGAN. The Physical 272 figures. Basis of Geography. Pp. xxi+444. Longmans. \$4.80.

<sup>&</sup>lt;sup>1</sup> Aided by a grant from the Eli Lilly Fellowship Fund.

## MUNICIPAL CIVIL SERVICE COMMISSION

City of New York

Applications will be received between October 19 and November 10 for the following positions:

Assistant Director (Bureau of Laboratories) open to all qualified citizens of New York State

Duties: To assist the Director in the supervision of one of the divisions of the Bureau of Laboratories of the Health Department of New York City.

Requirements: M.D. degree, or a degree in bacteriology or similar satisfactory degree and five years satisfactory experience in a bacteriological laboratory of recognized standing.

Preferred ages, 30 through 50.

One vacancy at \$4500 and one additional vacancy at \$4500 expected after January 1.

#### Assistant Director (Pneumonia Control)

open to all qualified citizens of the United States Duties: To direct and supervise all phases of Health Department work in connection with the serum therapy of pneumococcus pneumonia.

Requirements: M.D. degree and five years experience in connection with the clinical and laboratory study of pneumonia and considerable research work connected with the serum therapy of pneumococcus pneumonia.

Preferred ages, 30 through 45. One vacancy at \$6000.

Applications must be made on forms furnished by the Municipal Civil Service Commission. These forms and complete information will be sent upon request, but such request must be accompanied by a 9-inch, self-addressed envelope with prepaid postage thereon (3 cents).

Qualified applicants will receive due notice of the date of examination, which will be held in New York City.

Requests for application forms must be received not later than November 7 and the application must be filed before 4 p. m., November 10, 1937.

MUNICIPAL CIVIL SERVICE COMMISSION 1400 Municipal Building

Borough of Manhattan

New York City

### Manual of the Southeastern Flora

(ILLUSTRATED)

Being Descriptions of the Seed-Plants growing naturally in North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Tennessee and Eastern Louisiana

By JOHN KUNKEL SMALL

The Manual is the only complete illustrated work on the flora of the Southeast by a recognized authority.

Price \$10.50 Postpaid THE SCIENCE PRESS PRINTING CO. LANCASTER, PENNSYLVANIA New Introductory Text ELECTRICITY and MAGNETISM

> By S. LEROY BROWN University of Texas

This is a practical basic text for the elementary course in electricity and magnetism, which presupposes a one-year college course in general physics. The discussion is clear and concise, and descriptive material, problems, and experiments are designed and arranged to emphasize fundamental principles and to promote a working knowledge of the subject. Abundantly illustrated.

\$2.80

Other Noteworthy Publications

KIMBALL'S

COLLEGE TEXT-BOOK OF PHYSICS, Fifth Edition

Revised by P. I. Wold, Union College \$4.00


### QUALITATIVE ANALYSIS AND CHEMICAL EQUILIBRIUM

By T. R. Hogness and W. C. Johnson, University of Chicago \$2.75

#### ELEMENTARY CHEMISTRY

By D. G. Hill, J. H. Saylor, W. C. Vosburgh, and R. N. Wilson \$2.80 (Laboratory Manual, \$1.20)

HENRY HOLT AND COMPANY 257 Fourth Avenue New York



# Rectangular MUSEUM JARS



# **OVER 100 SIZES IN STOCK**

Now a jar of suitable size for almost any specimen. Our stock, comprising well over 100 standard and odd sizes, is the largest in America. A complete catalog listing shapes, sizes and prices will gladly be sent upon request.

