

SCIENCE

28 March 1958
Volume 127, Number 3300

Editorial	Meeting of Minds	673
Articles	Color Defect and Color Theory: <i>C. H. Graham</i> and <i>Y. Hsia</i>	675
	Studies of normal and color-blind persons, including a subject color-blind in one eye but not in the other.	
	Production of U.S. Scientists	682
	An office of the National Academy of Sciences reports on trends in the number of doctorates granted in the major fields of science.	
	C.-G. Rossby, Leader of Modern Meteorology: <i>H. C. Willett</i>	686
News of Science	Vanguard I; other recent events	688
Book Reviews	<i>Science and the Social Studies</i> ; other new books	694
Reports	New Approach to Continuous Electrophoresis: <i>R. Dobry</i> and <i>R. K. Finn</i>	697
	Perception of the Shortest Noticeable Dark Time by Schizophrenics: <i>R. T. Saucer</i> and <i>H. Sweetbaum</i>	698
	Leukemia in Hiroshima City Atomic Bomb Survivors: <i>N. Wald</i>	699
	Stimulating Action of Soluble Antigen-Antibody Complexes on Normal Guinea-Pig Smooth Muscle: <i>I. L. Trapani</i> , <i>J. S. Garvey</i> , <i>D. H. Campbell</i>	700
	N-Terminal Amino Acid and Lipid Composition of Lipoproteins from Chyle and Plasma: <i>M. Rodbell</i>	701
	Yellow Acid-Cation Complexes in Lake Water: <i>J. Shapiro</i>	702
	Effect of Iproniazid on Brain Levels of Norepinephrine and Serotonin: <i>S. Spector</i> et al.	704
	Inhibition of Adrenocortical Steroid Secretion by Δ^4 -Cholestenone: <i>D. S. Fredrickson</i> , <i>R. E. Peterson</i> , <i>D. Steinberg</i>	704
	Respiratory Properties of the Hemoglobin of Two Species of Diving Birds: <i>C. Manwell</i>	705
Departments	Letters; Meetings; Equipment	708

8 AU

A resolving power better than 15 AU

is guaranteed for the Electron-Microscope

ELMISKOP I

designed for normal routine work and for special research problems in science and industry.

Special features:

Beam voltages 40, 60, 80 and 100 kv.

Direct magnification continuously variable from 200 to 160,000 times.

Fine-focus condenser for transmission of smallest specimen regions down to a diameter of 3 microns.

Adjustable magnetic stigmators in condenser and objective.

Transmission microscopy (bright- and dark-field, stereoscopic and selected area micrographs).

Diffraction (normal transmission diffraction with and without lenses, high-resolving diffraction, reflection diffraction for conducting specimens, simultaneous diffraction, selected area diffraction).

Universal diffraction unit with heating device (optional).

Object cooling stage (optional).

For work in the industrial field and medical research the simplified design

ELMISKOP II is of increasing importance:

Resolving power better than 25 AU.

Beam voltages 40, 50 and 60 kv.


Direct magnification up to 30,000 times.

Accessories for specimen preparation:

Vacuum Evaporating Unit

11-kc Emulsifier

Resolution test with evaporated palladium
direct magnification 100,000 times
total magnification 1,000,000 times











SIEMENS & HALSKE AKTIENGESSELLSCHAFT
BERLIN • MÜNCHEN

SIEMENS NEW YORK INC.

350, FIFTH AVENUE • NEW YORK 1, N.Y. • TELEPHONE: LONGACRE 4-7674

THE AHEARN & SOPER CO. LTD.

OTTAWA (CANADA) • P.O. BOX 715 • TELEPHONE: C 34068




Versatile B&L Research Microscopes keep pace with your progress



You never outgrow your B&L *Dynoptic* Research Microscope. It grows with you. Whether for routine work or advanced research, it accommodates the most complete range of accessories (all readily available) for visual microscopy, U-V and photomicrography.

And what a pleasure to use! *Dynoptic* frictionless operation saves effort, saves time . . . assures critically focused, vivid images. Controls are positioned low for comfortable manipulation with hand at rest on table. You remain relaxed, at ease, for your best work.

Find out more about your lifetime companion in scientific achievement. Mail the coupon today.



BAUSCH & LOMB

SINCE  1853

BAUSCH & LOMB OPTICAL CO.
75927 St. Paul St., Rochester 2, N. Y.

☐ Please send me B&L Dynoptic Research
Microscope Catalog D-1057


☐ Schedule a demonstration at my convenience

NAME.....

TITLE.....

ADDRESS.....

CITY..... ZONE..... STATE.....



THE NEW



MEDICAL & LABORATORY

MICROSCOPE **SM**

Leitz sets a new standard in introducing this general purpose microscope for student and laboratory use. The **SM** model embodies the advances of design and craftsmanship that only 100 years of microscope experience can provide. It combines solid construction and operational ease with true accuracy and precision. The Leitz MEDICAL & LABORATORY MICROSCOPE **SM** is the ideal microscope for the laboratory. Among its outstanding features are:

- Famous Leitz ball-bearing, single knob, dual focusing control, combines fine and coarse focusing
- Handsome design, solid and dependable construction
- Flat-surfaced stand of corrosion-resistant light alloy
- May be used turned away from observer for easy accessibility to slide
- Instant-locking device changes tubes (inclined or straight monocular or binocular) in a one-step operation
- Variety of object stages to choose from
- Removable mirror interchanges with attachable illuminators
- Retractable spring-loaded mounts on high-powered objectives provide positive protection against damage to slide or front lens.

A TYPICAL COMBINATION OF ACCESSORIES

MEDICAL & LABORATORY MICROSCOPE **SM**, with inclined monocular tube, mechanical stage; two-lens condenser with swing-out upper element and iris diaphragm; quadruple nosepiece; mirror and fork; carrying case. With optical outfit consisting of achromats 3.5x, 10x, 45x, and 100x—oil 6x and 10x eyepieces\$407.50

E. Leitz, Inc., Dept. SC-3
468 Fourth Avenue, New York 16, N. Y.
 Please send me additional information on
 the **SM** Microscope


NAME _____
 STREET _____
 CITY _____ ZONE _____ STATE _____

21357

E. LEITZ, INC., 468 FOURTH AVENUE, NEW YORK 16, N. Y.
 Distributors of the world-famous products of
 Ernst Leitz G. m. b. H., Wetzlar, Germany—Ernst Leitz Canada Ltd.
LEICA CAMERAS • LENSES • MICROSCOPES • BINOCULARS

GLASS ABSORPTION CELLS


made by **KLETT**



Makers of Complete Electrophoresis Apparatus

SCIENTIFIC APPARATUS
Klett-Summerson Photoelectric Colorimeters—
Colorimeters—Nephelometers—Fluorimeters—
Bio-Colorimeters—Comparators—Glass Stand-
ards—Klett Reagents.

Klett Manufacturing Co.
179 East 87 Street, New York, New York



WISHING... for one dependable source for research biochemicals?


Let NUTRITIONAL BIOCHEMICALS CORPORATION be the one answer to all your problems of quality, service, and economy in the biochemical field.

- OVER 225 AMINO ACIDS
- OVER 90 PEPTIDES
- MISCELLANEOUS BIOCHEMICALS
- VITAMINS
- ENZYMES
- GROWTH FACTORS
- OVER 200 NUCLEOPROTEINS, PURINES, PYRIMIDINES
- STEROID HORMONES
- BIOLOGICAL SALT MIXTURES
- BIOLOGICAL TEST MATERIALS




**NUTRITIONAL
BIOCHEMICALS
CORPORATION**

21010 Miles Avenue . . . Cleveland 28, Ohio



Write For
New Catalog
Feb. 1958
Over 2100 Items
Write Dept. 102



**BIND 'EM...
and you'll
find them!**

Keep your copies of **SCIENCE** always available for quick, easy reference in this attractive, practical binder. Simply snap the magazine in or out in a few seconds—no punching or mutilating. It opens **FLAT**—for easy reference and readability. Studily constructed—holds 26 issues.

This beautiful maroon buckram binder stamped in gold leaf will make a fine addition to your library. Only \$3.25 postpaid; add 50¢ for orders outside U.S.A. (Personal check or money order, please.) Name of owner, 75¢ extra; year of issue, 50¢ extra.

SCIENCE

• 1515 Massachusetts Ave., NW,
Washington 5, D.C.

28 MARCH 1958

IF YOU WORK WITH HIGH VACUUM

**AVOID... FUSSING TIME
... TINKERING TIME
... POOR PERFORMANCE
... OPERATING DIFFICULTIES**

Satisfactory design and profitable operation of high vacuum equipment require specialized knowledge and components. Even if you're already a vacuum expert, you can avoid lengthy study, tedious calculations, and costly pitfalls by asking for the assistance of NRC vacuum specialists. That's the quick, sure, no-cost way to assure that you benefit from the lessons learned in thousands of vacuum installations.

NRC Equipment Corporation is your one convenient source for service-proved components, equipment, and systems especially designed for high vacuum service, PLUS technical help in selecting the items which will best suit your own needs.

Write us today.



**ONE SOURCE FOR
ALL HIGH VACUUM**

COMPONENTS

- Baffles
- Cold traps
- Connectors
- Filters
- Gaskets
- Gauges
- Leak detectors
- Seals
- Valves

PUMPS

- Diffusion
- Mechanical
- Mechanical booster

EQUIPMENT

- Altitude chambers
- Coaters
- Crystal pullers
- Exhaust systems
- Furnaces
- Impregnators
- Freeze Driers

*New literature available

**New literature under preparation

A Subsidiary of National Research Corporation
Dept. 25-R, CHARLEMONT ST., NEWTON, MASS.

ONLY

Mann Assayed

BIOCHEMICALS

EVERY PRODUCT ANALYZED
EVERY ANALYSIS ON THE LABEL

p-AMINO BENZOYL-L-GLUTAMIC ACID
Mann Assayed
Sp. Rot. -16.4° (c=2 in 0.1N HCl)
C : 54.3%
H : 5.29%
N : 10.64%
Chromatographically Pure
MANN RESEARCH LABORATORIES, INC.
NEW YORK 6, N. Y.

◀ TYPICAL
ANALYSIS

WRITE FOR REFERENCE GUIDE AND PRICE
LIST 123 CONTAINING COMPLETE
SPECIFICATIONS OF EACH PRODUCT.

PEPTIDES • FATTY ACIDS • ENZYMES • COENZYMES
ANTI-METABOLITES • PYRIMIDINES • AMINO ACIDS
CARBOHYDRATES • HORMONES • NUCLEO PROTEINS
VITAMINS • PURINES • HORMONE INTERMEDIATES
PLANT GROWTH HORMONES • MISC. BIOCHEMICALS



**MANN RESEARCH
LABORATORIES, INC.**

134 E. Liberty Street, New York 6, N. Y. • Stekman 7-5165

PHOTOVOLT Line-Operated Multiplier FLUORESCENCE METER Mod. 540



- High-sensitivity for measurement of low concentrations (full-scale setting for 0.001 microgram quinine sulphate)
- Micro-fluorimetry with liquid volumes as low as 1 ml
- Low blank readings, strict linearity of instrument response
- Universally applicable due to great variety of available filters, sample holders, adapters and other accessories
- Interference filters for high specificity of results and for determining spectral distribution of the fluorescent light
- High-sensitivity nephelometry for low degrees of turbidities
- Fluorescence evaluation of powders, pastes, slurries, and solids, also for spot-tests on filter paper without elution

Write for Bulletin #392 to

PHOTOVOLT CORP.

95 Madison Ave.


New York 16, N. Y.

THE NEW, EFFICIENT

Electric

Desalter

Rapidly removes the inorganic salts that cause streaking in chromatography and electrophoresis.



Write for
Bulletin 1930A
or call your
Authorized RSCo Dealer




RESEARCH SPECIALTIES CO.

2005 HOPKINS ST.

BERKELEY 7, CALIF.

Stoelting

SERVO-GRAPHIC STRIP CHART RECORDER



*Solves your
recording problem*

in the 10 to 100 Millivolt DC range
at the Lowest Cost

CATALOG
No. 22700

- HIGH IMPEDANCE INPUT
- 5" USEFUL CHART WIDTH
- PEN TRAVEL 2" SECOND STD.
- RAPID PEN CHANGING
- TABLE OR PANEL MOUNTING
- HIGH STABILITY

The principle of operation is based on a null balancing system using a multi-turn potentiometer and servo-motor. The simple basic design and rugged construction provides utmost reliability. Features: long life photo-electric chopper, rectilinear recording, variety of chart speeds and drives, mounts and writes horizontal or vertical, all components readily accessible.

C. H. STOELTING CO.

424 N. HOMAN AVE.

CHICAGO 24, ILL.