

Letters

Scientists for Nixon

Boffey's interesting article, "Scientists in politics: Humphrey group outshines Nixon's" (11 Oct., p. 244), quotes Jerome Wiesner's description of scientists supporting Nixon as "the troglodyte, or dinosaur wing of the scientific community" plus a personal smear for me. Permit me the use of your pages to say that, as far as I am concerned, the members of Wiesner's committee are all of them distinguished scientists, good Americans, and above epithets. The organizers of support for Nixon did not foresee that the size of their committee would be a part of a numbers game and announced only the initial group. Yet it should be stated that the Nixon committee was and continues to be scrupulous in announcing none but the names of men willing to serve, while the Humphrey list includes not only individuals who had specifically declined the use of their names, but even a man long deceased (p. 245).

LEWIS L. STRAUSS

Washington, D.C.

I have no reason to believe that the list of 141 founding members of Scientists and Engineers for Humphrey-Muskie, released on 7 October, contains the names of any persons who are not truly supporting Humphrey. However, a newspaper advertisement on 4 August listing "Professors for Humphrey" did indeed contain the names of at least two men who had declined to join the Humphrey group as well as the name of a dead man. I am confident that the listing of these names was the result of clerical error and was not intentional.—P.M.B.

Boycott Chicago!

Bacteriophage workers attending the annual meeting at Cold Spring Harbor, New York, on 2 September were deeply disturbed by the suppression of non-violent demonstrators during the Dem-

ocratic National Convention. To most of us, the behavior of Chicago police was an intolerable violation of the rights of free speech and assembly, an affront to decency which painfully reminded us of the Soviet occupation of Czechoslovakia.

By nearly unanimous agreement, a resolution was adopted condemning the action of the Chicago police and recommending that all American scientific associations boycott Chicago as a meeting site for 10 years. Use of the economic power represented by the choice of a convention site was felt to be an appropriate means by which the scientific community could express its support for basic American principles of free expression.

JOSEPH EIGNER

Washington University, St. Louis

J. D. WATSON

Harvard University, Cambridge

ROBERT HASELKORN

University of Chicago

ETHAN SIGNER

Massachusetts Institute of Technology

DEAN FRASER

Indiana University, Bloomington

HARRISON ECHOLS

University of Wisconsin, Madison

Panama's Sea-Level Canal

Prior to the appearance of Rubinoff's article ("Central American sea-level canal: Possible biological effects," 30 Aug., p. 857), the only facet of the sea-level Panama Canal plan that had attracted the attention of many biologists was the possibility that radiation damage would be caused by the nuclear devices that would presumably be used for the excavation. It was gratifying that someone finally pointed out there would be other important biological effects.

Although Rubinoff's article is thoughtful and informative, it assumes that a sea-level canal will be constructed and looks upon its advent as an opportunity to conduct the greatest biological experiment in man's his-


tory. This approach is unfortunate for it tends to divert attention from a vital conservation problem. What will actually happen if a sea-level canal is excavated? If one takes into consideration the zoogeographic relationships of the two areas concerned, it is possible to make a prediction or at least a rough approximation.

The American tropics is a very rich environment with many more species than are found in temperate latitudes. Along the mainland coast of the Western Caribbean there are probably more than 8000 species of shallow-water, marine animals (including the fishes, the macro-invertebrates, and the smaller meiofauna). Along the Pacific coast of Central America, the fauna is less diverse but the total number of species probably exceeds 6000. Since the fishes are relatively mobile and about 80 to 85 percent of the benthic invertebrate species possess planktotrophic pelagic larvae, it seems that the majority of the above species would be capable of eventually migrating through a salt-water canal.

Also, only a very small proportion of the species in the major groups of marine animals are found on both sides of the Isthmus of Panama. The great majority of the related populations on each side are morphologically distinct from one another and have been regarded as separate species. Since, as Rubinoff noted, the levels of morphological divergence and isolating mechanisms are usually correlated, it appears that a mingling of these allopatric populations would not result in successful interbreeding to the extent that a large number of geminate species would become completely fused.

If only a few of the thousands of related species brought into contact by a saltwater canal were able to completely interbreed, what would be the fate of the great majority? Rubinoff observed that theoretically two such related forms may either coexist without interbreeding or that competition may result in the elimination of one species by the other. There is no reason to suspect that each of the areas in question is not supporting its optimum number of species. Studies of terrestrial biotas have indicated that most continental habitats are ecologically saturated and that islands demonstrate an orderly relationship between area and species diversity. Assuming the niches of the two marine areas are filled, invasion by additional species could alter the faunal composition but should not

the
world
over



...more
laboratories have
standardized on
Tygon plastic Tubing
than on any
other kind

Always insist on
genuine

TYGON[®]
TUBING

For your protection, every foot of genuine Tygon Tubing is branded with the Tygon name and formulation number.

crystal-clear • chemically inert
non-oxidizing • 73 standard sizes

At laboratory supply houses everywhere,
or write Plastics & Synthetics Division,
U.S. Stoneware, Inc., Akron, Ohio 44309.

NORTON U.S. STONEWARE INC.
PLASTICS & SYNTHETICS DIVISION · AKRON, OHIO 44309

21

Circle No. 83 on Readers' Service Card

permanently increase the number of species.

While the Indo-West Pacific region serves as the primary evolutionary and distributional center for the tropical marine world, the Western Atlantic region may be said to rank second in importance. Its geographic area is larger, its habitat diversity is greater, and its fauna is considerably richer than each of the remaining two tropical regions (the Eastern Pacific and the Eastern Atlantic). In general, we know that species from a richer ecosystem will prove to be competitively superior to those from a poorer one. For this reason, it is expected that most of the Western Atlantic species would be able to dominate their Eastern Pacific relatives.

It seems reasonable to assume that a sea-level canal would eventually permit the migration of more than 6000 Western Atlantic species into the Eastern Pacific and also the movement of more than 4000 species in the opposite direction. For the tropical Eastern Pacific, it may be predicted that its fauna would be temporarily enriched but that the resulting competition would soon bring about a widespread extinction among the native species. The elimination of species would continue until the total number in the area returned to about its original level. There is little doubt that the tropical Western Atlantic fauna would suffer far less. With the exception of a few species that may be ecologically distinct, the level of competition would probably be such that the invaders would not be able to establish permanent colonies.

Let us *not* be concerned about preparation for a great biological experiment. The important question is: Should the sea-level canal project be undertaken at all? Are we prepared to assume the responsibility for the irrevocable destruction of several thousand unique species in the Eastern Pacific? Shall we, on the one hand, continue to expend public funds in an effort to save a few endangered species such as the whooping crane and the tule elk and, on the other hand, expend other public funds for a project that will result in the greatest extinction of species the world has ever seen? We must realize that the sea-level canal program poses a conservation problem of an entirely new order of magnitude.

As an alternative, I suggest either an improvement of the existing structure or the construction of a new over-

SCIENTIST'S BEST FRIEND



ISCO's golden fraction collector will become your pal faster than the cutest furry kind of retriever. It will hold 210 test tubes but measures only 13 x 26 inches. Any tube from 13 to 18 mm diameter will fit without adapters. It will count drops, multiple siphon discharges, or time intervals for each tube. It is available with two different controllers, either of which are in their own cabinets and can be removed from the main unit for remote operation.

The removable racks circulate in a continuous pattern and will retrieve from two columns simultaneously. Both lateral and transverse movement is accomplished with just one motor and two spur gears: there are no chains, belts, ratchets, or levers to wear or become unsynchronized. The base is 1/4" thick solid aluminum—you can't damage it. Its gold anodized finish resists stains and wear. The Delrin racks can withstand almost anything spilled on them. Two models are available, priced from \$650 to \$850.

Write for brochure FC37K.



**INSTRUMENTATION
SPECIALTIES CO., INC.**
4700 SUPERIOR LINCOLN, NEBRASKA 68504

Circle No. 78 on Readers' Service Card

land canal that would still contain freshwater for most of its route. There seems to be no reason why we cannot have a canal that could accommodate ships of any size, yet still maintain the freshwater barrier that is so important.

JOHN C. BRIGGS

*Department of Zoology,
University of South Florida,
Tampa 33620*

What Makes a Leader?

In the discussion of "Relevance in testing" by W. W. Turnbull, Devaney (Letters, 23 Aug.) suggests, "Relevance should pertain to the 50-odd years *after* college, not to the 4 to 8 years *in* college." He reaches this conclusion from his observation that a cross section of American leaders reveals only a small percentage of "straight A" students.

The weakness in this argument is the necessary assumption that current American leaders are the best suited to the job of leadership. In an absolute sense, this weakness cannot be overcome since comparative experience will never be available. One can speculate in this direction, however, and might conclude that the decision as to what is relevant in testing requires a determination of ends and objectives. If leadership is involved in a consideration of relevance of testing, the criterion should be success in leading, not simply attainment of a position of leadership.

ROBERT M. CHUTE

*Department of Biology,
Bates College, Lewiston, Maine 04240*

Japanese View on Defoliation

In 1965, the U.S. Armed Forces in South Vietnam began "defoliation operations" which strip the jungle with gasoline and napalm bombs after spraying large quantities of herbicides. According to the official U.S. announcement, these herbicides, including 2,4-D, 2,4,5-T, picloram, and cacodylic acid, were sprayed over a total area of 965,000 acres (390,530 hectares) (1). In addition, the United States announced on 12 May that the budget for "defoliation operations" would be increased by 24.9 percent in fiscal year 1969 and that it planned to spray about

1 NOVEMBER 1968



to your analytical microscopy problems can be found in the extensive Bausch & Lomb Polarizing Microscope line.

Whether you're in textile analysis, glass or plastic stress evaluation, petrography, quality assurance and control, tracking down pollutants . . . we have just what you need, including models for teaching and student use. There's a full complement of accessories for specialized modes for analysis.

But, why not bring yourself up-to-date on the Bausch & Lomb polarizing microscope line? Write for our catalog 31-130, and our free demonstration offer. Bausch & Lomb, 87811 Bausch Street, Rochester, New York 14602.

BAUSCH & LOMB 

SCIENTIFIC INSTRUMENT DIVISION

Circle No. 32 on Readers' Service Card