


9 May 1980 • Vol. 208 • No. 4444

\$1.50

SCIENCE

AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE



Now you can choose from two series of Beckman ultracentrifuges.

L8's—The Most Advanced

The results of six years of intensive research, the Model



L8's are so remarkable, so advanced that they introduce a new era in preparative ultracentrifugation.

Discover features like the Ultra-8™ drive, a frequency-controlled induction motor that drives the rotor directly from inside the vacuum system. We warrant the

complete Ultra-8 drive for 16 billion revolutions!

Microprocessor Control lets you select rotor speed, run time, and other parameters by a finger touch control panel — no knobs or switches.

The Memory-Pac™ Programmable Module is the ultimate in automation. You can program/reprogram it in seconds. For duplicate runs using the same rotor speed, temperature, etc., just insert it in the L8: you get error-free runs with no time spent in setups.

There's a Dry Cycle to remove moisture from the chamber, an ω^2t Integrator with recall capability, built-in slow-start programs, and internal diagnostic systems for simple servicing.

Choose from three models up to 80,000 rpm — only available in the Beckman L8 series.

L5B's—Efficient, economical

The Model L5B's have a host of proven features for separating your samples rapidly and economically. They give you convenience in the Automatic mode, with flexibility in the Manual mode.

A Dry Cycle keeps moisture out of the rotor chamber keeping your ultracentrifuge always ready to run — the next hour or the next day.

0 to 40°C operation lets you run physiological samples at body temperature, increasingly important in a variety of research. And the L-5B drive is powerful and efficient with its DC electric design.

Four models are available, from 50,000 rpm to 75,000 rpm.



For information on the L8, write for Brochure SB-580; for the L-5B, write for Brochure SB-540 — to Beckman Instruments, Inc., Spinco Division, 1117 California Avenue, Palo Alto, CA 94304.

BECKMAN

Circle No. 247 on Readers' Service Card



The way we analyze it:

The Farrand MK-2A Spectrofluorometer is beyond comparison in everything but price.

The MK-2A, our standard MK-2 Spectrofluorometer plus our Autoprocessor 1, automates complex analytical research tasks, and provides features available only from Farrand:

- Real-time correction of excitation spectrum
- Automatic recalibration of stored emission spectrum, in minutes
- Differential fluorescence, ratio fluorescence, and sequential dual beam absorption and transmission measurements in a single instrument
- Automatic scanning between preselected wavelengths, with 4 digit LED display of each monochromator position, and BCD outputs


Watching your budget? Get the MK-2 now, and add the Autoprocessor later. You'll still get these standard features:

- Pushbutton controls, and 3 digit LED display of fluorescence intensity. Autoranging or manual range selection from 0.01 to 10 μ A, with BCD output
- 8 bidirectional monochromator scanning speeds from 5 to 400 nm/min, automatically correlated to recorder speed to maintain constant nm/inch scale
- Sealed lamphouse for 150 watt xenon lamp eliminates need to externally vent toxic ozone. Integral magnetic arc stabilizer increases source stability and extends useful lamp life
- Efficient illumination, f/3.5 monochromators, low noise photometer amplifier, and selected photomultiplier make the MK-2 photon noise limited. Standard sensitivity is better than 1 part per trillion quinine sulfate
- Accessories include Corrected Spectra, Double Beam Fluorescence and Absorption, TLC Scanner, Phosphorescence, Cryogenic Cell, Multicell Turrets, HPLC Flow Cells, Adaptor for Vidicon Multichannel Analyzer

Our modular design offers researchers the widest range of features, options, and accessories available anywhere, at very competitive prices. Buy only what you need — even instruments now in the field can be upgraded with accessories that speed analysis, improve performance, and provide special capabilities.

Our MK-1 Spectrofluorometer, similar to the MK-2, features direct reading microammeter readout, and is available with the Autoprocessor as MK-1A. Two other models with single speed or manual scanning serve quality control and other routine users, and accept most accessories.

Call or write today for complete specifications and prices.



FARRAND OPTICAL CO., INC.
Commercial Products Division
Subsidiary of FARRAND INDUSTRIES, INC.
117 Wall Street
Valhalla, New York 10595 (914) 428-6800



SEE US AT THE BIOPHYSICAL SOCIETY/
AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS' SHOW
BOOTH P12 AND P13, NEW ORLEANS, JUNE 1—JUNE 6

Circle No. 192 on Readers' Service Card

ISSN 0036-8075
9 May 1980

Volume 208, No. 4444

SCIENCE

LETTERS	Carter's Innovation Initiatives: <i>P. M. Smith; E. E. David, Jr.</i> ; Fossils in Asphalt: <i>W. A. Akersten</i> ; Room Temperature: <i>M. A. Crayton</i>	550
EDITORIAL	Beef Production and Consumption	555
ARTICLES	Sweden Beyond Oil: Nuclear Commitments and Solar Options: <i>M. Lönnroth, T. B. Johansson, P. Steen</i>	557
	Does Malnutrition Affect Fecundity? A Summary of Evidence: <i>J. Bongaarts</i>	564
	Animals as an Energy Source in Third World Agriculture: <i>G. M. Ward, T. M. Sutherland, J. M. Sutherland</i>	570
NEWS AND COMMENT	Legislating an End to Animals in the Lab	575
	<i>Briefing</i> : Big Future for Synthetics; Feds Defend Bubble Meddle; Time for <i>Discover</i>	576
	Bergland Opposed on Farm Machine Policy	578
	Another Smallpox Scare	579
	NAS Elects New Members	580
	EPA Announces Toxic Waste Controls	581
RESEARCH NEWS	Perilous Times for U.S. Microcircuit Makers	582
	Do the Japanese Make Better IC's?	585
BOOK REVIEWS	Topics in Plant Population Biology, <i>reviewed by J. Antonovics</i> ; Recent Developments in Gravitation, <i>S. A. Bludman</i> ; Biochemical and Clinical Aspects of Oxygen, <i>P. G. Debrunner</i> ; Ancient Panama, <i>D. Stone</i>	587
REPORTS	Stratospheric Ozone, Middle Ultraviolet Radiation, and Carbon-14 Measurements of Marine Productivity: <i>R. C. Smith and K. S. Baker</i>	592
	Cogeneration of Electric Energy and Nitric Oxide: <i>C. G. Vayenas and R. D. Farr</i>	593

BOARD OF DIRECTORS

CHAIRMAN AND SECRETARIES OF THE SECTIONS

KENNETH E. BOULDING
Retiring President, Chairman

FREDERICK MOSTELLER
President

D. ALLAN BROMLEY
President-Elect

ELOISE E. CLARK
MARTIN M. CUMMINGS

RENÉE C. FOX
NANCIE L. GONZALEZ

MATHEMATICS (A)
Herbert B. Keller
Ronald Graham

PHYSICS (B)
William M. Fairbank
Rolf M. Sinclair

CHEMISTRY (C)
H. S. Gutowsky
William L. Jolly

ASTRONOMY (D)
Tobias Owen
Donat G. Wentzel

PSYCHOLOGY (J)
Lloyd G. Humphreys
Meredith P. Crawford

SOCIAL AND ECONOMIC SCIENCES (K)
Kingsley Davis
Gillian Lindt

HISTORY AND PHILOSOPHY OF SCIENCE (L)
Brooke Hindle
Diana L. Hall

ENGINEERING (M)
H. Norman Abramson
Donald E. Marlowe

EDUCATION (Q)
Joseph D. Novak
Roger G. Olstad

DENTISTRY (R)
Robert J. Genco
Harold M. Fullmer

PHARMACEUTICAL SCIENCES (S)
David A. Knapp
Robert A. Wiley

INFORMATION, COMPUTING, AND COMMUNICATION (T)
Henry M. Kissman
Madeline M. Henderson

VISIONS

ALASKA DIVISION

E. Lee Gorsuch
President

T. Neil Davis
Executive Secretary

PACIFIC DIVISION

William L. Sims
President

Alan E. Leviton
Executive Director

SOUTHWESTERN AND ROCKY MOUNTAIN DIVISION

Sam Shushan
President

M. Michelle Balcomb
Executive Officer

SCIENCE is published weekly on Friday, except the last week in December, by the American Association for the Advancement of Science, 1515 Massachusetts Avenue, NW, Washington, D.C. 20005. Second-class postage (publication No. 484460) paid at Washington, D.C., and at an additional entry. Now combined with *The Scientific Monthly*. Copyright © 1980 by the American Association for the Advancement of Science. Domestic individual membership and subscription (51 issues): \$38. Domestic institutional subscription (51 issues): \$76. Foreign postage extra: Canada \$14, other (surface mail) air-surface via Amsterdam \$45. First class, airmail, school-year, and student rates on request. Single copies \$1.50 (\$2 by mail); back issues \$2.50 (\$3 by mail); classroom rates on request. **Change of address:** allow 6 weeks, giving old and new addresses and seven-digit account number. **Postmaster:** Send Form 3579 to *Science*, 1515 Massachusetts Avenue, NW, Washington, D.C. 20005. *Science* is indexed in the *Reader's Guide to Periodical Literature* and in several specialized indexes.

AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE

Crustal Structure of the Northeastern United States: Contrasts Between Grenville and Appalachian Provinces: <i>S. R. Taylor, M. N. Toksöz, M. P. Chaplin</i>	595
Sexual Characteristics of Adult Female Mice Are Correlated with Their Blood Testosterone Levels During Prenatal Development: <i>F. S. vom Saal and F. H. Bronson</i>	597
Monte Carlo Simulation of Water Behavior Around the Dipeptide <i>N</i> -Acetylalanyl- <i>N</i> -Methylamide: <i>A. T. Hagler, D. J. Osguthorpe, B. Robson</i> . .	599
Calcification Inside Artificial Hearts: Inhibition by Warfarin-Sodium: <i>W. S. Pierce et al.</i>	601
Alteration in Connections Between Muscle and Anterior Horn Motoneurons After Peripheral Nerve Repair: <i>T. M. Brushhart and M.-M. Mesulam</i>	603
Bladder-Surface Glycosaminoglycans: An Efficient Mechanism of Environmental Adaptation: <i>C. L. Parsons, C. Stauffer, J. D. Schmidt</i>	605
Olfactory Sensitivity in Humans: Genetic Versus Environmental Control: <i>H. B. Hubert et al.</i>	607
Gutless Bivalves: <i>R. G. B. Reid and F. R. Bernard</i>	609
Neurotransmitter Receptor Binding in Bovine Cerebral Microvessels: <i>S. J. Peroutka et al.</i>	610
Single-Shot Channel Activation Accounts for Duration of Inhibitory Postsynaptic Potentials in a Central Neuron: <i>D. S. Faber and H. Korn</i>	612
A Disparity Gradient Limit for Binocular Fusion: <i>P. Burt and B. Julesz</i>	615
Telemetered Electromyography of Forelimb Muscle Chains in Gibbons (<i>Hylobates lar</i>): <i>W. L. Jungers and J. T. Stern, Jr.</i>	617
Suprathreshold Processing of Complex Visual Stimuli: Evidence for Linearity in Contrast Perception: <i>A. P. Ginsburg, M. W. Cannon, M. A. Nelson</i>	619
Saccadic Eye Movements and Body Sway: <i>K. D. White, R. B. Post, H. W. Leibowitz</i>	621
Opioid and Nonopioid Mechanisms of Stress Analgesia: <i>J. W. Lewis, J. T. Cannon, J. C. Liebeskind</i>	623
Technical Comments: Rings of Uranus: Proposed Model Is Unworkable: <i>D. M. Hunten; F. P. Fanale et al.; J. Gradie; T. C. Van Flandern</i>	625

PRODUCTS AND MATERIALS

Reverse Osmosis; Blood Gas Controls; Scanning Electron Microscope; Rotary Vacuum Evaporator; Infrared Spectrophotometer; Optical Scanner-Data Processor; Peristaltic Pump; Water Purification System; Literature	628
--	-----

ANNA J. HARRISON RUSSELL W. PETERSON	JOHN C. SAWHILL HARRIET ZUCKERMAN	WILLIAM T. GOLDEN Treasurer	WILLIAM D. CAREY Executive Officer
GEOLOGY AND GEOGRAPHY (E) Doris Malkin Curtis Ramon E. Bisque	BIOLOGICAL SCIENCES (G) Thomas Eisner Walter Chavin	ANTHROPOLOGY (H) Edward I. Fry Priscilla Reining	
MEDICAL SCIENCES (N) Philip K. Bondy Leah M. Lowenstein	AGRICULTURE (O) Roger L. Mitchell Coyt T. Wilson	INDUSTRIAL SCIENCE (P) John D. Caplan Robert L. Stern	
STATISTICS (U) Oscar Kempthorne Ezra Glaser	ATMOSPHERIC AND HYDROSPHERIC SCIENCES (W) Edward S. Epstein Glenn R. Hilst	GENERAL (X) Vera Kistiakowsky S. Fred Singer	


COVER

Photomicrograph of motoneurons in the anterior horn of the spinal cord after injection of horseradish peroxidase into the peroneal muscles. Some of the neurons have been labeled, and others have not. Tetramethyl benzidine procedure with neutral red counterstain (about $\times 170$). See page 603. [T. M. Brushhart and M.-M. Mesulam, Beth Israel Hospital, Boston, Massachusetts]

The American Association for the Advancement of Science was founded in 1848 and incorporated in 1874. Its objects are to further the work of scientists, to facilitate cooperation among them, to foster scientific freedom and responsibility, to improve the effectiveness of science in the promotion of human welfare, and to increase public understanding and appreciation of the importance and promise of the methods of science in human progress.

INTERACTIVE USER REPORTS

"Cost savings of 70%."



Chuck Anastasi, Manager, Timesharing Services, 3M, St. Paul, Minnesota.

Price/Performance.

"3M is a worldwide company with 47 U.S. operating divisions and subsidiaries.

"We were buying computer time from 15 different service bureaus and spending between \$1.5 million and \$2 million a year. Because of this cost we decided to develop an in-house system and establish our own timesharing service.

"Within 18 months we had installed two DECSYSTEM-2060s and were providing 75% of our U.S. timesharing requirements. Eventually, we'll have over 90% of our work done on the in-house computers.

"Our price/performance ratio is outstanding. The in-house service on the DECSYSTEM-2060s costs 30% of what it would cost to do outside. That's a cost savings of 70%, which is even more than we expected."

Versatility.


"The University of D.C. was created in 1976 as a consolidation of three colleges in the area.

"Initially U.D.C. had a batch system, but since it was already overloaded with administrative work, neither the faculty nor the students could get any computer time. We decided to get another system to share the workload and to improve services to the students and the faculty.

"We wanted a distributed system that could be used on all three campuses, and that meant an interactive DECSYSTEM-2060.

"Now we can use our DECSYSTEM-2060 any time day or night because our uptime is over 98%. Our

applications range from word processing for producing proposals to sophisticated graphics, which we use extensively in our Physics, Chemistry, and Engineering departments. And response time is six times faster than with our batch system."




Dr. Daryao S. Khatri, Associate Professor, Physics Dept., University of the District of Columbia, Washington, D.C.



Ease of Use.

"At the Paulsboro Lab of Mobil Research, we do research and development for petroleum refining processes and products.

"Our laboratory was computerized with a network of PDP-8s and PDP-11 s. But to handle the enormous amount of data generated, we decided to add a computer as a database and for data analysis. APL was the language we needed, and we also wanted a system that was easy enough for everybody to use—scientists, engineers, technicians, and management people.



*Dr. Dwight Prater, Sr.
Scientist and Research
Advisor, Mobil Research and
Development Corporation,
Paulsboro, New Jersey.*

"Since most APL -systems on the market had been tested extensively, we knew the best system was APLSF on the DECSYSTEM-2060.

"Now we have up to 45 interactive users at any one time and virtually everybody here can run this system. Even some of the secretaries are trained in APL.

"With the DECSYSTEM-2060 and APLSF, data can be analyzed and processes are developed three to five times faster than before."

DECSYSTEM-2060

The interactive computers
for the big system jobs.

- ☐ Please send your Interactive User Reports Brochure.
- ☐ Please have a sales representative contact me.

Name _____

Title _____

Company _____

Address _____

City _____ State _____

Zip _____ Telephone _____

Send to: Digital Equipment Corporation,
MRI-1/M55, 200 Forest St., Marlborough,
MA 01752. Tel. 617-481-9511, Ext. 6885.

digital

THE ENERGY SERIES

The Growing Energy Library from AAAS

Solar Energy in America, based on in-depth reporting for *SCIENCE* magazine, is a thorough assessment of our progress in tapping the ultimate energy source — the sun. While no single energy source may meet all future demands, solar energy seems to have the greatest potential. It is technically feasible, environmentally attractive, and rapidly becoming commercially sound.

Solar Energy in America details the diverse technologies that depend upon the sun as their energy source, evaluates the potential and the problems of each, and alerts the reader to both the short-term and long-range prospects. The authors find that the field of solar energy is undergoing an unparalleled technical revival, and that there is no reason why many solar technologies cannot begin to be used at once. **Solar Energy in America** is a useful publication for solar energy enthusiasts as well as skeptics, for college students as well as policy analysts. It is a AAAS book for everyone who wants a broad and thorough perspective on solar energy today.

Solar Energy in America; by William D. Metz and Allen L. Hammond. 256 pp. Illus. 1978. 0-87168-301-6 (cloth) \$18.50, 0-87168-238-9 (paper) \$8.50.

ENERGY: Use, Conservation and Supply (Volumes I & II) contain authoritative articles by the leading energy experts. Both books deal with the principal energy-related issues that face science and society today. **ENERGY-I** gives the reader a historical and general overview of our energy problems and examines ways to conserve energy and use it more efficiently. **ENERGY-II** focuses on our remaining supply of fossil fuels and the transition to fission, fusion and solar energy. It also provides an extensive analysis of present domestic and international energy-use patterns. **ENERGY-I** and **ENERGY-II** can serve as valuable reference sources for scientists and researchers, as well as supplementary reading in courses devoted to energy-related topics.

Energy II: Use, Conservation, and Supply; edited by Philip H. Abelson and Allen L. Hammond. 208 pp. Illus. 1978. 0-87168-300-8 (cloth) \$12.00, 0-87168-237-0 (paper) \$5.00.

Energy: Use, Conservation, and Supply; edited and with a foreword by Philip H. Abelson. 160 pp. Illus. 1974. 0-87168-213-3 (cloth) \$10.00, 0-87168-223-0 (paper) \$3.50.

Special Combination Price for both Energy Volumes: \$20.00 (cloth), \$7.00 (paper).

The Proceedings of the Conference on National Energy Policy (a May 1977 conference sponsored by the AAAS, the Carnegie Institution of Washington, and The MITRE Corporation) is addressed to leaders in government, industry and academia whose responsibility it is to build, implement and understand the National Energy Plan.

The Proceedings of the Conference on National Energy Policy; 152 pp. 1977. \$6.00 (paper only).

To order your copies of the above titles, please send your name, address, and list of book titles (indicate casebound or paper) to AAAS, Department CE, 1515 Massachusetts Avenue, NW, Washington, DC 20005. Remittance must accompany all orders under \$10.00.

AAAS members allowed 10% discount on prepaid orders. Please allow 6-8 weeks for delivery.



**American Association for
the Advancement of Science**

Planning a new or upgraded laboratory animal care facility? (Pick our brains.*)

Lab Products Inc.
365 W. Passaic St., Rochelle Park, NJ 07662

Yes, I am planning a ☐ new ☐ upgraded laboratory animal care facility.

I'd like to know—without obligation!—how you've helped others and how you think you can help me. Please note that I'm not now interested in buying anything... I just want to know how you can help me with my planning.

Name _____ Title _____

Organization _____

Address _____

Phone _____ Zip _____
area code number extension SC

☐ For future reference, please let me have your 68-page catalog.

*If that coupon above is gone and you'd like to know how we can help in planning a new or upgraded laboratory animal care facility, give us a call or drop us a line. No obligation whatever.

Lab Products Inc., 365 W. Passaic St.,
Rochelle Park, NJ 07662 (Phone 201/843-4600.)


lab products inc
a **BioMedic** company

Circle No. 200 on Readers' Service Card

Copyright © 1979 BioMedic Corporation

79-143

A BEAUTIFUL NEW MAGAZINE



OF SCIENCE FROM THE AAAS

When profound and beautiful discoveries in mathematics, in human genetics, in radio astronomy go largely unnoticed . . . When new insights into the nature of life, the origin of planets, the chemical basis of behavior are known only to a few . . . When critical public and private choices in energy, health, national security depend on accurate assessments of technical subjects . . .

. . . Then it's time that the public had more than "media events" to inform them about science and technology.

To help fill this need, the American Association for the Advancement of Science is publishing a new magazine, *Science 80*, intended for an educated public readership. The new magazine ranges over the scientific disciplines, medicine, and technology—and their impact on people.

A Magazine for You and Your Family

As a reader of *Science* and as a member of the AAAS, you are already well-informed about the progress and the politics of science. *SCIENCE 80* does not duplicate or replace *Science*, but rather supplements it. We believe that you and your family will find much to enjoy in the new magazine.

Science 80 is edited to entertain as it informs, written by talented science journalists and authors who write with authority but at a level understandable to those with no technical training.

Science 80 will help you keep abreast of what's being done in medicine and health fields. It will help you keep up

with new technologies and tools, new discoveries in chemistry, physics, biology and anthropology.

Splendid Color Illustrations

You will delight in a wealth of vivid science illustrations. Full color photographic portfolios. Micrographs, aerial photography, wildlife portraits. *Science 80* is a magazine you will want to save.

An Authoritative Magazine

Science 80 is grounded in the same commitment to excellence and accuracy that you find in the pages of *Science* every week. William D. Carey, Executive Officer of AAAS and also publisher of *Science*, serves as publisher. Dr. Allen L. Hammond, former Research News Editor of *Science*, is editor.

As an AAAS publication, *Science 80* has available to it the resources of the world's largest general scientific organization.

CHARTER RESERVATION FORM

Please enter my Charter Subscription and bill me for \$9. (6 issues in total.)

NAME _____

Please print

ADDRESS _____

CITY _____ STATE _____ ZIP _____

Send no money. Just mail to *Science 80*, Subscription Department, P.O. Box 10778, Des Moines, Iowa 50340. Allow 6-8 weeks for delivery of first bimonthly issue.

SCIENCE 80

The bimonthly magazine from the American Association for the Advancement of Science

HBA15

Available by Subscription Only

Science 80 is not sold on newsstands. It is available only by subscription. The regular price is \$12 a year. But when you become a Charter Subscriber, your price is only \$9.

Science 80 provides a new and much needed source of information for the public. It will be worthy company in your home for your AAAS membership journal, *Science*. Come learn and enjoy with *Science 80* by reserving your Charter Subscription now!

Sterilize without flame



INOCULATING LOOPS
Complete line—platinum/
iridium wire. Polished
perfect circles for deli-
cate work. Needles
and handles also
available.

BACTICINERATOR II® protects lab
personnel. No flame. No hazardous gas.
Incineration in deep cavity prevents
infectious splatter and cross contamina-
tion. Sterilizes in 5-7 seconds.
Usable in anerobic chambers.

LANCER®

**has the
answer**

*Ask us for complete
information.*

Write Dept. W.O.

Circle No. 204 on Readers' Service Card


BC®
BRUNSWICK

LANCER
DIVISION OF SHERWOOD MEDICAL

A BRUNSWICK COMPANY


ST. LOUIS, MO 63103

You can expect much more from the AO histology team in your lab




S20® Rotary Microtome. A proven performer unequalled in excellence. Extremely accurate and precise. Sections issue from 1 to 50 microns. Easy to clean and lubricate. Sturdy, rigid construction. Safe, secure hand wheel locking.

Circle No. 98 on Readers' Service Card




AUTOCUT Microtome. Sections hard materials, semi-thin plastic embeddings and paraffin embeddings. Ideal for labs with heavy, diverse workload. Available with four interchangeable knife holders. No other microtome can match its ability to perform as many techniques with such simplicity.

Circle No. 99 on Readers' Service Card




BIOCUT 1130 Rotary Microtome. For hard and inhomogeneous tissue in paraffin and plastic. Knives are available with tungsten carbide cutting edges for particularly difficult blocks, as well as with standard steel knives in various profiles. Specimen size is 40 x 50 mm maximum.

Circle No. 100 on Readers' Service Card



T/P 8000™ Tissue Processor. Load it, set it, forget it. The instrument fixes, dehydrates and infiltrates tissue specimens in programmed sequence through 12 stations. Has 100-specimen capacity. Equipped with 24-hour program clock and 72-hour delay timer for unattended operation during weekends or holidays.

Circle No. 101 on Readers' Service Card



CRYO-CUT II™ Microtome. The most convenient precision frozen sectioning instrument ever. Automatic defrost assures frost-free operation with no ice buildup, no defrosting problems. Desired operating temperature range between +10° and -30°F is readily maintained, even with door open. A sliding glass door with built-in heater eliminates condensation.

Circle No. 102 on Readers' Service Card



ULTRACUT™ Ultramicrotome. Ultrathin sectioning is easier for the inexperienced and faster for the professional operator. All controls are within easy reach. Exclusive features include dark-field knife alignment, built-in Reflexomat to maintain proper liquid level in knife boat, audible and visual warning signals when approaching end of specimen or knife advance, unique insulated hull construction.

Circle No. 103 on Readers' Service Card



Microtome Knives. Made from high-quality, fine-grained tool steel, heat treated and tested for hardness and micro structure. Each knife is finish ground, polished and honed to the keenest possible cutting edge that will be maintained even after prolonged use.

Circle No. 106 on Readers' Service Card




Disposable Microtome Blades. For a fresh, sharp cutting edge at all times. Ideal for sectioning tissue with unknown inclusions to eliminate risking damage to expensive knives. AO disposable blades are instantly slipped out of dispenser and locked into position. When blade becomes dull, merely discard.

Circle No. 107 on Readers' Service Card

AO
American Optica

SCIENTIFIC INSTRUMENT DIVISION, BUFFALO, NY 1421

Don't just count your samples. SPECTRALYZE them!



There is more in your sample than just counts.

The analysis of liquid scintillation spectra is recognized as the way of the future. The SPECTRALYZER™ in the TRI-CARB® 460C does it today.

Spectralyzing samples provides—

- **Speed:** Reduced counting times. External Standard information in just 15 seconds.

- **Accuracy:** New quench correction methods. Automatic correction for luminescence events.

- **Precision:** Storage of the spectrum yields higher count rates, therefore better statistical precision.

In addition you'll get—

- **Simplicity:** Simple system interaction by video.
- **Versatility:** Selection of three quench correction techniques and 15 measurement programs.

- **Economy:** The SPECTRALYZER comes free with the TRI-CARB 460C. And that's not all...

It's a TRI-CARB.

Space technology also brings multi-microprocessor control, 50% higher capacity than ordinary liquid scintillation counters, batch handling and PrioSTAT—your second sample changer.

The TRI-CARB 460C is the result of 25 years of leadership and innovation in liquid scintillation counting technology.

Call or write Packard today for complete information.



Packard

Packard Instrument Company, Inc.
2200 Warrenville Road, Downers Grove, IL 60515
Packard Instrument International S.A.
Renggerstrasse 3, CH-8038 Zurich, Switzerland

The World Leader in Liquid Scintillation Counting

Circle No. 303 on Readers' Service Card



Want the only dispenser with a Teflon[®]-coated plunger?

Ask for the 'Teflon Dispenser.'

Why does a Brinkmann Dispensette seem to work more smoothly than other bottle-top dispensers?

The secret is its Teflon-coated plunger.

Dispensers with glass or polypropylene plastic plungers often 'freeze' or 'stick' when used with alkaline reagents. On a Dispensette, the Teflon coating on the plunger insures smooth operation with most reactive chemicals (except HF), even with many concentrated acids and bases.

Of course, it takes more than a smoothly-working plunger to make a dependable dispenser. Instead of external glass tubing that could break or chip, Dispensettes are equipped with flexible Teflon filling and discharge tubes that can easily be cut to any desired length. Simply pull them off and a Dispensette is ready for autoclaving at 120°C without further disassembly.

Dispensette offers a wide selection of models for fast, accurate dispensing of volumes from 0.1 to 50ml, with better than $\pm 1.0\%$ accuracy and $\pm 0.1\%$ reproducibility. There is hardly a standard size screw-neck reagent bottle, can or container (even STJ 24/40 and 29/42 glassware) which a Dispensette will not fit, either directly or with optional screw-in adapters.

Some Dispensette design features have been copied by other dispensers, but none has its smooth, foolproof operation. That's because only Dispensette has a Teflon-coated plunger. Write for literature: Brinkmann Instruments, Inc., Cantiague Rd., Westbury, N.Y. 11590. In Canada: Brinkmann Instruments (Canada), Ltd.

**iB Brinkmann
Dispensette[®]**

Available from: Ace Scientific
Beckman Instruments, Science Essentials Operations
Bio-Rad Laboratories/Cole-Parmer Instrument Co.
Curtin Matheson Scientific/Fisher Scientific
General Scientific/Markson Scientific/Preiser Scientific
Sargent Welch/Scientific Products/SGA Scientific
Arthur H. Thomas/VWR Scientific/Wilkens-Anderson Co.

Circle No. 183 on Readers' Service Card


Dispensette[®] is a registered trademark of R. Brand Co.
Teflon[®] is a Du Pont trademark.

Announcing the 5th Annual

AAAS Colloquium on R&D Policy

19-20 June 1980

*The Shoreham Hotel
2500 Calvert Street, NW
Washington, DC*



The 5th Annual AAAS Colloquium on R&D and Public Policy, sponsored by the AAAS Committee on Science, Engineering, and Public Policy, will convene 19-20 June 1980 in Washington, D. C.

You are invited to participate in this Colloquium and in discussions with leaders in government, industry, and the scientific and technical communities on issues of current concern relating to research and development and public policy-making in an inflationary environment.

Colloquium Topics

What are the major R&D policies? How have they changed over the past year? How does inflation affect R&D decision-making? What are the real links between U. S. outlays for R&D and the factors that govern our economic growth? Speakers and panelists will provide answers and highlight problems as they address the following topics:

- *Federal R&D Issues in the FY 1981 Budget* • The original FY 1981 budget and the budget revision • Federal policies on R&D • Outlook for FY 1982 and the future • Impact of inflation
- *Industry R&D and the Economy* • Problems of R&D in industry • Implementing federal policies on innovation • Coping with inflation • Impacts on economic outlook of federal and industry R&D policies
- *Science and Research at Universities* • Outlook for federal funding of research at universities • Impact of demographic changes on university needs and capabilities • Impact of federal policies and priorities • Public accountability vs. excessive paperwork
- *State and Local Interests in R&D* • State and local funding of R&D • Federal R&D and state and local needs • Technology transfer and building state and local science and technology capabilities
- *Research and Development: AAAS Report V*, by Willis H. Shapley, Albert H. Teich, Gail J. Breslow, and Charles V. Kidd, will be provided in advance to Colloquium registrants. The *Report* covers R&D in the federal budget, R&D in industry, and other topics relating to R&D and public policy. Registrants will also receive the published proceedings of the conference.

Interested persons are urged to register early by using the Colloquium registration form on the facing page.



5th R&D Colloquium

Washington 19-20 June 1980

The fifth AAAS R&D Policy Colloquium will be held on Thursday and Friday, 19 and 20 June 1980 at THE SHOREHAM HOTEL, 2500 Calvert St., NW, Washington, DC 20008.

AAAS Colloquium (19-20 June) Advance Registration—enclosed is check or purchase order for:

- ☐ **\$95** Full Registration (includes lunch on both days, dinner on Thursday, the R&D: FY 81 Report, and the Colloquium Proceedings)
- ☐ **\$55** Partial Registration (includes Report and Proceedings only)
- ☐ **\$25** Student Registration (includes Report and Proceedings only; available to full-time graduate or undergraduate students only)

Separate Meal Tickets (lunches at **\$13** and dinner at **\$19**):

- ☐ Lunch on Thurs., 19th; ☐ Dinner on Thurs., 19th; ☐ Lunch on Fri., 20th

Previous Reports and Proceedings (at **\$5** each):

- ☐ R&D FY 80; ☐ R&D FY 79; ☐ R&D: FY 78; ☐ R&D: FY 77
☐ Proc. 79 Col.; ☐ Proc. 78 Col.; ☐ Proc. 77 Col.; ☐ Proc. 76 Col.

Program, badge, meal tickets, and R&D: FY 81 Report will be sent about 9 June. Registrations received after 9 June will be held at the AAAS Registration Desk at The Shoreham Hotel. Previous reports ordered will be sent as soon as possible. Proceedings of 80 Colloquium will be sent as soon as available.

Registrant's Name _____
(last name) (first and initial)

Affiliation _____

Address _____
(street and number)

(city)

(state and zip)

(telephone number)

- ☐ Please check here if you need special services due to handicap. We will contact you prior to the meeting.

Mail to: AAAS Meetings R&D, 1776 Massachusetts Ave., NW, Washington, DC 20036

Shoreham Hotel Reservation—AAAS Colloquium (19-20 June)

(Reservations received after 16 May cannot be guaranteed)

Room: ___ Single (\$58*) ___ Double (\$72*) ___ Twin (\$72*)

*Plus 8% D.C. sales tax; and 80¢ occupancy tax.

Arrival: Date _____ Time _____

Departure: Date _____ Time _____

Be sure to list definite arrival and departure date and time. Hotel reservations will be held only until 6 p.m. unless otherwise specified. Check out time is 1:00 p.m.

Names and Addresses of All Occupants of Room:

Name _____

Name _____

Address _____

Address _____

City _____ State _____ Zip _____

City _____ State _____ Zip _____

Please indicate any special

housing needs due to a handicap _____


Please enclose separate check, made out to **Shoreham Hotel**, for first night's room charge *or* indicate major credit card No.

Card name _____ Number _____ Expires _____


Cardholder's signature _____

Mail to AAAS Meetings R&D, 1776 Massachusetts Ave., NW, Washington, DC 20036

Hitachi H-300: The world's first Universal Electron Microscope (UEM)



Mouse glomerules at 700X, full frame; wider field of view, with full frame, obtainable at 250X.




Magnetic tape, Au coated @ 100,000X.

It's a TEM

4.5Å guaranteed
75 kV
250X-100,000X

It's a SEM

100Å guaranteed
20 kV
50X-100,000X



We call the H-300 a UEM because there's simply no conventional way to describe it. For the first time, a full-fledged TEM and a full-fledged SEM are packaged in a common console—without compromising performance in either mode.

The TEM mode, for example, includes a wide field, low mag image free of peripheral blur. This eliminates tedious montaging. You also get zoom over the entire magnifica-

tion range. An eucentric side-entry goniometer stage is optional.

As an SEM, the H-300 is just as versatile, easily handles bulk specimens. You can also add options like Mode Control with EDX interface, an energy dispersive X-ray spectrometer and Automatic Data Display. Plus Hitachi-patented Dual Magnification: using a single CRT, you can switch from a low mag view of your specimen to a high mag view of a specific field of interest.

In short, the H-300 gives you, in the space of one instrument, a total electron microscopy capability.

Best of all, you can get the UEM package for under \$70K. Or, buy it as a TEM for under \$50K, integrate the SEM later. For full details and/or a demonstration, call or write: Hitachi Scientific Instruments Division, 460 East Middlefield Road, Mountain View, California 94043. Phone (415) 961-0461.



HITACHI
SCIENTIFIC INSTRUMENTS
NISSEI SANGYO AMERICA, LTD.

Off-the-shelf Monoclonal Antibodies from Becton Dickinson

Consistency, ready availability, assured quality... Becton Dickinson monoclonal antibodies are characterized by homogeneity and high specificity for cell surface antigens. Production by hybridomas ensures a continuous, virtually unlimited supply of monospecific antibody. Each is carefully tested for conformance with a standard preparation using two-dimensional gel electrophoresis, cytotoxicity, and fluorescence staining with Fluorescence Activated Cell Sorter (FACS) analysis. Specific test data are provided with all shipments.

Select from over 30 products, including anti-mouse monoclonal antibodies to Thy 1.2, Lyt-1, Lyt-2, IgD (Ig5a and Ig5b), and the histocompatibility antigens Ia^k(2), Ia^k(17), and H-2K^k.

Each antibody is available in purified form for such applications as cytotoxicity and cell separations. The antibodies are also available as biotin, arsanilate, or fluorescein conjugates for immunofluorescence studies involving fluorescence microscopy or FACS analysis. Our second-step reagents, labeled with fluorescein and

rhodamine, can be used for two-color staining.


Put Becton Dickinson monoclonal antibodies in *your* refrigerator! For more information about these off-the-shelf reagents, write or call us today.

**BECTON
DICKINSON**

Becton Dickinson FACS Systems
Monoclonal Antibody Center
490-B Lakeside Drive
Sunnyvale, California 94086
Telephone 408/738-8558
TWX 910 338 2026

For research only, not for use in human diagnostic or therapeutic procedures.

Circle No. 277 on Readers' Service Card



If you are not aware of the many analytical capabilities of the Philips EM-400T Electron Microscope, then this should open your eyes.

The EM-400T offers the ability to analyze sample areas down to a billionth of a meter and to detect elemental components down to 10^{-20} grams. Structure in equivalent volumes is also revealed by "nanoprobe" electron diffraction.

The versatility of the powerful "twin" objective lens makes it possible to offer these analytical capabilities in the *TEM mode while retaining imaging resolution of atomic dimensions.

By the addition of a scanning console, analysis is combined with top performance in a number of imaging modes:

*TEM to 0.2 nanometers lattice resolution

**SEM to 2.5 nanometers resolution

***S(T)EM to 1.5 nanometers resolution

Mode selection is possible at any time by fingertip controls.


Sensitivity for elemental analysis is assured by the unmatched collection efficiency of the 0.13 SR X-ray detector.

With the EM-400T, new avenues of research are being opened up to you.

Higher brightness sources, lanthanum hexaboride and field emission guns increase special resolution and analytical sensitivity. Analysis of light elements is

at hand with the developing field of energy loss analysis, with the further potential for obtaining information on molecular bonding and valence state.

Learn more about the EM-400T, the world's finest electron microscope. Send for the EM-400T nano-analysis package. Write, Philips Electronic Instruments Electron Optics Group, 85 McKee Drive, Mahwah, NJ 07430. Telephone (201) 529-3800.



**It
Does
More
Than
Just
See.**

Electron diffraction pattern of Grunerite ("Amosite"). Image made with Philips STEM 400.

Courtesy of John L. Miller, Emissions Measurement and Characterization Division, Environmental Science Research Laboratory, Triangle Park, N.C.



**Electronic
Instruments**

PHILIPS

Circle No. 198 on Readers' Service Card



NEW
Solid State.
 Br^- , Cl^- , F^- ,
 CN^-/I^- , $\text{Ag}^+/\text{S}^{2-}$
Ion Electrodes.

Crystalline membrane.
Chemically resistant
outer shell.
Quick, stable reading.
For rugged,
dependable
performance.



NEW
Glass.
 Na^+ and
Monovalent
Ion Electrodes.

Consistent precision.
Reliable Corning membranes
are sensitive to
a variety of cations.
Quick, efficient response.
Easy to handle.
Broad temperature range.



NEW
PVC Liquid
Ion Exchange.
 Ca^{++} , K^+ , and NO_3^-
Ion Electrodes.

Quick, accurate readings over a
wide concentration range. Liquid
locked in PVC to eliminate the
handling difficulties associated
with liquid ion exchangers.
Three sensing modules with
each electrode.

**TEN NEW ION SELECTIVE ELECTRODES
GOOD ENOUGH TO WEAR THE CORNING NAME.**

We'll stop by with all the facts on
the new CORNING Ion Selective
Electrodes. Just clip this coupon to
your letterhead and mail to Science
Products Division, Mail Station 18,
Attention: NLF, Corning Glass
Works, Corning, New York 14830.
For literature only, circle reader service card.

CORNING

SE-05-ISE

**pH CORNINGTM
ware**

Available through Fisher Scientific and Curtin Matheson Scientific.

Circle No. 217 on Readers' Service Card

Peptides



**Highest
quality,
affordable
prices.**

You know Beckman quality is in every synthetic peptide we supply. But, you're in for a surprise if you haven't checked our new, lower prices. We offer you a wide variety of peptides related to some of the most exciting areas of research: central nervous system, renin-angiotensin system, calcium metabolism. In addition, we offer a selection of gastrointestinal hormones, bradykinin and related peptides, protease inhibitors, and others.

It all adds up to the fact that Beckman has the best value in peptides. For the latest information about our peptides, send for Peptide Catalog SB-464 to Beckman Instruments, Inc., Bioproducts Operation, 1117 California Avenue, Palo Alto, California 94304.

BECKMAN

LETTERS

Carter's Innovation Initiatives

Edward E. David's editorial "General Sarnoff and generic research" (15 Feb., p. 719), presents an inaccurate view of announced Carter Administration innovation initiatives, such as the generic technology centers and the Cooperative Automotive Research Program. David portrays the President's initiatives both as an overt attempt by the federal government to steer industrial technology and as massive proposals that do not recognize the requirements inherent in successful industrial research and innovation. In contrast to these assertions, the programs have been developed on the basis of careful review and deliberation involving industry and they are designed to complement, not supplant, industry's own important innovative activities.

The generic technology centers in the President's innovation initiatives are a balanced approach to research and advanced technology development in the area of generic technology. In practice, they will be directed toward problems such as automated assembly technologies, membrane technology, catalysis, and so on, that cut across industrial sectors. They are not product development or marketing enterprises. The government's involvement will initially be about \$2 million a year for each center, but it will be reduced, over a number of years, to a phaseout. If the generic technology program is successful, the President may expand the effort in the direction of increasing the number of such centers. It would not expand toward intervention into what must be the domain of industry—the specific utilization of such generic work in pursuit of particular manufacturing or market objectives. The Administration's concept of generic technology is considerably narrower and is limited in level of effort. In this respect we are in agreement with David.

The Cooperative Automotive Research Program (CARP) is not directed toward the "reinvention of the automobile" (although it was portrayed this way at one time), nor is it directed toward fuel efficiency as a single, overarching goal, although the research sponsored through CARP will contribute to fuel efficiency, among other advances. It is a program of basic research, primarily in the physical sciences and engineering. It is "targeted" in that the research will be chosen in part for its relevance to automotive technology. It will not build a new series of research centers, but in-

stead will largely build on existing capabilities of industry and university research facilities. CARP contains a number of features designed to obtain success; they happen to be the elements David thinks are absent. They include:

1) Enthusiastic industrial involvement. CARP has program agreement and financial commitment at the chief executive level by the five American automobile manufacturers.

2) University-industry linkages in basic research. Through joint research projects and personnel exchanges CARP will incorporate linkages in disciplinary and interdisciplinary science that can have useful value in both the academic and the industrial laboratory.

3) Long-term commitment. There is a presidential commitment, with a federal funding plan to extend over a decade. Industry commitment will be for 5 years and will presumably continue if CARP is successful.

4) Expectations commensurate with program scope. There are no demands by federal funding agencies or industry executives for quick payoff results.

5) Leadership and management. Many features of the industry-government agreement on CARP are designed to help ensure good management: for example, project review, annual oversight reviews, and so forth.

CARP has been worked out jointly between the five automakers and the government, represented by the Secretary of Transportation and the Director, Office of Science and Technology Policy. It is not an effort of Washingtonians laying a plan developed within federal agencies on industry. Moreover, CARP is a different concept from the goal-oriented automotive technology efforts that were developed in the Nixon Administration.

Both the generic research center activity and CARP are designed to be supportive of the development of industrial technology by the private sector through provision of related basic research, and as such are, we believe, quite consistent with many of the objectives of industrialists such as David.

PHILIP M. SMITH
*Office of Science and Technology Policy,
Executive Office of the President,
Washington, D.C. 20500*

The presumably official view of the "Carter Administration innovation initiatives" in response to my 15 February editorial documents the fragility of an industrial innovation strategy based on direct government action. The editorial indeed catches the spirit and the fact of misdirected federal initiatives and the

absence of effective actions recommended by advisory groups during the Administration's policy review of innovation.

As indicated in the editorial, I have no objection to modest generic academic research programs seeded by the National Science Foundation (NSF). But the number of successful outcomes will be limited by, among other factors, the availability of creative academics oriented toward industrial purposes. As a general mechanism for federal support of industry or academic research, generic research is not viable for reasons stated at the end of the editorial.


CARP as a "basic research" program is reminiscent of the 1960's fashion for basic research as the inevitable producer of revolutionary technology. This idea has long been discredited. The list of CARP-related mechanisms and assurances listed in Smith's letter validates the unworkability of CARP. Such mechanisms, while undoubtedly the result of good intentions and desire on the part of the federal bureaucracy, are likely to impede rather than facilitate quality research. Assurances of long-term support cannot obviate inevitable political demands.

Smith says that CARP "is not an effort of Washingtonians laying a plan developed within federal agencies on industry." The precursors to CARP are well known. These include Brock Adams' statements on television and his subsequent initiatives, a Cambridge, Massachusetts, conference on automotive technology, and several Washington meetings culminating in the presidential meeting with automotive executives referred to in the Office of Science and Technology Policy's description of 10 January 1980. From all this it is clear, I believe, that CARP did not originate spontaneously from industry.


Most important, all of these proposed direct interventions by the federal government are apparently to substitute for indirect financial incentives, particularly those pointed at innovative small businesses and at increasing spontaneous cooperative activities between academia and industrial laboratories. The absence of such programs seems to indicate that those people of a strict economic mind have predominated over those representing other values in the Administration. No amount of federally sponsored research will make up for this lack of willingness to encourage privately financed initiatives.

Let me not end on a negative note. The NSF Industry-University Cooperative Research Program has many positive aspects. As I understand it, selec-


Fraction collectors from LKB span a range of capability and cost—every one provides LKB reliability



RediRac: portable—economical—variable tube size



MultiRac: overhead microprocessor—programmable—solvent resistant



UltoRac: rugged—easy to use—200 tube capacity

The three fraction collectors LKB makes today range from a portable circular unit to one with microprocessor control that can collect from microliters to gallons. Each is engineered from a bench worker's viewpoint—a fact of life for us from the time we made equipment for Svedberg and Tiselius.

Some say LKB uses circuitry, mechanical systems, materials of construction and QC methods which far exceed normal requirements. *Nostra culpa*. We believe in giving good value for money no matter how simple or sophisticated the instrument. Far better than compromising quality for price.

And if you ever need service, you get it fast from LKB without having to ship your unit back to us. (Money-saving service contracts are available.) Even better—we can furnish in-depth training for *your own* service people.

Reliability of design, reliability of manufacture, reliability of service: they all add up to reliability of performance. Is it prudent to settle for anything less? Contact LKB today for information on RediRac®, UltoRac® and MultiRac™ fraction collectors.

LKB


LKB Instruments Inc.
12221 Parklawn Drive, Rockville, MD 20852
301: 881-2510

Circle No. 296 on Readers' Service Card

83A-316

Centrifugal Microfilters

Bioanalytical Systems introduces a centrifugal microfilter for membrane filtration of small volumes using the force of a conventional bench top centrifuge. Ideal for LC sample preparation, extraction of TLC spots, molecular separations in biochemistry, and many other applications.



- minimize loss and contamination
- no vacuum or pressure required
- solvent resistant polyalomer
- filter many samples simultaneously
- a variety of filter materials are available
- reusable

Send for details...



**BIOANALYTICAL
SYSTEMS INC.**

PURDUE RESEARCH PARK • P.O. Box 2206
West Lafayette, Indiana 47906
(317) 463-2505 • telex 276141 BAS WLAF

tion and methodology of the research are left to the judgment of the researchers themselves, and proposals are subject to peer review. The government shares the cost of these efforts and so encourages the critical connection between scientific excellence and industrial purposes.

EDWARD E. DAVID, JR.
*Exxon Research and Engineering
Company, Florham Park,
New Jersey 07932*

Fossils in Asphalt

The Research News article "Work on U.S. oil sands heating up" (14 Mar., p. 1191) does not address a little known but very important environmental problem associated with surface deposits of asphalt. Many such sites, Rancho La Brea in Los Angeles being the best known, contain areas where prehistoric asphalt seeps have caught and preserved excellent samples of past biota. At Rancho La Brea the variety of remains include a wide range of well-preserved late Pleistocene specimens: pollen, diatoms, seeds, leaves, wood, mollusks, ostracods, a tremendous variety of insects, and vertebrates from stickleback fishes to mammoths. Anthropological-archeological specimens include a 9000-year-old human skeleton (1) and a variety of younger artifacts, those of bone and wood being especially important. This type of deposit yields an extremely complete biotic record unusually suited to detailed paleoecological studies.

Other fossiliferous asphalt deposits are found in California, Texas, Peru, Trinidad, the Caucasus region of the Soviet Union, and Iran [those in the Zagros Mountains of southern Iran range in age from the Late Miocene to Recent (2)]. Of these, three are or will soon be adversely affected by commercial exploitation as petroleum resources: McKittrick in California, the Trinidad "lakes," and Talara in Peru.

The hydrocarbon-saturated diatomite at McKittrick is partially overlain by late Pleistocene to Recent asphalt flows containing a rich assemblage of plants, invertebrates, and vertebrates. With the cooperation of the Getty Oil Company, an environmental impact report was prepared (3) which includes plans for the salvage and preservation of the portion of the deposit owned by Getty Oil. I do not know whether similar action will be taken in areas owned by other companies. Relatively few specimens are known from the Trinidad deposits, but their potential is enormous. The Royal

Ontario Museum has collected thousands of specimens from Talara, which appear to be only a small fraction of what could be recovered. These deposits have been mined for many years to provide road-building materials (the fossils serving as gravel), a practice that reportedly continues to this day (4).

Many areas with surface deposits of asphalt have never been critically examined to determine if they might have associated fossil deposits. The excellent preservation of a wide variety of life characteristic of fossiliferous breas and their known geologic span of Late Miocene to Recent make them extremely important paleontological resources. All such areas marked for development should be carefully checked or we might well lose unique and irreplaceable records of the past.

WILLIAM A. AKERSTEN
*George C. Page Museum,
Los Angeles, California 90036*

References

1. R. Berger, R. Protsch, R. Reynolds, C. Rozaire, J. R. Sackett, *Univ. Calif. Berkeley Archaeol. Res. Fac. Contrib.* **12**, 46 (1971).
2. D. M. Lay, R. Redding, R. Singer, W. Farrand, *Progress Report on 1976 Studies of the Mordeh Fel Fossil Deposits* (prepared for submission to the Department of the Environment of Iran); D. M. Lay, personal communication.
3. *Draft EIR, Proposed Getty Oil Company Diatomite Mining and Oil Extraction Project, McKittrick Oil Field, Kern County, California* (prepared by Dames and Moore, Santa Barbara, for the Kern County Planning Department, Bakersfield, Calif., 27 April 1979).
4. K. E. Campbell, Jr., *Royal Ontario Mus. Life Sci. Contrib.* **118**, 16 (1979); personal communication.

Room Temperature

While recently conducting some commonly used assays for proteins and carbohydrates, the portion of the protocol requiring the samples to "sit at room temperature" for a designated time raised an interesting thought.

In light of President Carter's recent extension of the Emergency Building Temperature Restrictions Plan, I would like to suggest the following. "Room temperature" should no longer be assumed to be approximately 21°C, but to fall into three major categories: (i) spring-fall room temperature (March-May, September-November), 21°C; (ii) summer room temperature (June-August), 25.6°C; and (iii) winter room temperature (December-February), 18.3°C, except during unoccupied periods, when it would be understood to be 10°C.

MICHELE A. CRAYTON
*Department of Biology,
Pacific Lutheran University,
Tacoma, Washington 98447*

Molecular Biology

Enzymes For Synthesis

- | | |
|-------------|---|
| 0881 | RNA LIGASE (T_4 inf. <i>E. coli</i>)
RNase and DNase FREE
Applications of this product to DNA synthesis and modifications are featured in P-L Analects 7 (2) April 1979. Minimum 1000 units/mg protein.
40 μg \$90.00* 200 μg. \$390.00* |
| 0880 | RNA LIGASE (T_4 inf. <i>E. coli</i>)
For synthesis of oligonucleotide with specified 3' terminus and other applications, see P-L Analects 6 (2) April 1978.
New Lower Price 150 units \$60.00* |
| 0872 | DNA LIGASE (NAD, <i>E. coli</i>)
λ lysogenic system
New technology permits 90% lower price.
New Lower Price 2500 units \$50.00* |
| 0916 | RNA POLYMERASE (<i>E. coli</i>)
This new product with a specific activity > 800 units/mg is nuclease free.
New Low Price 80 units \$ 60.00*
400 units \$240.00* |
| 0870 | DNA LIGASE (T_4 inf. <i>E. coli</i>)
New process yields quality product at reduced price.
25 Weiss units (500 P-L units) \$55.00* |
- *Insulated container and refrigerant charge \$10.00.*
- Call or write for complete information.**

ence in biochemistry


P.L. bi
1037 WEST
® Call 414

1037 WEST MCKINLEY AVENUE, MILWAUKEE, WIS. 53205

® Call 414/347-7442 TWX 910-262-1111

Circle No. 253 on Readers' Service Card

**DYNATECH'S NEW 12LB.
MK II PUMP GIVES YOU
A TON OF FLEXIBILITY.**



Dynatech's Automatic Dispensing Pumps, of which MK II is the newest, offer you flexibility: a choice of pump heads, pumping rates, delay time and shot sizes. And uses. To pump us for more information on the Dynatech model for you, contact:

900 Slaters Lane, Alexandria VA 22314


(800) 336-4543 • In VA, (703) 548-3889

Dynatech is the World's Only Manufacturer of Microtiter® Products.

Circle No. 255 on Readers' Service Card

DISSPLA GRAPHICS SOFTWARE

3-Way Relief From High-Tech Headaches.



Finding the Answers... Documenting the Results... Selling the Solution.

ISSCO'S DISSPLA® graphics software helps turn theoretical questions into answers. An integrated FORTRAN library called by the user's program, DISSPLA is capable of virtually any type of data display. You tell DISSPLA what you want and it takes care of the details. Unlike interpretive software systems, DISSPLA lets you use the full power of FORTRAN, COBOL, ALGOL and PL/I. The typical plot requires less than 10 instructions. Programs never terminate

because of error. So documenting the results is easier. DISSPLA works on most large scale computers and selected superminis, and it drives any plotting device that draws a straight line. So you can experiment with extensive graphic formats, from simple to complex. When you're really in a hurry, or you want to get your non-programmers involved, now there's ISSCO'S TELL-A-GRAF® "plain English" software.

ISCO®

**Integrated Software Systems
Corporation**

**4186 Sorrento Valley Boulevard
San Diego, CA 92121 (714) 452-0170**

ISSCO Deutschland GmbH


Dietzstrasse 16

D-5400 Koblenz, West Germany


49-261-407989 Telex: 862891

**LEADING THE WORLD
IN MACHINE AND
DEVICE INDEPENDENT
GRAPHICS SOFTWARE
FOR OVER A DECADE.**

10



DREAMERS, HERETICS, GADFLIES, MAVERICKS, AND GENIUSES.



The story goes that Henry Ford once hired an efficiency expert to evaluate his company.

After a few weeks, the expert made his report. It was highly favorable except for one thing.

"It's that man down the hall," said the expert. "Every time I go by his office he's just sitting there with his feet on his desk. He's wasting your money."

"That man," replied Mr. Ford, "once had an idea that saved us millions of dollars. At the time, I believe his feet were planted right where they are now."

At IBM, we have 46 people like that, and we don't worry about where they put their feet either. They are the IBM Fellows.

They earned the title by having ideas that made a difference. Their job is to have more ideas like that, but under a very special condition.

It's called freedom.

Freedom from deadlines. Freedom from committees. Freedom from the usual limits of corporate approval.


For a term of at least 5 years, an IBM Fellow is free to pursue any advanced project of value to IBM, even if chances for success may seem remote.

As a result, some of the great innovations of our time have come from IBM Fellows.

We may not always understand what they're doing, much less how they do it. But we do know this:

The best way to inspire an IBM Fellow is to get out of the way.

IBM®



AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE

Science serves its readers as a forum for the presentation and discussion of important issues related to the advancement of science, including the presentation of minority or conflicting points of view, rather than by publishing only material on which a consensus has been reached. Accordingly, all articles published in *Science*—including editorials, news and comment, and book reviews—are signed and reflect the individual views of the authors and not official points of view adopted by the AAAS or the institutions with which the authors are affiliated.

Editorial Board

1980: RICHARD E. BALZHISER, WALLACE S. BROECKER, CLEMENT L. MARKERT, FRANK W. PUTNAM, BRYANT W. ROSSITER, VERA C. RUBIN, MAXINE F. SINGER, PAUL E. WAGGONER, F. KARL WILLENBROCK

1981: PETER BELL, BRYCE CRAWFORD, JR., E. PETER GEIDUSCHEK, EMIL W. HAURY, SALLY G. KOHLSTEDT, MANCUR OLSON, PETER H. RAVEN, WILLIAM P. SLICHTER, FREDERIC G. WORDEN

Publisher

WILLIAM D. CAREY

Editor

PHILIP H. ABELSON

Editorial Staff

Managing Editor
ROBERT V. ORMES

Business Manager
HANS NUSSBAUM

Assistant Managing Editor
JOHN E. RINGLE

Production Editor
ELLEN E. MURPHY

News Editor: BARBARA J. CULLITON

News and Comment: WILLIAM J. BROAD, LUTHER J. CARTER, CONSTANCE HOLDEN, ELIOT MARSHALL, DEBORAH SHAPLEY, R. JEFFREY SMITH, NICHOLAS WADE, JOHN WALSH. *Editorial Assistant:* SCHERRAINE MACK

Research News: BEVERLY KARPLUS HARTLINE, RICHARD A. KERR, GINA BARI KOLATA, JEAN L. MARX, THOMAS H. MAUGH II, ARTHUR L. ROBINSON. *Editorial Assistant:* FANNIE GROOM

Consulting Editor: ALLEN L. HAMMOND

Associate Editors: ELEANORE BUTZ, MARY DORFMAN, SYLVIA EBERHART, RUTH KULSTAD

Assistant Editors: CAITILIN GORDON, STEPHEN KEP-
PLE, LOIS SCHMITT

Book Reviews: KATHERINE LIVINGSTON, *Editor:*
LINDA HEISERMAN, JANET KEGG

Letters: CHRISTINE KARLIK

Copy Editor: ISABELLA BOULDIN

Production: NANCY HARTNAGEL, JOHN BAKER; YA LI SWIGART, HOLLY BISHOP, ELEANOR WARNER; MARY MCDANIEL, JEAN ROCKWOOD, LEAH RYAN, SHARON RYAN

Covers, Reprints, and Permissions: GRAYCE FINGER, *Editor:* CORRINE HARRIS, MARGARET LLOYD

Guide to Scientific Instruments: RICHARD G. SOMMER
Assistant to the Editors: JACK R. ALSIP

Membership Recruitment: GWENDOLYN HUDDLE

Member and Subscription Records: ANN RAGLAND
EDITORIAL CORRESPONDENCE: 1515 Massachusetts Ave., NW, Washington, D.C. 20005. Area code 202. General Editorial Office, 467-4350; Book Reviews, 467-4367; Guide to Scientific Instruments, 467-4480; News and Comment, 467-4430; Reprints and Permissions, 467-4483; Research News, 467-4321. Cable: *Advancesci*, Washington. For "Instructions for Contributors," write the editorial office or see page xi, *Science*, 28 March 1980.

BUSINESS CORRESPONDENCE: Area Code 202. Membership and Subscriptions: 467-4417.

Advertising Representatives

Director: EARL J. SCHERAGO

Production Manager: GINA REILLY

Advertising Sales Manager: RICHARD L. CHARLES

Marketing Manager: HERBERT L. BURKLUND

Sales: NEW YORK, N.Y. 10036: Steve Hamburger, 1515 Broadway (212-730-1050); SCOTCH PLAINS, N.J. 07076: C. Richard Callis, 12 Unami Lane (201-889-4873); CHICAGO, ILL. 60611: Jack Ryan, Room 2107, 919 N. Michigan Ave. (312-337-4973); BEVERLY HILLS, CALIF. 90211: Winn Nance, 111 N. La Cienega Blvd. (213-657-2772); DORSET, VT. 05251: Fred W. Dieffenbach, Kent Hill Rd. (802-867-5581).

ADVERTISING CORRESPONDENCE: Tenth floor, 1515 Broadway, New York, N.Y. 10036. Phone: 212-730-1050.

Beef Production and Consumption

Meat production and consumption in the United States seem to be reaching a major watershed. Increased prices for beefsteaks and roasts are meeting consumer resistance, and shoppers are turning instead toward hamburger, poultry, and pork. Operators of cattle feedlots say they are losing money. Their costs have risen faster than their proceeds. Factors that have increased in cost include transportation (some animals are trucked a long distance) and interest.


When cattle are prepared for market on feedlots, they consume large quantities of grain. In the conversion of grain to meat, ruminants are comparatively inefficient; as much as 8 kilograms of food is required to make 1 kilogram of meat. By contrast, the ratio for poultry and swine is about 2.5 to 1. In future, the price of grains is likely to rise, reflecting higher energy costs for production. Diversion of some grain to produce gasohol is likely. At the same time demand for grain for export will also increase, bringing further pressure on its price.

Most cattle are now fattened at large feedlots, some of which handle tens of thousands of animals. Until recently, the major trend in cattle husbandry was toward larger installations, but current economic factors have been forcing a reassessment. The present practice minimizes one of the most valuable potentials of ruminants—their ability to use forage as food. Ruminants have four stomachs, the first of which is the rumen. After food is ingested it spends considerable time in the rumen, where it is worked over by a complex and interacting microbial flora. Cellulose is broken down to glucose and subsequently converted to other products including acetic acid, propionic acid, butyric acid, and to methane, which escapes. In the presence of nitrogen, part of the glucose is converted into microbial protein, which is subsequently digested and absorbed by the animal.

When the principal diet of ruminants is grain, some of its food value is destroyed by microbial activity in the rumen. Thus from the standpoint of overall food supply it is desirable to emphasize the role of forage in the production of beef. Instead of decreasing the supply of food by consumption of grain, ruminants can increase food availability by converting roughage to protein. Moreover, much forage is available on land, such as hillsides, that is not suitable for tillage. In addition, agricultural practice may evolve in ways that make more forage available. Current cropping on some lands leads to excessive soil erosion. Such losses could be minimized if crop rotation including forage crops were employed.

A major difference between grain-fed and forage-fed cattle is fat content. Animals from feedlots often have five times more fat on their carcasses than do grass-fed cattle. In preparing cuts of prime beef from animals nurtured on grain, large quantities of fat are trimmed away, and even so the remaining meat is laden with fat. Forage-fed animals have much less waste and a higher protein content. In spite of warnings about the role of saturated fats in cardiovascular problems, consumers generally prefer steaks with a high fat content. But under the influences of price and medical warnings, preferences seem to be changing. Consumers are willing to pay higher prices for lean hamburger than for that containing much fat.

Current economic pressures are giving added urgency to research designed to lessen costs of beef production. Programs for increasing the efficiency of livestock in food conversion are particularly active. Some breeders maintain that gains can be obtained through crosses of breeds. Part of the effort is being devoted to animals designed for forage-feeding. Another object for investigation is the rumen. Better control of the nature of the flora of this organ could result in substantial improvements in the efficiency of growth. For several years a selective antibiotic, Monensin, has been available which tends to favor organisms that produce propionic acid rather than acetic acid and methane. Investigations aimed at achieving even better control and efficiency are in progress.—PHILIP H. ABELSON



This is what lasers cut best.

Costs — manufacturing costs. Western Electric has many lasers at work.

And all are focused on one objective: helping the Bell System bring you the best possible telecommunications service at the lowest possible cost.

Lighting the way

Western Electric gave the laser its first application in industry. In 1965, scientists at our Engineering Research Center designed a laser operation that vaporized holes through the diamonds used as dies for drawing copper wire. It turned a five-day drilling job into a 90-second flash.

It may sound simple, but it wasn't. There's much more to working a laser than "ready... aim... fire". Years of exhaustive research preceded that first laser-drilled diamond.

Every kind of laser reacts differently with different materials. A material that's transparent to natural light may be opaque to laser light, and vice versa. A laser that burns through one substance may have absolutely no effect on another.

Making *any* laser an industrial tool requires a host of experiments to determine not only which laser is best for the job, but how best to adapt it to the production process.

Spectrum of questions

Complex questions of physics, chemistry, metallurgy, electronics and mechanical engineering must be answered and coordinated.

That's why there's a full-time laser studies group at our Engineering Research Center. It's the reason that Western Electric now uses lasers not only in drilling, but also in many other operations.

And these lasers are paying off — with better products manufactured for the Bell System at lower costs.

Light of the future

Even with these uses, Western Electric has only begun to tap the laser's potential for telecommunications.

More applications are on the way. And they will bring more savings, more and better products made with laser technology.

Using lasers to cut costs is just one innovation from the Engineering Research Center. The Center's research in manufacturing techniques is an important part of Western Electric's total commitment to using the latest and the best in technology to keep the cost of your phone service down.

Keeping your communications system the best in the world.



Western Electric