

behavioral unit, even in forms such as siphonophores or corals, where a colony achieves (super)organismal status.

The scope of the workshop whence this volume came extended far beyond the coelenterates and ctenophores. Ion channels, currents, and signaling capabilities in such organisms as bacteria, yeast, protists, and slime molds are discussed from a variety of perspectives in an attempt to understand the early evolution of nervous systems in multicellular animals. There is a valuable chapter by Koopowitz that summarizes his pioneering work with flatworms and a brief report by Cobb on the status of work on the as yet largely enigmatic echinoderms. With a total of 30 chapters and 39 contributors, it might seem contrary to want even more breadth, but mention of the largely negative work with sponges would have been helpful, and it is a shame that the modern work on nematode worms is not covered. And although several authors refer to recent work on metazoan phylogenies from the molecular perspective, this very relevant material is also not represented. Perhaps its inclusion would have opened up the larger questions of neural homologies too much.

The book is divided into three sections: on intercellular communication, electrical excitability, and sensory mechanisms. Each concludes with a summary chapter or overview. Greenberg's overview of part I is particularly valuable in summarizing the previous contributions on coelenterate peptides and other neurotransmitters. The volume concludes with a provocative and valuable overview of the specific topic of the evolution of coelenterate giant axons by Mackie and a too short, yet interesting chapter, "Concluding Remarks," by the volume's editor.

This volume excels in the breadth and timeliness of its information. It is a valuable resource, both for the information it summarizes and for the unanswered questions it poses, recognizing the need to modernize our thinking about the evolution of nervous systems in the face of little, if any, hard evidence beyond contemporary life forms. Along with the continued investigation of the cellular and molecular aspects of nerve cells of every provenance, information is sorely needed about the interactions between different types of neurons in simple animals, and how in these interactions the animals' behavior is generated. If significant differences emerge between animals of ancient lineages, the questions posed in this stimulating volume can begin to be answered.

L. M. PASSANO
Department of Zoology,
University of Wisconsin,
Madison, WI 53706

Reaction Pathways

Intramolecular Motion and Chemical Reaction. I. M. MILLS, M. S. CHILD, and R. A. MARCUS, Eds. Royal Society, London, 1990. viii, 198 pp., illus. £40. From a meeting, London, Feb. 1990. Reprinted from the *Philosophical Transactions of the Royal Society of London*, series A, vol. 332, no. 1625 (1990).

The study of intramolecular motion has the rare characteristic of being both well established and currently hot. This book on the subject will be welcomed by specialists, and for nonspecialists it will be a challenging but worthwhile introduction to the field and to some of the outstanding researchers in it. The interest of this area is exemplified by the chapter written by Marcus, which describes a beautiful application and extension of the well-known Rice-Ramsperger-Kassel-Marcus (RRKM) theory of unimolecular rate processes. This theory dates back 40 years and is predated by 20 more years by RRK theory. RRKM theory, with important extensions by W. H. Miller, who is also a contributor to the book, along with phase space theory (developed by P. Pechukas, J. C. Light, and E. E. Nikitin in the mid-'60s) and the statistical adiabatic channel model (developed in the mid-'70s by M. Quack, who also wrote a chapter, and J. Troe) are elegant and deceptively simple statistical theories for the rate at which a molecule undergoes a chemical transformation, such as isomerization or dissociation into one of several products.

The foundations and underlying assumptions of these theories are now being critically examined with the methods of nonlinear dynamics and time-dependent quantum mechanics. At low levels of internal excitation, intramolecular motion is governed by linear forces, which means that the motion is regular and essentially separable. Interesting chemical transformations occur, however, when the motion becomes highly nonseparable and nonlinear. In this regime, intramolecular motion enters the realm of nonlinear dynamics, with its attendant issues of localization, irregular motion, the possible breakdown of the classical-quantum correspondence principle, and so on. Questions naturally arise about whether or not the dynamics is statistical and how to tell the difference in this highly nonlinear regime. These issues lurk, implicitly if not explicitly, in every chapter of the book, which is roughly equally divided between theory and experiment.

Most experiments probe the dynamics of intramolecular motion indirectly, either by high-resolution spectroscopy or by determination of the rates or product distributions of unimolecular reactions. The beauty and

breadth of such studies are conveyed in chapters contributed by the laboratories of Schlag, Quack, Simons, Crim, Moore, Wittig, Dixon, and Welge. Experiments that probe the time-dependence of unimolecular processes are quite difficult owing to the very short period of a molecular vibration, typically in the femtosecond range. Some exciting studies of this type have been done by Zewail and co-workers, and the chapter by Gruebele, Roberts, and Zewail presents a very nice application of this type of study to the photodissociation of HgI_2 .

Theory is also well represented in this book. In addition to the chapter by Marcus, there are excellent chapters on the state of the art in quantum mechanical calculations of vibrational energies and wavefunctions of triatomic molecules by Child, Carter and coauthors, and Tennyson and coauthors. A classical analysis of some highly excited states of H_3^+ by Pollak illustrates the power and appeal of classical ideas in understanding intramolecular motion.

I think it is obvious from the above that this book has excellent breadth. In a mere 198 pages it is not possible to cover the field, but that is not the book's intention. It is, as it stands, a real gem.

JOEL M. BOWMAN
Department of Chemistry,
Emory University,
Atlanta, GA 30322

Aspects of Magmatism

The Nature and Origin of Cordilleran Magmatism. J. LAW FORD ANDERSON, Ed. Geological Society of America, Boulder, CO, 1990. xii, 414 pp., illus. \$65. Geological Society of America Memoir 174.

This volume is a potpourri of studies dealing with the setting, composition, and origin of plutonic and volcanic rocks at different localities in the western United States. Ten of the localities are in southern California, and the others are scattered northward to southeastern Alaska. In the preface, the editor summarizes the interpretations of the different authors but makes no attempt to synthesize them.

Heavy emphasis in almost all of the 23 papers is on evidence from geochemistry, including data on major, minor, and trace elements for whole rocks and minerals and isotopic data for strontium, neodymium, argon, oxygen, and lead. These data are used to interpret the ages of the rocks, their pressures (and depths) and temperatures during crystallization, the source materials for the magmas, the consanguinity of intru-

sions, and other features. The book contains a host of examples of the power of modern geochemistry in the solution of petrologic problems and provides informative collateral reading for both professionals and students of petrology and geochemistry. Descriptions of field and structural relations and of the textures and fabrics of rocks, which were principal concerns in most older studies of magmatic rocks, are minimal but adequate; for many localities such data have been published elsewhere. Although the papers range in quality, all of them are well written and adequately illustrated.

Two reports deal with the Peninsular Ranges batholith of southern California. Walawender *et al.* conclude that normal compositional zonation in La Posta-type intrusions is the result of fractional crystallization of magma generated by subduction-related anatexis of amphibolite-grade to eclogite-grade oceanic crust. Gastil *et al.* attribute abrupt regional changes, from high magnetic susceptibility of granitic rocks in the west side of the batholith, to low susceptibility in a central zone, and back to high

susceptibility still farther east, to differences in water and oxygen concentrations in the parental magmas. They suggest that the magmas that formed the zone of low magnetic susceptibility were generated along a subduction zone at some critical depth where more water was liberated from hydrous minerals than at greater or lesser depths.

Several papers deal with intrusions in the desert region of southern California. For example, Anderson and Cullers describe intrusions in the Whipple Mountains, some of which were emplaced at estimated depths of 27 to 33 km and were followed by intrusions that were emplaced at depths of 16 and 6 km as the terrane rose during Tertiary regional extension. John and Wooden attribute inward and downward zonation from metaluminous to peraluminous compositions in the tilted laccolithic Chemehuevi Mountains Plutonic Suite to open-system fractionation of discrete batches of magma derived from the melting of heterogeneous crustal material. Miller *et al.* conclude that metaluminous and strongly per-

luminous granitoid series in the Old Woman-Piute Range batholith are not comagmatic but that both were generated primarily by anatexis of Proterozoic crust and that a sedimentary component is not required for the peraluminous granitoids.

Barton attributes changes with time in the compositions of Cretaceous granitoids of the east-central Great Basin from metaluminous to strongly peraluminous and concomitant changes in the nature of associated mineral deposits to increase of crustal components in the magmas caused by temporal increase of deep conductive heat.

The papers dealing with localities farther north are of equal interest and cover such additional subjects as the mixing and mingling of magmas, the relation of rock composition to tectonic environment, regional compositional and age patterns, the relation of plutonism to accretionary tectonics, and the nature of the lithosphere beneath batholiths.

PAUL C. BATEMAN
U.S. Geological Survey,
Menlo Park, CA 94025

NDR HB DI

The Human Biological Data Interchange A New Resource for Diabetes Research

Offering

Database Access to 4,000 Plus Families
with Diabetics

A Repository of Multiplex and Twin Families
with Diabetic Sibs
Providing

HLA-TYPING
DNA
CELL LINES

For information on the HB DI Database and Repository

Write: HB DI
2401 Walnut Street, Suite 408
Philadelphia, PA 19103

Call: (215) 557-0850
(800) 345-HB DI (4234)

FAX: (215) 557-7154

Amazon & Brazil!

1991



Explore the Amazon & Brazil

Led by a Brazilian wildlife biologist, see
Manaus • The Pantanal • Caratinga & Rio.

Look for anteaters, woolly spider monkeys,
marmosets, anacondas, and more!

September 11-26 (\$3,690 plus air fare)

(800) 252-4910

Travels with AAAS by BETCHART