

F R A U D!



STEALING INTO PRINT

Fraud, Plagiarism, and Misconduct in Scientific Publishing

by **Marcel C. LaFollette**

"Will become the starting point for informed discussion of proper—and improper—scientific conduct through the next decade." —*Eugene Garfield, President, Institute for Scientific Information

\$30.00 hardcover at bookstores or order 1-800-822-6657

UNIVERSITY OF CALIFORNIA PRESS

Berkeley Los Angeles New York London

Circle No. 27 on Readers' Service Card

able cells rather than protein preparations into the thymus, and our animals were subject to a spontaneous autoimmune disease whereas Ellison and Waksman artificially induced one (namely, EAE). Finally, our studies involved no manipulation of the peripheral immune system such as the total body irradiation carried out by Ellison and Waksman.

**Ali Naji
Andrew M. Posselt
Clyde F. Barker**

Department of Surgery,
University of Pennsylvania
School of Medicine,
Hospital of the University of Pennsylvania,
3400 Spruce Street,
Philadelphia, PA 19104

REFERENCES

1. R. P. Shimonkevitz and M. J. Bevan, *J. Exp. Med.* **168**, 143 (1988).
2. P. G. Staples, I. Grey, B. H. Waksman, *ibid.* **124**, 127 (1966).
3. C. F. Barker, A. M. Posselt, J. Odorico, J. F. Markmann, A. Naji, *Adv. Nephrol.*, in press; A. M. Posselt, J. S. Odorico, C. F. Barker, A. Naji, *Diabetes* **41**, 771 (1992); A. M. Posselt *et al.*, *Diabetes Nutr. Metab. Clin. Exp.* **5**, 1 (1992); A. M. Posselt, C. F. Barker, J. F. Markmann, J. H. Roark, A. Naji, *Transplant. Proc.* **24**, 1023 (1992).
4. G. W. Ellison and B. H. Waksman, *J. Immunol.* **105**, 322 (1970).

Corrections and Clarifications

In the report "Surface order and stability of Langmuir-Blodgett films" by D. K. Schwartz *et al.* (24 July, p. 508), the last line in the first column of page 508 should have read, "The AFM is also able to image surfaces under liquids, allowing us to examine LB films at molecular resolution in both air and water for the first time." The first molecular resolution images of LB films under water were published by M. Eggar *et al.* [*J. Struct. Biol.* **103**, (1990)].

In Leslie Roberts' article "Prosecutor v. scientist: A cat-and-mouse relationship" (News & Comment, 7 Aug., p. 733), it was incorrectly implied that Rockne Harmon ran a record check on Laurence Mueller that revealed he did not have a valid California driver's license. Harmon says the information was provided to him by another prosecutor. Harmon also says that William McKinstry, an Alameda County Superior Judge, and not Harmon, was the first to characterize Mueller's testimony as "shifting."

In the 25 October 1991 News briefing "Treating AIDS with worts" (p. 522), it is stated that hypericin was originally synthesized at the Weizmann Institute of Science in Israel. While it was synthesized for the application discussed in the Briefing at the Weizmann Institute, its original synthesis was by H. Brockmann at Göttingen University.

HEAT SHOCK STRESS RESPONSE

Stress Response Reagents for the Discriminating Investigator.

• HSP ANTIBODIES

An unparalleled selection of mono- and polyclonal antibodies.

• PURIFIED HSPs

From natural and recombinant sources.

• DNA PROBES

Plasmid based with inserts specific for the Heat Shock Genes.

• EXPRESSION VECTORS

Containing Heat Shock promoters and/or reporter genes.

Orders and Technical Information: 1-(800) 661-4978 or 1-(604) 744-2811, or Fax us at 1-(604) 744-2877

StressGen Biotechnologies Corp.

120-4243 Glanford Avenue, Victoria, BC, Canada V8Z 4B9

In Japan, Funakoshi Co., Ltd.,

In the U.K., Bioquote Ltd.,

Tel: 81-3-5684-1622

Tel: 0904-431-402

Circle No. 4 on Readers' Service Card

ATTENTION! Hemostasis Researchers...

Kabi Diagnostica is now **CHROMOGENIX!**

NEW! CHROMOGENIC SUBSTRATES
for measuring Coagulation Function,
Protease Activity, Fibrinolytic Dysfunction.

**COATEST®, COASET®
Diagnostic Kits**

**NEW! COALIZA®
for Cytokines, LP(a)**

Call for our
current catalog:

1-800-447-3846

CHROMOGENIX

Chromogenix distributed by Kabi Pharmacia Hepar, Inc.
160 Industrial Drive • Franklin, Ohio 45005

Circle No. 31 on Readers' Service Card