ured and described by Dr. Abel, had any connection with the living Zeuglodon. The ossicles above referred to are not symmetrical and, therefore, did not lie in the median line, while they are entirely too large to have been attached to the paddles. If a few scattered ossicles on a creature sixty feet long constitute armor, then Zeuglodon was a mail-clad animal; otherwise he seems to have been unprotected.

It may not be amiss once more to call attention to the fact that Zeuglodon was so highly specialized that it could not have been in the line of descent of modern whales; also that the same strata which contain remains of Zeuglodon have yielded half a dozen vertebræ, quite like those of a true whale, and indicating some animal from thirty to forty feet long. When more of this animal comes to light we shall probably have better information on the phylogeny of the cetacea than we have at present.

F. A. L.

FOSSIL FISHES IN THE AMERICAN MU-SEUM OF NATURAL HISTORY.

Under an agreement with the trustees of Columbia University the American Museum has recently received on deposit the John Strong Newberry collection of fossil fishes. And this acquisition is noteworthy, in view of the fact that during later years the museum has been securing other important collections of fossil fishes. Among these are the Cope collection, consisting largely of North American forms, from the devonian of Pennsylvania, permian of Texas, carboniferous of-Illinois and Ohio, and a very rich series from the Green River shales; the Jay Terrill collection from the devonian of Ohio, a gift of the late Mr. William E. Dodge; and the collection of cretaceous fishes from Mount Lebanon, secured from the American College in Syria by the president of the museum, Mr. Morris K. Jesup. The Newberry collection itself is probably the most important representation of American forms extant; its catalogue includes nearly six thousand numbers, and among these are many of the type specimens described in the 'Monograph on the Paleozoic Fishes of

North America' and on the 'North American Triassic Fishes.'

An exhibition of fossil fishes has become, therefore, a need of the museum. And for its installation the director has recently set aside the corner circular room opening out of the reptile gallery. Its arrangement will be in charge of a new curator, Dr. Bashford Dean, a former student of Professor Newberry. The new gallery will include recent forms side by side with their fossil kindred, and will contain special guide cases to illustrate the structure and evolution of the more prominent groups.

SCIENTIFIC NOTES AND NEWS.

Sir John Murray has been awarded the Lütke gold medal of the Russian Geographical Society.

Dr. H. Struve, director of the Observatory at Königsburg has been appointed director of the Observatory at Berlin.

The following fifteen candidates have been selected by the council of the Royal Society to be recommended for election into the society: Dr. Thomas Gregor Brodie, Major Sidney Gerald Burrard, Professor Alfred Cardew Dixon, Professor James Johnstone Dobbie, Mr. Thomas Henry Holland, Professor Charles Jasper Joly, Dr. Hugh Marshall, Mr. Edward Meyrick, Dr. Alexander Muirhead, Dr. George Henry Falkner Nuttall, Mr. Arthur Everett Shipley, Professor Morris William Travers, Mr. Harold Wager, Mr. Gilbert Thomas Walker and Mr. William Whitehead Watts.

Dr. Frederick Peterson has resigned the position of chairman and medical member of the New York State Lunacy Commission.

Dr. L. E. Dickson, assistant professor of mathematics in the University of Chicago, editor of The American Mathematical Monthly and associate editor of the Transactions of the American Mathematical Society, has been appointed research assistant to the Carnegie Institution. The object of his investigation is the application of group theory to certain problems in geometry and function-theory.

THE N. Y. Evening Post states that the grant to the Department of Astronomy, of Princeton University, has been increased by