

Lindahl, of Rock Island, and Marcy, of the Northwestern, joined us in 1880, and Robertson, of Carlinville, in 1882, and a few additional members of the faculty of the State University paid us the compliment of an initiation fee when we held our meeting at Urbana, but went no farther with us. If there was any professional or active worker in biology or geology at any other Illinois college at the time, we never made his acquaintance nor he ours. Of the state scientific officials there were only Worthen, Thomas and Forbes. Thomas left the state in 1883, but the two others stayed with the society to the end.

It should be remembered, in this connection, that this was a time when college men, as a rule, worked like dray-horses and were paid like oxen, and the sacrifice of time and means necessary to prepare adequately for the annual and semi-annual meetings of the society, and then to attend them, was more than they could, or ought to, make, except for some really important end.

It will be seen that, under these conditions, our membership would now be almost wholly classed as amateurs. The active members of the last two years were chiefly collectors of specimens, and species-students of the old school—a few still-glowing brands from the enthusiasms of the exploration period, with scarcely a spark to testify to the coming illumination, in the midst of which it is our present privilege to live. And so the society passed, leaving no permanent material product of its work, except private collections and such papers of its members as were published here and there, as each individual thought best.

Does this account seem discouraging to our present undertaking? I do not think that it ought to; but quite the contrary. If, under such conditions, with so little material, and—as a reasonable modesty perhaps requires that I should add—under such general management, it was possible

then for us to organize a state natural history society and to keep it actively at work for seven years, we ought now, I think, with all our present comparatively immense advantages, to found a state academy of sciences which shall live and thrive at least for seventy years, and, for all that I can see, for seventy times seven—by which time we shall all have been long relieved from all our responsibilities, and the labors and the honors of scientific enterprise will have been handed on to our remote successors.

S. A. FORBES

UNIVERSITY OF ILLINOIS

MEDALS OF THE ROYAL SOCIETY¹

THE Copley medal is awarded to Professor Albert Abraham Michelson, foreign member of the Royal Society, on the ground of his experimental investigations in optics.

In 1879 Michelson brought out a determination of the velocity of light by an improved method, based on Foucault's which gave 299,980 kilometers per second. Three years later, by means of a modification of the method, capable of even greater precision, he found for this constant, of fundamental importance for electric as well as optical science, the value of 299,853 kilometers.

Michelson has been a pioneer in the construction of interferometers, which are now indispensable in optics and metrology. With his new instrument, at Paris, he determined the absolute wave-lengths of the red, green and blue lines of cadmium by counting the number of fringes (twice the number of wave-lengths) corresponding to the length of the standard meter of the Bureau International des Poids et Mesures. He found the meter to be 1,553,164 times the wave-length of the red line of cad-

¹ Concluding part of the presidential address of Lord Rayleigh—read at the anniversary meeting of the Royal Society on November 30.

mium, a result which is almost in exact agreement with the redetermination last year by Perot and Fabry. Michelson thus proved the feasibility of an absolute standard of length, in wave-lengths, of such accuracy, that if the standard meter were lost or destroyed it could be replaced by duplicates which could not be distinguished from the original.

He had the greatest share in the elaboration of precise experiments on the relative motion of ether and matter. He repeated in an improved form Fresnel's experiment of the speed of light in moving media, using water and sulphide of carbon. He found that the fraction of the velocity of the water by which the velocity of light is increased is 0.434, with a possible error of ± 0.02 . The fact that the speed is less in water than in air shows experimentally that the corpuscular theory is erroneous; but his results, moreover, established the correctness of Fresnel's formula for the effect, the theory of which has since become well understood.

In conjunction with E. W. Morley, he devised and carried out a very remarkable method by which, on the assumption of ether at rest, an effect depending on quantities of the order $(v/V)^2$ would appear to be appreciable. No displacement of the fringes was found. Of this result the simplest explanation would be that the ether near the earth partakes fully in its orbital motion; but modern electric and optical science appears to demand a quiescent ether, and the existence of this and similar null results is fundamental for its theory.

He has shown the possible application of the interferometer method to astronomy, by himself measuring the diameters of the four satellites of Jupiter, which are only about one second of arc. He suggests the further application of the instrument to such of the fixed stars as may not subtend

less than one hundredth of a second of arc.

In 1898 Michelson constructed a spectro-scope which enables us to make use of the great resolving powers of the very high orders of spectra which are absent in the use of the ordinary grating, and with the added advantage of having most of the light in one spectrum. The echelon consists of a pile of glass plates of precisely equal thickness, which overlap by an equal amount; with it spectral lines which appear single with the most powerful gratings can be resolved into components. This instrument has been especially useful for the direct observation of the important, because definite, influence of magnetism on light, discovered by Zeeman. With thirty plates, and using the 25,000th spectrum, the echelon has a resolving power of 750,000, while the most powerful gratings do not exceed 100,000.

In connection with the analysis of radiations, he has constructed and used various machines for the analysis of periodic motions. For example, in conjunction with Stratton, he perfected a remarkable machine which is based on the equilibrium of a rigid body under the action of springs.

Professor Michelson has also investigated by his interferometer the important subject, both theoretically and practically, of the breadth and the structure of spectral lines, including the effect of a magnetic field, and in various other ways his genius has opened up new ground in experimental optics.

One of the Royal medals has been awarded, with the approval of His Majesty, to Dr. Ernest William Hobson, F.R.S.

During the last twenty years Dr. E. W. Hobson has been distinguished for the fundamental character of his contributions to mathematics and mathematical physics. His earlier published work, from 1888 onwards, deals largely with the so-called

harmonic analysis, which embraces many topics having for their common aim the solution of the potential equation in forms suitable for application to the problems of physics. The exhaustive examination of the general types of harmonic functions contained in his paper in the *Philosophical Transactions*, 1896, has been found to be of high utility for this application. He was led by these researches, and particularly by the difficulty of describing in general terms the characteristics of a function capable of being represented by Fourier's series, to take part in the revision of the logical basis of differential and integral calculus which is now in progress; his presidential address to the London Mathematical Society in 1902 on the questions here arising aroused general interest among mathematicians, and he has recently (1907) published an extensive volume dealing with the whole matter and its applications to the theory of Fourier's series, which is of great importance for the history and development of mathematics.

His Majesty has also approved the award of a Royal medal to Dr. Ramsay H. Traquair, F.R.S. Dr. Traquair is honored on the ground of his long-continued researches on the fossil fishes of Paleozoic strata, which have culminated, within the past ten years, in his discovery of new groups of Silurian and Devonian fishes, and in his complete exposition of the structure of *Drepanaspis*, *Phlyctenaspis* and other remarkable forms.

For nearly forty years Dr. Traquair has been busy with the description of fossil fishes, mostly from the Paleozoic rocks of Scotland, and he is deservedly held to be one of the most eminent paleontologists of the day. He has been highly successful in the interpretation of the often very obscure and fragmentary remains which he has had to elucidate, and his restorations of fishes have won such credit as to appear in all

modern text-books of paleontology. It may be said that his work, notwithstanding the great difficulties of the subject, has well stood the test of time.

Dr. Traquair has done much to advance our knowledge of the osteology of fishes generally. His earliest memoirs on the asymmetrical skull of flat-fishes and on the skull of *Polypterus* remain models of exactness. His acquaintance with osteology enabled him to show how former superficial examination of the Paleozoic fishes had led to wrong interpretations. He demonstrated that *Chirolepis* was not an Acanthodian, as previously supposed, but a true Paleoniscid. In 1877 he satisfactorily defined the Paleoniscidae and their genera for the first time, and conclusively proved them to be more nearly related to the sturgeons than to any of the other modern ganoids with which they had been associated. He thus made an entirely new departure in the interpretation of extinct fishes, replacing an artificial classification by one based on phylogenetic relationship. His later memoir on the Platysomidae was equally fundamental and of the same nature.

All subsequent discoveries, many made by Traquair himself, have confirmed these conclusions, which are now universally accepted.

In 1878 Dr. Traquair demonstrated the dipneustan nature of the Devonian *Dippterus*, and somewhat later he began the detailed study of the Devonian fishes. His latest researches on the Upper Silurian fishes of Scotland are equally important, and provide a mass of new knowledge for which we are indebted to his exceptional skill and judgment in unraveling the mysteries of early vertebrate life.

The Davy medal is awarded to Professor Edward Williams Morley. Professor Edward W. Morley is well known both to chemists and to physicists for his work in the application of optical interferences and

other physical phenomena to increase the accuracy of measurement. Numerous valuable papers have appeared, either in collaboration with Professor Michelson and others, or in his own name, on such subjects. Special reference may be made to his experiments, in conjunction with Professor Michelson, on the fundamental question of the absence of effect of translatory motion of material bodies on luminous phenomena.

His claim to the Davy medal rests on grounds closely related to these researches, for he has combined thorough mastery of accurate measurement with an intimate knowledge of modern chemistry, and has utilized them in his attempt to solve one of the most difficult and fundamental problems of chemical science. The special problem to which he has consecrated many years of his life is the determination of the relative atomic weights of hydrogen and oxygen; it has been attacked by him with rare insight and skill, and with indomitable perseverance, and he seems to have settled it for many years to come, if not permanently. All the recent work devoted to this problem, and there has been much, has tended to establish more firmly the ratio arrived at by Professor Morley.

His determinations of the absolute weights of a liter of hydrogen and of oxygen, and his investigations of the amounts of moisture retained by gases dried by various desiccating agents, are of the very greatest importance for scientific progress.

Professor Wilhelm Wirtinger, of Vienna, is the recipient of the Sylvester medal. He is distinguished for the importance and wide scope of his contributions to the general theory of functions. Our knowledge of the general properties and characteristics of functions of any number of independent variables, and our ideas for the further investigation of such functions, are, for the most part, at present bound up with

the theory of multiply-periodic functions, and this theory is of as great importance for general solid geometry as the ideas of Abel have proved to be for the theory of plane curves. Professor Wirtinger has applied himself for many years to the study of the general problems here involved. A general summary of his researches is given by him in the Abel centenary volume (XXVI., 1902) of the *Acta Mathematica*. Two of his papers may be particularly referred to, both of 1895. One of these deals with the reduction of the theory and general multiply-periodic functions to the theory of algebraic functions, with a view to their expression by theta functions; this was one of the life problems of Weierstrass, who did not, however, during his lifetime, publish anything more than several brief indications of a method of solution. Professor Wirtinger's memoir obtains a solution, and is, moreover, characterized throughout by most stimulating depth and grasp of general principles. This paper was followed by two others, one continuing the matter in detail, the other making an application of its principles to the general theory of automorphic functions. Another extensive paper, which obtained the Beneke prize of the Royal Society of Göttingen, deals with the general theory of theta functions. In it he obtained results of far-reaching importance, for geometry as well as for the theory of functions, the full development of which will require many years of work.

The Hughes medal is awarded to Principal Ernest Howard Griffiths. Principal Griffiths has conferred great benefit on physical science by his series of measurements of fundamental constants, mainly in the domain of thermal and electric energy. At a time when the equivalent of the thermal unit in mechanical energy stood urgently in need of revision, he devoted himself to the problem with all the refine-

ments and patient manipulation that could be devised, the result being a value for Joule's equivalent which at once acquired authority in the light of the evidence produced, and largely confirmed the corrections already advanced by Rowland and others. A main cause of discrepancy had been found to be the variation of the thermal capacity of water with the temperature; and by an investigation in which this variation was determined, Griffiths elucidated and correlated fundamentally the work of previous observers, from Joule onward. Of special importance also, in the domain of chemical physics, was an investigation of the depression of the freezing point of water by very dilute admixture of dissolved substances, wherein he verified, with all the refinement of absolute physical determinations, that the change of freezing point ran exactly parallel to the electric conductivity when the dilution of the electrolyzable salt was comparable to that of gases, being twice as much per molecule as the standard value of the depression for non-electrolytes.

The Buchanan medal is awarded to Mr. William Henry Power, C.B., F.R.S. Mr. Power's services to hygienic science and practise have extended over a period of more than thirty years, and have been of the most distinguished kind. He has himself personally conducted successful inquiries into the causes of the spread of various diseases, and has obtained results which have proved of the greatest benefit to mankind. Moreover, in his long connection with the medical department of the Local Government Board he has planned and directed numerous general and local investigations whereby our knowledge of disease, and of the methods of coping with it, have been greatly increased. The medical reports issued by the Local Government Board, which are universally regarded as among the most important contributions

of our time to this subject, have for many years past been either written by him or owe much to his editorial criticism and supervision. It is not too much to say that no living man in this country has advanced the cause of scientific hygiene more than Mr. Power, or is more worthy of the distinction of the Buchanan medal.

SCIENTIFIC BOOKS

Research in China. Volume I., Part 2. *Petrography.* By ELIOT BLACKWELDER. Carnegie Institution of Washington, Washington. 1907.

Rocks from northern and central China are described microscopically in this portion of the report; their field relations and stratigraphy have been given in Part 1 of this volume. The method of treatment is as individual specimens arranged according to geographical distribution, that is, by districts of which eleven are recognized. Their further arrangement is by geological age, mode of formation, and finally by petrographic character. The report is, therefore, a detailed statement of observations and data, with little attempt at general or comprehensive summary of results. The material collected is not considered sufficient for such a treatment.

The Khin-Gan district of the mountain range by that name in northwestern Manchuria, so far as seen from the Chinese-Eastern Railroad, appears to be made up largely of igneous rocks. In addition to a gray biotite-granite there are black quartz-porphyry, hornblende-porphyry, feldspar-porphyry and gray hornblende-granite.

In the western portion of the Liau-Tung peninsula in southern Manchuria the rocks observed belong to several distinct systems: The T'ai-shan gneissic complex; the Ta-ku-shan schists, quartzites and marbles; the Sinian sedimentary series including quartzite conglomerate and psammities of Cambro-ordovician age, besides igneous rocks in dikes. These are rhyolite porphyries, andesitic and basaltic porphyries, more or less altered.

In the neighborhood of Peking a small ridge